

```

:-----
-----
: MIDAS/Civil Text(MCT) File.
: Date :
:-----
-----
*VERSION
  8.7.5
*UNIT      : Unit System
: FORCE, LENGTH, HEAT, TEMPER
  KN      , M, KCAL, C
*PROJINFO   : Project Information
: PROJECT, REVISION, USER, EMAIL, ADDRESS, TEL, FAX,
CLIENT, TITLE, ENGINEER, EDATE      : One Line per Data
: CHECK1, CDATE1, CHECK2, CDATE2, CHECK3, CDATE3,
APPROVE, ADATE, COMMENT              : One Line per
Data
  USER=Park HJ
  ADDRESS=111
*STRUCTYPE  : Structure Type
: iSTYP, iMASS, iSMAS, bMASSOFFSET, bSELFWEIGHT, GRAV,
TEMPER, bALIGNBEAM, bALIGNSLAB, bROTRIGID
  0, 1, 1, NO, NO, 9.806, 0, YES, NO, NO
*REBAR-MATL-CODE : Rebar Material Code
: CONC_CODE, CONC_MDB, SRC_CODE, SRC_MDB
KS01-Civil(RC), SD240, KS01-Civil(RC), SD240
*NODE       : Nodes
: iNO, X, Y, Z
  101, 0, 3.125, 0
  102, 0.44, 3.125, 0
  103, 8.64, 3.125, 0
  104, 9.13, 3.125, 0
  105, 11.433, 3.125, 0
  106, 17.84, 3.125, 0
  107, 25.248, 3.125, 0
  108, 27.04, 3.125, 0
  109, 33.881, 3.125, 0
  110, 36.24, 3.125, 0
  111, 36.911, 3.125, 0
  112, 37.911, 3.125, 0
  113, 38.476, 3.125, 0
  114, 40.789, 3.125, 0
  115, 45.44, 3.125, 0
  116, 49.998, 3.125, 0
  117, 52.28, 3.125, 0
  118, 52.877, 3.125, 0
  119, 53.877, 3.125, 0
  120, 54.64, 3.125, 0
  121, 56.555, 3.125, 0
  122, 64.361, 3.125, 0
  123, 65.04, 3.125, 0
  124, 75.84, 3.125, 0
  125, 76.473, 3.125, 0
  126, 84.029, 3.125, 0
  127, 86.24, 3.125, 0
  128, 86.957, 3.125, 0
  129, 87.957, 3.125, 0
  130, 88.524, 3.125, 0
  131, 90.835, 3.125, 0
  132, 95.44, 3.125, 0
  133, 100.045, 3.125, 0
  134, 102.356, 3.125, 0
  135, 102.923, 3.125, 0
  136, 103.923, 3.125, 0
  137, 104.64, 3.125, 0
  138, 106.851, 3.125, 0
  139, 114.407, 3.125, 0
  140, 115.04, 3.125, 0
  141, 125.84, 3.125, 0
  142, 126.519, 3.125, 0
  143, 134.325, 3.125, 0
  144, 136.24, 3.125, 0
  145, 137.003, 3.125, 0
  146, 138.003, 3.125, 0
  147, 138.6, 3.125, 0
  148, 140.881, 3.125, 0
  149, 145.44, 3.125, 0
  150, 149.691, 3.125, 0
  151, 151.802, 3.125, 0
  152, 152.32, 3.125, 0
  153, 153.32, 3.125, 0
  154, 153.84, 3.125, 0
  155, 155.998, 3.125, 0
  156, 162.24, 3.125, 0
  157, 162.83, 3.125, 0
  158, 163.882, 3.125, 0
  159, 170.64, 3.125, 0
  160, 176.495, 3.125, 0
  161, 178.596, 3.125, 0
  162, 179.04, 3.125, 0
  163, 187.44, 3.125, 0
  164, 187.87, 3.125, 0
  201, 0, -3.125, 0
  202, 0.44, -3.125, 0
  203, 8.64, -3.125, 0
  204, 9.13, -3.125, 0
  205, 11.433, -3.125, 0
  206, 17.84, -3.125, 0
  207, 25.248, -3.125, 0
  208, 27.04, -3.125, 0
  209, 33.881, -3.125, 0
  210, 36.24, -3.125, 0
  211, 36.911, -3.125, 0
  212, 37.911, -3.125, 0
  213, 38.476, -3.125, 0
  214, 40.789, -3.125, 0
  215, 45.44, -3.125, 0
  216, 49.998, -3.125, 0
  217, 52.28, -3.125, 0
  218, 52.877, -3.125, 0
  219, 53.877, -3.125, 0
  220, 54.64, -3.125, 0
  221, 56.555, -3.125, 0
  222, 64.361, -3.125, 0
  223, 65.04, -3.125, 0
  224, 75.84, -3.125, 0
  225, 76.473, -3.125, 0
  226, 84.029, -3.125, 0
  227, 86.24, -3.125, 0
  228, 86.957, -3.125, 0
  229, 87.957, -3.125, 0
  230, 88.524, -3.125, 0

```

231, 90.835, -3.125, 0	: iEL, TYPE, iMAT, iPRO, iN1, iN2, iN3, iN4, iSUB, iWID ,
232, 95.44, -3.125, 0	LCAXIS : Planar Element
233, 100.045, -3.125, 0	: iEL, TYPE, iMAT, iPRO, iN1, iN2, iN3, iN4, iN5, iN6, iN7, iN8
234, 102.356, -3.125, 0	: Solid Element
235, 102.923, -3.125, 0	101, BEAM , 1, 1, 101, 102, 0, 0
236, 103.923, -3.125, 0	102, BEAM , 1, 1, 102, 103, 0, 0
237, 104.64, -3.125, 0	103, BEAM , 1, 1, 103, 104, 0, 0
238, 106.851, -3.125, 0	104, BEAM , 1, 2, 104, 105, 0, 0
239, 114.407, -3.125, 0	105, BEAM , 1, 2, 105, 106, 0, 0
240, 115.04, -3.125, 0	106, BEAM , 1, 2, 106, 107, 0, 0
241, 125.84, -3.125, 0	107, BEAM , 1, 2, 107, 108, 0, 0
242, 126.519, -3.125, 0	108, BEAM , 1, 3, 108, 109, 0, 0
243, 134.325, -3.125, 0	109, BEAM , 1, 4, 109, 110, 0, 0
244, 136.24, -3.125, 0	110, BEAM , 1, 4, 110, 111, 0, 0
245, 137.003, -3.125, 0	111, BEAM , 1, 5, 111, 112, 0, 0
246, 138.003, -3.125, 0	112, BEAM , 1, 5, 112, 113, 0, 0
247, 138.6, -3.125, 0	113, BEAM , 1, 6, 113, 114, 0, 0
248, 140.881, -3.125, 0	114, BEAM , 1, 7, 114, 115, 0, 0
249, 145.44, -3.125, 0	115, BEAM , 1, 7, 115, 116, 0, 0
250, 149.691, -3.125, 0	116, BEAM , 1, 8, 116, 117, 0, 0
251, 151.802, -3.125, 0	117, BEAM , 1, 9, 117, 118, 0, 0
252, 152.32, -3.125, 0	118, BEAM , 1, 9, 118, 119, 0, 0
253, 153.32, -3.125, 0	119, BEAM , 1, 10, 119, 120, 0, 0
254, 153.84, -3.125, 0	120, BEAM , 1, 10, 120, 121, 0, 0
255, 155.998, -3.125, 0	121, BEAM , 1, 11, 121, 122, 0, 0
256, 162.24, -3.125, 0	122, BEAM , 1, 11, 122, 123, 0, 0
257, 162.83, -3.125, 0	123, BEAM , 1, 11, 123, 124, 0, 0
258, 163.882, -3.125, 0	124, BEAM , 1, 11, 124, 125, 0, 0
259, 170.64, -3.125, 0	125, BEAM , 1, 11, 125, 126, 0, 0
260, 176.495, -3.125, 0	126, BEAM , 1, 12, 126, 127, 0, 0
261, 178.596, -3.125, 0	127, BEAM , 1, 1, 127, 128, 0, 0
262, 179.04, -3.125, 0	128, BEAM , 1, 13, 128, 129, 0, 0
263, 187.44, -3.125, 0	129, BEAM , 1, 13, 129, 130, 0, 0
264, 187.87, -3.125, 0	130, BEAM , 1, 14, 130, 131, 0, 0
1001, 0.44, 4.2, -1.9	131, BEAM , 1, 15, 131, 132, 0, 0
1002, 0.44, 2.05, -1.9	132, BEAM , 1, 15, 132, 133, 0, 0
1003, 45.44, 4.2, -1.9	133, BEAM , 1, 14, 133, 134, 0, 0
1004, 45.44, 2.05, -1.9	134, BEAM , 1, 13, 134, 135, 0, 0
1005, 95.44, 4.2, -1.9	135, BEAM , 1, 13, 135, 136, 0, 0
1006, 95.44, 2.05, -1.9	136, BEAM , 1, 12, 136, 137, 0, 0
1007, 145.44, 4.2, -1.9	137, BEAM , 1, 12, 137, 138, 0, 0
1008, 145.44, 2.05, -1.9	138, BEAM , 1, 11, 138, 139, 0, 0
1009, 187.44, 4.2, -1.9	139, BEAM , 1, 11, 139, 140, 0, 0
1010, 187.44, 2.05, -1.9	140, BEAM , 1, 11, 140, 141, 0, 0
2001, 0.44, -2.05, -1.9	141, BEAM , 1, 11, 141, 142, 0, 0
2002, 0.44, -4.2, -1.9	142, BEAM , 1, 11, 142, 143, 0, 0
2003, 45.44, -2.05, -1.9	143, BEAM , 1, 10, 143, 144, 0, 0
2004, 45.44, -4.2, -1.9	144, BEAM , 1, 10, 144, 145, 0, 0
2005, 95.44, -2.05, -1.9	145, BEAM , 1, 9, 145, 146, 0, 0
2006, 95.44, -4.2, -1.9	146, BEAM , 1, 9, 146, 147, 0, 0
2007, 145.44, -2.05, -1.9	147, BEAM , 1, 8, 147, 148, 0, 0
2008, 145.44, -4.2, -1.9	148, BEAM , 1, 7, 148, 149, 0, 0
2009, 187.44, -2.05, -1.9	149, BEAM , 1, 7, 149, 150, 0, 0
2010, 187.44, -4.2, -1.9	150, BEAM , 1, 6, 150, 151, 0, 0
2011, 45.04, -3.125, 0	151, BEAM , 1, 5, 151, 152, 0, 0
2012, 45.84, -3.125, 0	152, BEAM , 1, 5, 152, 153, 0, 0
*ELEMENT : Elements	153, BEAM , 1, 4, 153, 154, 0, 0
: iEL, TYPE, iMAT, iPRO, iN1, iN2, ANGLE, iSUB,	154, BEAM , 1, 4, 154, 155, 0, 0
: Frame Element	155, BEAM , 1, 3, 155, 156, 0, 0
: iEL, TYPE, iMAT, iPRO, iN1, iN2, ANGLE, iSUB, EXVAL,	156, BEAM , 1, 3, 156, 157, 0, 0
EXVAL2, bLMT : Comp/Tens Truss	157, BEAM , 1, 2, 157, 158, 0, 0

158, BEAM , 1, 2, 158, 159, 0, 0
159, BEAM , 1, 2, 159, 160, 0, 0
160, BEAM , 1, 2, 160, 161, 0, 0
161, BEAM , 1, 1, 161, 162, 0, 0
162, BEAM , 1, 1, 162, 163, 0, 0
163, BEAM , 1, 1, 163, 164, 0, 0
201, BEAM , 1, 1, 201, 202, 0, 0
202, BEAM , 1, 1, 202, 203, 0, 0
203, BEAM , 1, 1, 203, 204, 0, 0
204, BEAM , 1, 2, 204, 205, 0, 0
205, BEAM , 1, 2, 205, 206, 0, 0
206, BEAM , 1, 2, 206, 207, 0, 0
207, BEAM , 1, 2, 207, 208, 0, 0
208, BEAM , 1, 3, 208, 209, 0, 0
209, BEAM , 1, 4, 209, 210, 0, 0
210, BEAM , 1, 4, 210, 211, 0, 0
211, BEAM , 1, 5, 211, 212, 0, 0
212, BEAM , 1, 5, 212, 213, 0, 0
213, BEAM , 1, 6, 213, 214, 0, 0
214, BEAM , 1, 7, 214, 2011, 0, 0
215, BEAM , 1, 7, 215, 2012, 0, 0
216, BEAM , 1, 8, 216, 217, 0, 0
217, BEAM , 1, 9, 217, 218, 0, 0
218, BEAM , 1, 9, 218, 219, 0, 0
219, BEAM , 1, 10, 219, 220, 0, 0
220, BEAM , 1, 10, 220, 221, 0, 0
221, BEAM , 1, 11, 221, 222, 0, 0
222, BEAM , 1, 11, 222, 223, 0, 0
223, BEAM , 1, 11, 223, 224, 0, 0
224, BEAM , 1, 11, 224, 225, 0, 0
225, BEAM , 1, 11, 225, 226, 0, 0
226, BEAM , 1, 12, 226, 227, 0, 0
227, BEAM , 1, 1, 227, 228, 0, 0
228, BEAM , 1, 13, 228, 229, 0, 0
229, BEAM , 1, 13, 229, 230, 0, 0
230, BEAM , 1, 14, 230, 231, 0, 0
231, BEAM , 1, 15, 231, 232, 0, 0
232, BEAM , 1, 15, 232, 233, 0, 0
233, BEAM , 1, 14, 233, 234, 0, 0
234, BEAM , 1, 13, 234, 235, 0, 0
235, BEAM , 1, 13, 235, 236, 0, 0
236, BEAM , 1, 12, 236, 237, 0, 0
237, BEAM , 1, 12, 237, 238, 0, 0
238, BEAM , 1, 11, 238, 239, 0, 0
239, BEAM , 1, 11, 239, 240, 0, 0
240, BEAM , 1, 11, 240, 241, 0, 0
241, BEAM , 1, 11, 241, 242, 0, 0
242, BEAM , 1, 11, 242, 243, 0, 0
243, BEAM , 1, 10, 243, 244, 0, 0
244, BEAM , 1, 10, 244, 245, 0, 0
245, BEAM , 1, 9, 245, 246, 0, 0
246, BEAM , 1, 9, 246, 247, 0, 0
247, BEAM , 1, 8, 247, 248, 0, 0
248, BEAM , 1, 7, 248, 249, 0, 0
249, BEAM , 1, 7, 249, 250, 0, 0
250, BEAM , 1, 6, 250, 251, 0, 0
251, BEAM , 1, 5, 251, 252, 0, 0
252, BEAM , 1, 5, 252, 253, 0, 0
253, BEAM , 1, 4, 253, 254, 0, 0
254, BEAM , 1, 4, 254, 255, 0, 0
255, BEAM , 1, 3, 255, 256, 0, 0

256, BEAM , 1, 3, 256, 257, 0, 0
257, BEAM , 1, 2, 257, 258, 0, 0
258, BEAM , 1, 2, 258, 259, 0, 0
259, BEAM , 1, 2, 259, 260, 0, 0
260, BEAM , 1, 2, 260, 261, 0, 0
261, BEAM , 1, 1, 261, 262, 0, 0
262, BEAM , 1, 1, 262, 263, 0, 0
263, BEAM , 1, 1, 263, 264, 0, 0
301, BEAM , 1, 16, 102, 202, 0, 0
302, BEAM , 1, 16, 103, 203, 0, 0
303, BEAM , 1, 16, 106, 206, 0, 0
304, BEAM , 1, 16, 108, 208, 0, 0
305, BEAM , 1, 16, 110, 210, 0, 0
306, BEAM , 1, 16, 115, 215, 0, 0
307, BEAM , 1, 16, 120, 220, 0, 0
308, BEAM , 1, 16, 123, 223, 0, 0
309, BEAM , 1, 16, 124, 224, 0, 0
310, BEAM , 1, 16, 127, 227, 0, 0
311, BEAM , 1, 16, 132, 232, 0, 0
312, BEAM , 1, 16, 137, 237, 0, 0
313, BEAM , 1, 16, 140, 240, 0, 0
314, BEAM , 1, 16, 141, 241, 0, 0
315, BEAM , 1, 16, 144, 244, 0, 0
316, BEAM , 1, 16, 149, 249, 0, 0
317, BEAM , 1, 16, 154, 254, 0, 0
318, BEAM , 1, 16, 156, 256, 0, 0
319, BEAM , 1, 16, 159, 259, 0, 0
320, BEAM , 1, 16, 162, 262, 0, 0
321, BEAM , 1, 16, 163, 263, 0, 0
322, BEAM , 1, 7, 2011, 215, 0, 0
323, BEAM , 1, 7, 2012, 216, 0, 0

*GROUP : Group

: NAME, NODE_LIST, ELEM_LIST, PLANE_TYPE

가로보 , 102 103to154by17 106to256by50 108 110 115 123
124to241by39 127 \

132 140 141 144 149 159 162 203to254by17 208 210 215
223 224 227 232 240 \

244 249 259 262 263, 301to321, 0

현장이음 , 105 107 112 118 122 125 129 135 139 142 146
152 158 160 205 207 \

212 218 222 225 229 235 239 242 246 252 258 260, , 0

지점부 , 102 115 132 149 163 202 215 232 249 263,
301to321by5, 0

주형 G1 , , 101to163, 0

주형 G2 , , 201to263 322 323, 0

교량받침 G1, 1001to1010, , 0

교량받침 G2, 2001to2010, , 0

주형ALL , , 101to163 201to263 322 323, 0

*MATERIAL : Material

: iMAT, TYPE, MNAME, SPHEAT, HEATCO, PLAST, TUNIT,
bMASS, DAMPRATIO, [DATA1] : STEEL, CONC, USER

: iMAT, TYPE, MNAME, SPHEAT, HEATCO, PLAST, TUNIT,
bMASS, DAMPRATIO, [DATA2], [DATA2] : SRC

: [DATA1] : 1, STANDARD, CODE/PRODUCT, DB, USEELAST,
ELAST

: [DATA1] : 2, ELAST, POISN, THERMAL, DEN, MASS

: [DATA1] : 3, Ex, Ey, Ez, Tx, Ty, Tz, Sxy, Sxz, Syz, Pxy, Pxz,
Pyz, DEN, MASS : Orthotropic

: [DATA2] : 1, STANDARD, CODE/PRODUCT, DB, USEELAST,
ELAST or 2, ELAST, POISN, THERMAL, DEN, MASS

1, USER , SM490 , 0, 0, , C, YES, 0, 2,

2.1000e+008, 0.3, 1.2000e-005, 95.299, 9.7175	: 7th line(STYPE=PSC)	
*MATL-COLOR	:	[SIZE-D]-i
: iMAT, W_R, W_G, W_B, HF_R, HF_G, HF_B, HE_R, HE_G, HE_B, bBLEND, FACT	: 8th line(STYPE=PSC)	[SIZE-A]-j
1, 255, 0, 0, 0, 255, 0, 0, 0, 255, NO, 0.5	: 9th line(STYPE=PSC)	
*SECTION : Section	:	[SIZE-B]-j
: iSEC, TYPE, SNAME, [OFFSET], bSD, bWE, SHAPE, [DATA1], [DATA2]	: 10th line(STYPE=PSC)	[SIZE-C]-j
: iSEC, TYPE, SNAME, [OFFSET], bSD, bWE, SHAPE, BLT, D1, ..., D8, iCEL	: 11th line(STYPE=PSC)	[SIZE-D]-j
: : 1st line - VALUE	:	
: AREA, ASy, ASz, lxx, lyy, lzz	: 12th line(STYPE=PSC)	
: : 2nd line	:	
: CyP, CyM, CzP, CzM, QyB, QzB, PERI_OUT, PERI_IN, Cy, Cz	: GN, CTC, Bc, Tc, Hh, EsEc, DsDc, Ps, Pc, bMULTI, EsEc-L, EsEc-S	: 2nd line(STYPE=CMP-B/I)
: : 3rd line	:	
: Y1, Y2, Y3, Y4, Z1, Z2, Z3, Z4, Zyy, Zzz	: SW_i, Hw_i, tw_i, B_i, Bf1_i, tf1_i, B2_i, Bf2_i, tf2_i	: 3rd line(STYPE=CMP-B/I)
: : 4th line	:	
: iSEC, TYPE, SNAME, [OFFSET], bSD, bWE, SHAPE, ELAST, DEN, POIS, POIC, SF, THERMAL : 1st line - SRC	: SW_j, Hw_j, tw_j, B_j, Bf1_j, tf1_j, B2_j, Bf2_j, tf2_j	: 4th line(STYPE=CMP-B/I)
: : D1, D2, [SRC]	:	
: : 2nd line	: N1, N2, Hr, Hr2, tr1, tr2	: 5th line(STYPE=CMP-B)
: iSEC, TYPE, SNAME, [OFFSET], bSD, bWE, SHAPE, 1, DB, NAME1, NAME2, D1, D2	: GN, CTC, Bc, Tc, Hh, EgdEsb, DgdDsb, Pgd, Psb, bSYM, SW_i, SW_j	: 2nd line(STYPE=CMP-CI/CT)
: : 1st line - COMBINED	:	
: iSEC, TYPE, SNAME, [OFFSET], bSD, bWE, SHAPE, 2, D11, D12, D13, D14, D15, D21, D22, D23, D24	: OPT1, OPT2, [JOINT]	: 3rd line(STYPE=CMP-CI/CT)
: iSEC, TYPE, SNAME, [OFFSET2], bSD, bWE, SHAPE, iyVAR, izVAR, STYPE	:	[SIZE-A]-i
: : 1st line - TAPERED	:	[SIZE-B]-i
: : DB, NAME1, NAME2	: 5th line(STYPE=CMP-CI/CT)	
: : 2nd line(STYPE=DB)	:	[SIZE-C]-i
: : [DIM1], [DIM2]	: 6th line(STYPE=CMP-CI/CT)	
: : 2nd line(STYPE=USER)	:	[SIZE-D]-i
: D11, D12, D13, D14, D15, D16, D17, D18	: 7th line(STYPE=CMP-CI/CT)	
: : 2nd line(STYPE=VALUE)	:	[SIZE-A]-j
: AREA1, ASy1, ASz1, lxx1, lyy1, lzz1	: 8th line(STYPE=CMP-CI/CT)	
: : 3rd line(STYPE=VALUE)	:	[SIZE-B]-j
: CyP1, CyM1, CzP1, CzM1, QyB1, QzB1, PERI_OUT1, PERI_IN1, Cy1, Cz1	: 9th line(STYPE=CMP-CI/CT)	
: : 4th line(STYPE=VALUE)	:	[SIZE-C]-j
: Y11, Y12, Y13, Y14, Z11, Z12, Z13, Z14, Zyy1, Zyy2	: 10th line(STYPE=CMP-CI/CT)	
: : 5th line(STYPE=VALUE)	:	[SIZE-D]-j
: D21, D22, D23, D24, D25, D26, D27, D28	: 11th line(STYPE=CMP-CI/CT)	
: : 6th line(STYPE=VALUE)	: iSEC, TYPE, SNAME, [OFFSET], bSD, bWE, STYPE1, STYPE2	
: AREA2, ASy2, ASz2, lxx2, lyy2, lzz2	: : 1st line - CONSTRUCT	
: : 7th line(STYPE=VALUE)	:	
: CyP2, CyM2, CzP2, CzM2, QyB2, QzB2, PERI_OUT2, PERI_IN2, Cy2, Cz2	: SHAPE, ...(same with other type data from shape)	: Before (STYPE1)
: : 8th line(STYPE=VALUE)	:	
: Y21, Y22, Y23, Y24, Z21, Z22, Z23, Z24, Zyy2, Zzz2	: SHAPE, ...(same with other type data from shape)	: After (STYPE2)
: : 9th line(STYPE=VALUE)	: iSEC, TYPE, SNAME, [OFFSET], bSD, bWE, SHAPE	: 1st line - COMPOSITE-B
: : OPT1, OPT2, [JOINT]	: : 1st line - COMPOSITE-B	
: : 2nd line(STYPE=PSC)	: Hw, tw, B1, Bf1, tf1, B2, Bf2, tf2	: 2nd line
: ELAST, DEN, POIS, POIC, THERMAL	: : 2nd line	
: : 2nd line(STYPE=PSC-CMPW)	: [SHAPE-NUM], [STIFF-SHAPE], [STIFF-POS] (1~4)	: 3rd line
: bSHEARCHK, [SCHK-I], [SCHK-J], [WT-I], [WT-J], WI, WJ, bSYM, bSIDEHOLE	: : 3rd line	
: : 3rd line(STYPE=PSC)	: SW, GN, CTC, Bc, Tc, Hh, EsEc, DsDc, Ps, Pc, TsTc, bMulti, Elong, Esh	: 4th line
: bSHEARCHK, bSYM, bHUNCH, [CMPWEB-I], [CMPWEB-J]	: iSEC, TYPE, SNAME, [OFFSET], bSD, bWE, SHAPE	: 1st line - COMPOSITE-I
: : 3rd line(STYPE=PSC-CMPW)	: : 1st line - COMPOSITE-I	
: bUSERDEFMESH SIZE, MESH SIZE, bUSERINPSTIFF, [STIFF-I], [STIFF-J]	: Hw, tw, B1, tf1, B2, tf2	: 2nd line
: : 4th line(STYPE=PSC)	: : 2nd line	
: : [SIZE-A]-i	: [SHAPE-NUM], [STIFF-SHAPE], [STIFF-POS] (1~2)	: 3rd line
: : 5th line(STYPE=PSC)	: : 3rd line	
: : [SIZE-B]-i	: SW, GN, CTC, Bc, Tc, Hh, EsEc, DsDc, Ps, Pc, TsTc, bMulti, Elong, Esh	: 4th line
: : 6th line(STYPE=PSC)	: : 4th line	
: : [SIZE-C]-i		

```

: iSEC, TYPE, SNAME, [OFFSET], bSD, bWE, SHAPE
      : 1st line - COMPOSITE-TUB
:      Hw, tw, B1, Bf1, tf1, B2, Bf2, tf2, Bf3, tfp
      : 2nd line
:      [SHAPE-NUM], [STIFF-SHAPE], [STIFF-POS] (1~3)
      : 3rd line
:      SW, GN, CTC, Bc, Tc, Hh, EsEc, DsDc, Ps, Pc, TsTc,
bMulti, Elong, Esh      : 4th line
: iSEC, TYPE, SNAME, [OFFSET], bSD, bWE, SHAPE
      : 1st line - COMPOSITE-CI/CT
:      OPT1, OPT2, [JOINT]
      : 2nd line
:      [SIZE-A]
      : 3rd line
:      [SIZE-B]
      : 4th line
:      [SIZE-C]
      : 5th line
:      [SIZE-D]
      : 6th line
:      SW, GN, CTC, Bc, Tc, Hh, EgD_Esb, DgdDsb, Pgd, Psb
      : 7th line
: iSEC, TYPE, SNAME, [OFFSET], bSD, bWE, SHAPE
      : 1st line - PSC
:      OPT1, OPT2, [JOINT]
      : 2nd line
:      bSHEARCHK, [SCHK], [WT], WIDTH, bSYM, bSIDEHOLE
      : 3rd line
:      bUSERDEFMESH SIZE, MESH SIZE, bUSERINPSTIFF,
[STIFF]      : 4th line
:      bWE, [WARPING POINT]-i, [WARPING POINT]-j
      : 5th line
:      [SIZE-A]
      : 6th line
:      [SIZE-B]
      : 7th line
:      [SIZE-C]
      : 8th line
:      [SIZE-D]
      : 9th line
: [DATA1] : 1, DB, NAME or 2, D1, D2, D3, D4, D5, D6, D7, D8,
D9, D10
: [DATA2] : CCSHAPE or iCEL or iN1, iN2
: [SRC] : 1, DB, NAME1, NAME2 or 2, D1, D2, D3, D4, D5, D6,
D7, D8, D9, D10, iN1, iN2
: [DIM1], [DIM2] : D1, D2, D3, D4, D5, D6, D7, D8
: [OFFSET] : OFFSET, iCENT, iREF, iHORZ, HUSER, iVERT,
VUSER
: [OFFSET2]: OFFSET, iCENT, iREF, iHORZ, HUSERI, HUSERJ,
iVERT, VUSERI, VUSERJ
: [SHAPE-NUM]: SHAPE-NUM, POS, STIFF-NUM1, STIFF-NUM2,
STIFF-NUM3, STIFF-NUM4
: [STIFF-SHAPE]: SHAPE-NUM, for(SHAPE-NUM) { NAME,
SIZE1~8 }
: [STIFF-POS]: STIFF-NUM, for(STIFF-NUM) { SPACING,
iSHAPE, bCALC }
: [JOINT] : 8(1CELL, 2CELL), 13(3CELL), 9(PSCM), 8(PSCH),
9(PSCT), 2(PSCB), 0(nCELL), 2(nCEL2)
: [SIZE-A] : 6(1CELL, 2CELL), 10(3CELL), 10(PSCM), 6(PSCH),
8(PSCT), 10(PSCB), 5(nCELL), 11(nCEL2)
: [SIZE-B] : 6(1CELL, 2CELL), 12(3CELL), 6(PSCM), 6(PSCH),

```

```

8(PSCT), 6(PSCB), 8(nCELL), 18(nCEL2)
: [SIZE-C] : 10(1CELL, 2CELL), 13(3CELL), 9(PSCM), 10(PSCH),
7(PSCT), 8(PSCB), 0(nCELL), 11(nCEL2)
: [SIZE-D] : 8(1CELL, 2CELL), 13(3CELL), 6(PSCM), 7(PSCH),
8(PSCT), 5(PSCB), 0(nCELL), 18(nCEL2)
: [STIFF] : AREA, ASy, ASz, lxx, lyy, lzz
: [SCHK] : bAUTO_Z1, Z1, bAUTO_Z3, Z3
: [WT] : bAUTO_TOR, TOR, bAUTO_SHR1, SHR1,
bAUTO_SHR2, SHR2, bAUTO_SHR3, SHR3
: [CMPWEB] : EFD, LRF, A, B, H, T
: [WARPING POINT] : nWarpingCheck, X1,X2,X3,X4,X5,X6,
Y1,Y2,Y3,Y4,Y5,Y6
1, COMPOSITE , 01 , CC, 0, 0, 0, 0, 0, 0,
YES, NO, B
1.9, 0.01, 2.75, 0.1, 0.012, 2.75, 0.05, 0.012
2, 0, 0, 0, 3, 5
2, Stiffener1, 0, 0.16, 0.012, 0, 0, 0, 0, 0, 0, Stiffener2,
0, 0.16, 0.012, 0, 0, 0, 0, 0
0
0
3, 0.6875, 0, YES, 0.6875, 0, YES, 0.6875, 0, YES
5, 0.458333, 1, YES, 0.458333, 1, YES, 0.458333, 1, YES,
0.458333, 1, YES, 0.458333, 1, YES
6.25, 1, 6.25, 6.25, 0.27, 0.03, 8.35624, 0, 0.3, 0.18,
1, NO, ,
2, COMPOSITE , 02 , CC, 0, 0, 0, 0, 0, 0,
YES, NO, B
1.9, 0.01, 2.75, 0.1, 0.014, 2.75, 0.05, 0.017
2, 0, 0, 0, 3, 5
2, Stiffener1, 0, 0.16, 0.012, 0, 0, 0, 0, 0, 0, Stiffener2,
0, 0.16, 0.012, 0, 0, 0, 0, 0
0
0
3, 0.6875, 0, YES, 0.6875, 0, YES, 0.6875, 0, YES
5, 0.458333, 1, YES, 0.458333, 1, YES, 0.458333, 1, YES,
0.458333, 1, YES, 0.458333, 1, YES
6.25, 1, 6.25, 6.25, 0.27, 0.03, 8.35624, 0, 0.3, 0.18,
1, NO, ,
3, COMPOSITE , 03 , CC, 0, 0, 0, 0, 0, 0,
YES, NO, B
1.9, 0.01, 2.75, 0.1, 0.012, 2.75, 0.05, 0.014
2, 0, 0, 0, 3, 5
2, Stiffener1, 0, 0.16, 0.012, 0, 0, 0, 0, 0, 0, Stiffener2,
0, 0.16, 0.012, 0, 0, 0, 0, 0
0
0
3, 0.6875, 0, YES, 0.6875, 0, YES, 0.6875, 0, YES
5, 0.458333, 1, YES, 0.458333, 1, YES, 0.458333, 1, YES,
0.458333, 1, YES, 0.458333, 1, YES
6.25, 1, 6.25, 6.25, 0.27, 0.03, 8.35624, 0, 0.3, 0.18,
1, NO, ,
4, COMPOSITE , 04 , CC, 0, 0, 0, 0, 0, 0,
YES, NO, B
1.9, 0.01, 2.75, 0.1, 0.016, 2.75, 0.05, 0.02
2, 0, 0, 0, 5, 5
2, Stiffener1, 0, 0.3, 0.022, 0, 0, 0, 0, 0, 0, Stiffener2, 0,
0.16, 0.012, 0, 0, 0, 0, 0
0
0
5, 0.458333, 0, YES, 0.458333, 0, YES, 0.458333, 0, YES,
0.458333, 0, YES, 0.458333, 0, YES

```



```

5, 0.458333, 1, YES, 0.458333, 1, YES, 0.458333, 1, YES,
0.458333, 1, YES, 0.458333, 1, YES
6.25, 1, 6.25, 6.25, 0.27, 0.03, 8.35624, 0, 0.3, 0.18,
1, NO, ,
14, COMPOSITE , 11-2 , CC, 0, 0, 0, 0, 0, 0,
YES, NO, B
1.9, 0.013, 2.75, 0.1, 0.016, 2.75, 0.05, 0.018
2, 0, 0, 0, 5, 3
2, Stiffener1, 0, 0.3, 0.022, 0, 0, 0, 0, 0, 0, Stiffener2, 0,
0.2, 0.012, 0, 0, 0, 0, 0, 0
0
0
5, 0.458333, 0, YES, 0.458333, 0, YES, 0.458333, 0, YES,
0.458333, 0, YES, 0.458333, 0, YES
3, 0.6875, 1, YES, 0.6875, 1, YES, 0.6875, 1, YES
6.25, 1, 6.25, 6.25, 0.27, 0.03, 8.35624, 0, 0.3, 0.18,
1, NO, ,
15, COMPOSITE , 12 , CC, 0, 0, 0, 0, 0, 0,
YES, NO, B
1.9, 0.013, 2.75, 0.1, 0.02, 2.75, 0.05, 0.024
2, 0, 0, 0, 5, 3
2, Stiffener1, 0, 0.3, 0.022, 0, 0, 0, 0, 0, 0, Stiffener2, 0,
0.2, 0.012, 0, 0, 0, 0, 0, 0
0
0
5, 0.458333, 0, YES, 0.458333, 0, YES, 0.458333, 0, YES,
0.458333, 0, YES, 0.458333, 0, YES
3, 0.6875, 1, YES, 0.6875, 1, YES, 0.6875, 1, YES
6.25, 1, 6.25, 6.25, 0.27, 0.03, 8.35624, 0, 0.3, 0.18,
1, NO, ,
16, DBUSER , cross , CC, 0, 0, 0, 0, 0, 0,
YES, NO, H , 2, 1, 0.4, 0.01, 0.012, 0.4, 0.012, 0, 0, 0, 0
*SECT-COLOR
: iSEC, W_R, W_G, W_B, HF_R, HF_G, HF_B, HE_R, HE_G,
HE_B, bBLEND, FACT
1, 255, 0, 0, 0, 255, 0, 0, 0, 255, NO, 0.5
2, 255, 0, 0, 0, 255, 0, 0, 0, 255, NO, 0.5
3, 255, 0, 0, 0, 255, 0, 0, 0, 255, NO, 0.5
4, 255, 0, 0, 0, 255, 0, 0, 0, 255, NO, 0.5
5, 255, 0, 0, 0, 255, 0, 0, 0, 255, NO, 0.5
6, 255, 0, 0, 0, 255, 0, 0, 0, 255, NO, 0.5
7, 255, 0, 0, 0, 255, 0, 0, 0, 255, NO, 0.5
8, 255, 0, 0, 0, 255, 0, 0, 0, 255, NO, 0.5
9, 255, 0, 0, 0, 255, 0, 0, 0, 255, NO, 0.5
10, 255, 0, 0, 0, 255, 0, 0, 0, 255, NO, 0.5
11, 255, 0, 0, 0, 255, 0, 0, 0, 255, NO, 0.5
12, 255, 0, 0, 0, 255, 0, 0, 0, 255, NO, 0.5
13, 255, 0, 0, 0, 255, 0, 0, 0, 255, NO, 0.5
14, 255, 0, 0, 0, 255, 0, 0, 0, 255, NO, 0.5
15, 255, 0, 0, 0, 255, 0, 0, 0, 255, NO, 0.5
16, 255, 0, 0, 0, 255, 0, 0, 0, 255, NO, 0.5
*DGN-SECT
: iSEC, TYPE, SNAME, [OFFSET], bSD, bWE, SHAPE, [DATA1],
[DATA2] ; 1st line - DB/USER
: iSEC, TYPE, SNAME, [OFFSET], bSD, bWE, SHAPE, BLT, D1,
..., D8, iCEL ; 1st line - VALUE
: AREA, ASy, ASz, lxx, lyy, lzz
; 2nd line
: CyP, CyM, CzP, CzM, QyB, QzB, PERI_OUT, PERI_IN, Cy,
Cz ; 3rd line
: Y1, Y2, Y3, Y4, Z1, Z2, Z3, Z4, Zyy, Zzz

```

```

; 4th line
: iSEC, TYPE, SNAME, [OFFSET], bSD, bWE, SHAPE, ELAST,
DEN, POIS, POIC, SF, THERMAL ; 1st line - SRC
; D1, D2, [SRC]
; 2nd line
: iSEC, TYPE, SNAME, [OFFSET], bSD, bWE, SHAPE, 1, DB,
NAME1, NAME2, D1, D2 ; 1st line - COMBINED
: iSEC, TYPE, SNAME, [OFFSET], bSD, bWE, SHAPE, 2, D11,
D12, D13, D14, D15, D21, D22, D23, D24
: iSEC, TYPE, SNAME, [OFFSET2], bSD, bWE, SHAPE, iyVAR,
izVAR, STYPE ; 1st line - TAPERED
; DB, NAME1, NAME2
; 2nd line(STYPE=DB)
; [DIM1], [DIM2]
; 2nd line(STYPE=USER)
; D11, D12, D13, D14, D15, D16, D17, D18
; 2nd line(STYPE=VALUE)
; AREA1, ASy1, ASz1, lxx1, lyy1, lzz1
; 3rd line(STYPE=VALUE)
; CyP1, CyM1, CzP1, CzM1, QyB1, QzB1, PERI_OUT1,
PERI_IN1, Cy1, Cz1 ; 4th line(STYPE=VALUE)
; Y11, Y12, Y13, Y14, Z11, Z12, Z13, Z14, Zyy1, Zyy2
; 5th line(STYPE=VALUE)
; D21, D22, D23, D24, D25, D26, D27, D28
; 6th line(STYPE=VALUE)
; AREA2, ASy2, ASz2, lxx2, lyy2, lzz2
; 7th line(STYPE=VALUE)
; CyP2, CyM2, CzP2, CzM2, QyB2, QzB2, PERI_OUT2,
PERI_IN2, Cy2, Cz2 ; 8th line(STYPE=VALUE)
; Y21, Y22, Y23, Y24, Z21, Z22, Z23, Z24, Zyy2, Zzz2
; 9th line(STYPE=VALUE)
; OPT1, OPT2, [JOINT]
; 2nd line(STYPE=PSC)
; ELAST, DEN, POIS, POIC, THERMAL
; 2nd line(STYPE=PSC-CMPW)
; bSHEARCHK, [SCHK-I], [SCHK-J], [WT-I], [WT-J], WI, WJ,
bSYM, bSIDEHOLE ; 3rd line(STYPE=PSC)
; bSHEARCHK, bSYM, bHUNCH, [CMPWEB-I], [CMPWEB-J]
; 3rd line(STYPE=PSC-CMPW)
; bUSERDEFMESH SIZE, MESH SIZE, bUSERINPSTIFF,
[STIFF-I], [STIFF-J] ; 4th line(STYPE=PSC)
; [SIZE-A]-i
; 5th line(STYPE=PSC)
; [SIZE-B]-i
; 6th line(STYPE=PSC)
; [SIZE-C]-i
; 7th line(STYPE=PSC)
; [SIZE-D]-i
; 8th line(STYPE=PSC)
; [SIZE-A]-j
; 9th line(STYPE=PSC)
; [SIZE-B]-j
; 10th line(STYPE=PSC)
; [SIZE-C]-j
; 11th line(STYPE=PSC)
; [SIZE-D]-j
; 12th line(STYPE=PSC)
; GN, CTC, Bc, Tc, Hh, EsEc, DsDc, Ps, Pc, bMULTI,
EsEc-L, EsEc-S ; 2nd line(STYPE=CMP-B/I)
; SW_i, Hw_i, tw_i, B_i, Bf1_i, tf1_i, B2_i, Bf2_i, tf2_i
; 3rd line(STYPE=CMP-B/I)

```

```

;      SW_j, Hw_j, tw_j, B_j, Bf1_j, tf1_j, B2_j, Bf2_j, tf2_j
;      : 4th line(STYPE=CMP-B/I)
;      N1, N2, Hr, Hr2, tr1, tr2
;      : 5th line(STYPE=CMP-B)
;      GN, CTC, Bc, Tc, Hh, EgdEsb, DgdDsb, Pgd, Psb, bSYM,
SW_i, SW_j      : 2nd line(STYPE=CMP-CI/CT)
;      OPT1, OPT2, [JOINT]
;      : 3rd line(STYPE=CMP-CI/CT)
;      [SIZE-A]-i
;      : 4th line(STYPE=CMP-CI/CT)
;      [SIZE-B]-i
;      : 5th line(STYPE=CMP-CI/CT)
;      [SIZE-C]-i
;      : 6th line(STYPE=CMP-CI/CT)
;      [SIZE-D]-i
;      : 7th line(STYPE=CMP-CI/CT)
;      [SIZE-A]-j
;      : 8th line(STYPE=CMP-CI/CT)
;      [SIZE-B]-j
;      : 9th line(STYPE=CMP-CI/CT)
;      [SIZE-C]-j
;      : 10th line(STYPE=CMP-CI/CT)
;      [SIZE-D]-j
;      : 11th line(STYPE=CMP-CI/CT)
; iSEC, TYPE, SNAME, [OFFSET], bSD, bWE, STYPE1, STYPE2
;      : 1st line - CONSTRUCT
;      SHAPE, ...(same with other type data from shape)
;      : Before (STYPE1)
;      SHAPE, ...(same with other type data from shape)
;      : After (STYPE2)
; iSEC, TYPE, SNAME, [OFFSET], bSD, bWE, SHAPE
;      : 1st line - COMPOSITE-B
;      Hw, tw, B1, Bf1, tf1, B2, Bf2, tf2
;      : 2nd line
;      [SHAPE-NUM], [STIFF-SHAPE], [STIFF-POS] (1~4)
;      : 3rd line
;      SW, GN, CTC, Bc, Tc, Hh, EsEc, DsDc, Ps, Pc, TsTc,
bMulti, Elong, Esh : 4th line
; iSEC, TYPE, SNAME, [OFFSET], bSD, bWE, SHAPE
;      : 1st line - COMPOSITE-I
;      Hw, tw, B1, tf1, B2, tf2
;      : 2nd line
;      [SHAPE-NUM], [STIFF-SHAPE], [STIFF-POS] (1~2)
;      : 3rd line
;      SW, GN, CTC, Bc, Tc, Hh, EsEc, DsDc, Ps, Pc, TsTc,
bMulti, Elong, Esh : 4th line
; iSEC, TYPE, SNAME, [OFFSET], bSD, bWE, SHAPE
;      : 1st line - COMPOSITE-TUB
;      Hw, tw, B1, Bf1, tf1, B2, Bf2, tf2, Bf3, tfp
;      : 2nd line
;      [SHAPE-NUM], [STIFF-SHAPE], [STIFF-POS] (1~3)
;      : 3rd line
;      SW, GN, CTC, Bc, Tc, Hh, EsEc, DsDc, Ps, Pc, TsTc,
bMulti, Elong, Esh : 4th line
; iSEC, TYPE, SNAME, [OFFSET], bSD, bWE, SHAPE
;      : 1st line - COMPOSITE-CI/CT
;      OPT1, OPT2, [JOINT]
;      : 2nd line
;      [SIZE-A]
;      : 3rd line
;      [SIZE-B]
;      : 4th line
;      : 5th line
;      : 6th line
;      SW, GN, CTC, Bc, Tc, Hh, EgdEsb, DgdDsb, Pgd, Psb
;      : 7th line
;      iSEC, TYPE, SNAME, [OFFSET], bSD, bWE, SHAPE
;      : 1st line - PSC
;      OPT1, OPT2, [JOINT]
;      : 2nd line
;      bSHEARCHK, [SCHK], [WT], WIDTH, bSYM, bSIDEHOLE
;      : 3rd line
;      bUSERDEFMESH SIZE, MESH SIZE, bUSERINPSTIFF,
[STIFF] : 4th line
;      bWE, [WARPING POINT]-i, [WARPING POINT]-j
;      : 5th line
;      [SIZE-A]
;      : 6th line
;      [SIZE-B]
;      : 7th line
;      [SIZE-C]
;      : 8th line
;      [SIZE-D]
;      : 9th line
; [DATA1] : 1, DB, NAME or 2, D1, D2, D3, D4, D5, D6, D7, D8,
D9, D10
; [DATA2] : CCSHAPE or iCEL or iN1, iN2
; [SRC] : 1, DB, NAME1, NAME2 or 2, D1, D2, D3, D4, D5, D6,
D7, D8, D9, D10, iN1, iN2
; [DIM1], [DIM2] : D1, D2, D3, D4, D5, D6, D7, D8
; [OFFSET] : OFFSET, iCENT, iREF, iHORZ, HUSER, iVERT,
VUSER
; [OFFSET2]: OFFSET, iCENT, iREF, iHORZ, HUSERI, HUSERJ,
iVERT, VUSERI, VUSERJ
; [SHAPE-NUM]: SHAPE-NUM, POS, STIFF-NUM1, STIFF-NUM2,
STIFF-NUM3, STIFF-NUM4
; [STIFF-SHAPE]: SHAPE-NUM, for(SHAPE-NUM) { NAME,
SIZE1~8 }
; [STIFF-POS]: STIFF-NUM, for(STIFF-NUM) { SPACING,
iSHAPE, bCALC }
; [JOINT] : 8(1CELL, 2CELL), 13(3CELL), 9(PSCM), 8(PSCH),
9(PSCT), 2(PSCB), 0(nCELL), 2(nCEL2)
; [SIZE-A] : 6(1CELL, 2CELL), 10(3CELL), 10(PSCM), 6(PSCH),
8(PSCT), 10(PSCB), 5(nCELL), 11(nCEL2)
; [SIZE-B] : 6(1CELL, 2CELL), 12(3CELL), 6(PSCM), 6(PSCH),
8(PSCT), 6(PSCB), 8(nCELL), 18(nCEL2)
; [SIZE-C] : 10(1CELL, 2CELL), 13(3CELL), 9(PSCM), 10(PSCH),
7(PSCT), 8(PSCB), 0(nCELL), 11(nCEL2)
; [SIZE-D] : 8(1CELL, 2CELL), 13(3CELL), 6(PSCM), 7(PSCH),
8(PSCT), 5(PSCB), 0(nCELL), 18(nCEL2)
; [STIFF] : AREA, ASy, ASz, lxx, lyy, lzz
; [SCHK] : bAUTO_Z1, Z1, bAUTO_Z3, Z3
; [WT] : bAUTO_TOR, TOR, bAUTO_SHR1, SHR1,
bAUTO_SHR2, SHR2, bAUTO_SHR3, SHR3
; [CMPWEB] : EFD, LRF, A, B, H, T
; [WARPING POINT] : nWarpingCheck, X1,X2,X3,X4,X5,X6,
Y1,Y2,Y3,Y4,Y5,Y6
;      1, COMPOSITE , 01 , CC, 0, 0, 0, 0, 0, 0,
YES, NO, B
;      1.9, 0.01, 2.75, 0.1, 0.012, 2.75, 0.05, 0.012

```


0.16, 0.012, 0, 0, 0, 0, 0, 0
0
0
5, 0.458333, 0, YES, 0.458333, 0, YES, 0.458333, 0, YES,
0.458333, 0, YES, 0.458333, 0, YES
5, 0.458333, 1, YES, 0.458333, 1, YES, 0.458333, 1, YES,
0.458333, 1, YES, 0.458333, 1, YES
6.25, 1, 6.25, 6.25, 0.27, 0.03, 8.35624, 0, 0.3, 0.18,
1, NO, ,
11, COMPOSITE , 09 , CC, 0, 0, 0, 0, 0, 0,
YES, NO, B
1.9, 0.01, 2.75, 0.1, 0.012, 2.75, 0.05, 0.015
2, 0, 0, 0, 3, 5
2, Stiffener1, 0, 0.16, 0.012, 0, 0, 0, 0, 0, 0, Stiffener2,
0, 0.16, 0.012, 0, 0, 0, 0, 0, 0
0
0
3, 0.6875, 0, YES, 0.6875, 0, YES, 0.6875, 0, YES
5, 0.458333, 1, YES, 0.458333, 1, YES, 0.458333, 1, YES,
0.458333, 1, YES, 0.458333, 1, YES
6.25, 1, 6.25, 6.25, 0.27, 0.03, 8.35624, 0, 0.3, 0.18,
1, NO, ,
12, COMPOSITE , 10 , CC, 0, 0, 0, 0, 0, 0,
YES, NO, B
1.9, 0.01, 2.75, 0.1, 0.016, 2.75, 0.05, 0.018
2, 0, 0, 0, 5, 5
2, Stiffener1, 0, 0.3, 0.022, 0, 0, 0, 0, 0, 0, Stiffener2, 0,
0.16, 0.012, 0, 0, 0, 0, 0, 0
0
0
5, 0.458333, 0, YES, 0.458333, 0, YES, 0.458333, 0, YES,
0.458333, 0, YES, 0.458333, 0, YES
5, 0.458333, 1, YES, 0.458333, 1, YES, 0.458333, 1, YES,
0.458333, 1, YES, 0.458333, 1, YES
6.25, 1, 6.25, 6.25, 0.27, 0.03, 8.35624, 0, 0.3, 0.18,
1, NO, ,
13, COMPOSITE , 11-1 , CC, 0, 0, 0, 0, 0, 0,
YES, NO, B
1.9, 0.013, 2.75, 0.1, 0.016, 2.75, 0.05, 0.018
2, 0, 0, 0, 5, 5
2, Stiffener1, 0, 0.3, 0.022, 0, 0, 0, 0, 0, 0, Stiffener2, 0,
0.16, 0.012, 0, 0, 0, 0, 0, 0
0
0
5, 0.458333, 0, YES, 0.458333, 0, YES, 0.458333, 0, YES,
0.458333, 0, YES, 0.458333, 0, YES
5, 0.458333, 1, YES, 0.458333, 1, YES, 0.458333, 1, YES,
0.458333, 1, YES, 0.458333, 1, YES
6.25, 1, 6.25, 6.25, 0.27, 0.03, 8.35624, 0, 0.3, 0.18,
1, NO, ,
14, COMPOSITE , 11-2 , CC, 0, 0, 0, 0, 0, 0,
YES, NO, B
1.9, 0.013, 2.75, 0.1, 0.016, 2.75, 0.05, 0.018
2, 0, 0, 0, 5, 3
2, Stiffener1, 0, 0.3, 0.022, 0, 0, 0, 0, 0, 0, Stiffener2, 0,
0.2, 0.012, 0, 0, 0, 0, 0, 0
0
0
5, 0.458333, 0, YES, 0.458333, 0, YES, 0.458333, 0, YES,
0.458333, 0, YES, 0.458333, 0, YES
3, 0.6875, 1, YES, 0.6875, 1, YES, 0.6875, 1, YES

6.25, 1, 6.25, 6.25, 0.27, 0.03, 8.35624, 0, 0.3, 0.18,
1, NO, ,
15, COMPOSITE , 12 , CC, 0, 0, 0, 0, 0, 0,
YES, NO, B
1.9, 0.013, 2.75, 0.1, 0.02, 2.75, 0.05, 0.024
2, 0, 0, 0, 5, 3
2, Stiffener1, 0, 0.3, 0.022, 0, 0, 0, 0, 0, 0, Stiffener2, 0,
0.2, 0.012, 0, 0, 0, 0, 0, 0
0
0
5, 0.458333, 0, YES, 0.458333, 0, YES, 0.458333, 0, YES,
0.458333, 0, YES, 0.458333, 0, YES
3, 0.6875, 1, YES, 0.6875, 1, YES, 0.6875, 1, YES
6.25, 1, 6.25, 6.25, 0.27, 0.03, 8.35624, 0, 0.3, 0.18,
1, NO, ,
16, DBUSER , cross , CC, 0, 0, 0, 0, 0, 0,
YES, NO, H , 2, 1, 0.4, 0.01, 0.012, 0.4, 0.012, 0, 0, 0, 0
*STLDCASE : Static Load Cases
: LCNAME, LCTYPE, DESC
자중 , USER,
1차고정하중, USER, 슬래브
2차고정하중, USER, "방호벽, 중분대"
풍하중, USER,
K값단위하중, USER,
*CONSTRAINT : Supports
: NODE_LIST, CONST(Dx,Dy,Dz,Rx,Ry,Rz), GROUP
2006, 111000,
1005 1006 2005, 101000,
2002 2004 2008 2010, 011000,
1001to1004 1007to1010 2001 2003 2007 2009, 001000,
*ELASTICLINK : Elastic Link
: iNO, iNODE1, iNODE2, LINK, ANGLE, SDx, SDy, SDz, SRx,
SRy, SRz, bSHEAR, DRy, DRz, GROUP : GEN
: iNO, iNODE1, iNODE2, LINK, ANGLE, bSHEAR, DRy, DRz,
GROUP : RIGID
: iNO, iNODE1, iNODE2, LINK, ANGLE, SDx, bSHEAR, DRy, DRz,
GROUP : TENS,COMP
: iNO, iNODE1, iNODE2, LINK, ANGLE, DIR, FUNCTION,
bSHEAR, DRENDI, GROUP : MULTI LINEAR
1, 102, 1001, RIGID, 0, NO, 0.5, 0.5,
2, 102, 1002, RIGID, 0, NO, 0.5, 0.5,
3, 115, 1003, RIGID, 0, NO, 0.5, 0.5,
4, 115, 1004, RIGID, 0, NO, 0.5, 0.5,
5, 132, 1005, RIGID, 0, NO, 0.5, 0.5,
6, 132, 1006, RIGID, 0, NO, 0.5, 0.5,
7, 149, 1007, RIGID, 0, NO, 0.5, 0.5,
8, 149, 1008, RIGID, 0, NO, 0.5, 0.5,
9, 163, 1009, RIGID, 0, NO, 0.5, 0.5,
10, 163, 1010, RIGID, 0, NO, 0.5, 0.5,
11, 202, 2001, RIGID, 0, NO, 0.5, 0.5,
12, 202, 2002, RIGID, 0, NO, 0.5, 0.5,
13, 215, 2003, RIGID, 0, NO, 0.5, 0.5,
14, 215, 2004, RIGID, 0, NO, 0.5, 0.5,
15, 232, 2005, RIGID, 0, NO, 0.5, 0.5,
16, 232, 2006, RIGID, 0, NO, 0.5, 0.5,
17, 249, 2007, RIGID, 0, NO, 0.5, 0.5,
18, 249, 2008, RIGID, 0, NO, 0.5, 0.5,
19, 263, 2009, RIGID, 0, NO, 0.5, 0.5,
20, 263, 2010, RIGID, 0, NO, 0.5, 0.5,
*OFFSET : Beam End Offsets
: ELEM_LIST, TYPE, RGDxi, RGDyi, RGDzi, RGDxj, RGDyj,

```

RGDZj, GROUP : TYPE=GLOBAL
: ELEM_LIST, TYPE, RGDj, RGDj, GROUP
: TYPE=ELEMENT
301, ELEMENT, 1.375, 1.375,
302, ELEMENT, 1.375, 1.375,
303, ELEMENT, 1.375, 1.375,
304, ELEMENT, 1.375, 1.375,
305, ELEMENT, 1.375, 1.375,
306, ELEMENT, 1.375, 1.375,
307, ELEMENT, 1.375, 1.375,
308, ELEMENT, 1.375, 1.375,
309, ELEMENT, 1.375, 1.375,
310, ELEMENT, 1.375, 1.375,
311, ELEMENT, 1.375, 1.375,
312, ELEMENT, 1.375, 1.375,
313, ELEMENT, 1.375, 1.375,
314, ELEMENT, 1.375, 1.375,
315, ELEMENT, 1.375, 1.375,
316, ELEMENT, 1.375, 1.375,
317, ELEMENT, 1.375, 1.375,
318, ELEMENT, 1.375, 1.375,
319, ELEMENT, 1.375, 1.375,
320, ELEMENT, 1.375, 1.375,
321, ELEMENT, 1.375, 1.375,
: *LOADTOMASS, DIR, bNODAL, bBEAM, bFLOOR, bPRES, GRAV
: LCNAME1, FACTOR1, LCNAME2, FACTOR2, ... : from
line 1
*LOADTOMASS, XYZ, YES, YES, YES, YES, 9.806
자중, 1, 1차고정하중, 1, 2차고정하중, 1
*USE-STLD, 자중
: *SELFWEIGHT, X, Y, Z, GROUP
*SELFWEIGHT, 0, 0, -1,
: End of data for load case [자중] -----
*USE-STLD, 1차고정하중
*BEAMLOAD : Element Beam Loads
: ELEM_LIST, CMD, TYPE, DIR, bPROJ, [ECCEN], [VALUE],
GROUP
: ELEM_LIST, CMD, TYPE, TYPE, DIR, VX, VY, VZ, bPROJ,
[ECCEN], [VALUE], GROUP
: [VALUE] : D1, P1, D2, P2, D3, P3, D4, P4
: [ECCEN] : bECCEN, ECCDIR, I-END, J-END, bJ-END
: [ADDITIONAL] : bADDITIONAL, ADDITIONAL_I-END,
ADDITIONAL_J-END, bADDITIONAL_J-END
101, BEAM , UNIMOMENT, GX, NO , NO, aDir[1], , , , 0,
0.939, 1, 0.939, 0, 0, 0, 0, , NO, 0, 0, NO,
101, BEAM , UNILOAD, GZ, NO , NO, aDir[1], , , , 0,
-45.283, 1, -45.283, 0, 0, 0, 0, , NO, 0, 0, NO,
102, BEAM , UNIMOMENT, GX, NO , NO, aDir[1], , , , 0,
0.939, 1, 0.939, 0, 0, 0, 0, , NO, 0, 0, NO,
102, BEAM , UNILOAD, GZ, NO , NO, aDir[1], , , , 0,
-45.283, 1, -45.283, 0, 0, 0, 0, , NO, 0, 0, NO,
103, BEAM , UNILOAD, GZ, NO , NO, aDir[1], , , , 0,
-45.283, 1, -45.283, 0, 0, 0, 0, , NO, 0, 0, NO,
103, BEAM , UNIMOMENT, GX, NO , NO, aDir[1], , , , 0,
0.939, 1, 0.939, 0, 0, 0, 0, , NO, 0, 0, NO,
104, BEAM , UNIMOMENT, GX, NO , NO, aDir[1], , , , 0,
0.939, 1, 0.939, 0, 0, 0, 0, , NO, 0, 0, NO,
104, BEAM , UNILOAD, GZ, NO , NO, aDir[1], , , , 0,
-45.283, 1, -45.283, 0, 0, 0, 0, , NO, 0, 0, NO,
105, BEAM , UNIMOMENT, GX, NO , NO, aDir[1], , , , 0,
0.939, 1, 0.939, 0, 0, 0, 0, , NO, 0, 0, NO,

```

```

105, BEAM , UNILOAD, GZ, NO , NO, aDir[1], , , , 0,
-45.283, 1, -45.283, 0, 0, 0, 0, , NO, 0, 0, NO,
106, BEAM , UNIMOMENT, GX, NO , NO, aDir[1], , , , 0,
0.939, 1, 0.939, 0, 0, 0, 0, , NO, 0, 0, NO,
106, BEAM , UNILOAD, GZ, NO , NO, aDir[1], , , , 0,
-45.283, 1, -45.283, 0, 0, 0, 0, , NO, 0, 0, NO,
107, BEAM , UNILOAD, GZ, NO , NO, aDir[1], , , , 0,
-45.283, 1, -45.283, 0, 0, 0, 0, , NO, 0, 0, NO,
107, BEAM , UNIMOMENT, GX, NO , NO, aDir[1], , , , 0,
0.939, 1, 0.939, 0, 0, 0, 0, , NO, 0, 0, NO,
108, BEAM , UNIMOMENT, GX, NO , NO, aDir[1], , , , 0,
0.939, 1, 0.939, 0, 0, 0, 0, , NO, 0, 0, NO,
108, BEAM , UNILOAD, GZ, NO , NO, aDir[1], , , , 0,
-45.283, 1, -45.283, 0, 0, 0, 0, , NO, 0, 0, NO,
109, BEAM , UNIMOMENT, GX, NO , NO, aDir[1], , , , 0,
0.939, 1, 0.939, 0, 0, 0, 0, , NO, 0, 0, NO,
109, BEAM , UNILOAD, GZ, NO , NO, aDir[1], , , , 0,
-45.283, 1, -45.283, 0, 0, 0, 0, , NO, 0, 0, NO,
110, BEAM , UNIMOMENT, GX, NO , NO, aDir[1], , , , 0,
0.939, 1, 0.939, 0, 0, 0, 0, , NO, 0, 0, NO,
110, BEAM , UNILOAD, GZ, NO , NO, aDir[1], , , , 0,
-45.283, 1, -45.283, 0, 0, 0, 0, , NO, 0, 0, NO,
111, BEAM , UNIMOMENT, GX, NO , NO, aDir[1], , , , 0,
0.939, 1, 0.939, 0, 0, 0, 0, , NO, 0, 0, NO,
111, BEAM , UNILOAD, GZ, NO , NO, aDir[1], , , , 0,
-45.283, 1, -45.283, 0, 0, 0, 0, , NO, 0, 0, NO,
112, BEAM , UNILOAD, GZ, NO , NO, aDir[1], , , , 0,
-45.283, 1, -45.283, 0, 0, 0, 0, , NO, 0, 0, NO,
112, BEAM , UNIMOMENT, GX, NO , NO, aDir[1], , , , 0,
0.939, 1, 0.939, 0, 0, 0, 0, , NO, 0, 0, NO,
113, BEAM , UNIMOMENT, GX, NO , NO, aDir[1], , , , 0,
0.939, 1, 0.939, 0, 0, 0, 0, , NO, 0, 0, NO,
113, BEAM , UNILOAD, GZ, NO , NO, aDir[1], , , , 0,
-45.283, 1, -45.283, 0, 0, 0, 0, , NO, 0, 0, NO,
114, BEAM , UNIMOMENT, GX, NO , NO, aDir[1], , , , 0,
0.939, 1, 0.939, 0, 0, 0, 0, , NO, 0, 0, NO,
114, BEAM , UNILOAD, GZ, NO , NO, aDir[1], , , , 0,
-45.283, 1, -45.283, 0, 0, 0, 0, , NO, 0, 0, NO,
115, BEAM , UNIMOMENT, GX, NO , NO, aDir[1], , , , 0,
0.939, 1, 0.939, 0, 0, 0, 0, , NO, 0, 0, NO,
115, BEAM , UNILOAD, GZ, NO , NO, aDir[1], , , , 0,
-45.283, 1, -45.283, 0, 0, 0, 0, , NO, 0, 0, NO,
116, BEAM , UNILOAD, GZ, NO , NO, aDir[1], , , , 0,
-45.283, 1, -45.283, 0, 0, 0, 0, , NO, 0, 0, NO,
116, BEAM , UNIMOMENT, GX, NO , NO, aDir[1], , , , 0,
0.939, 1, 0.939, 0, 0, 0, 0, , NO, 0, 0, NO,
117, BEAM , UNIMOMENT, GX, NO , NO, aDir[1], , , , 0,
0.939, 1, 0.939, 0, 0, 0, 0, , NO, 0, 0, NO,
117, BEAM , UNILOAD, GZ, NO , NO, aDir[1], , , , 0,
-45.283, 1, -45.283, 0, 0, 0, 0, , NO, 0, 0, NO,
118, BEAM , UNIMOMENT, GX, NO , NO, aDir[1], , , , 0,
0.939, 1, 0.939, 0, 0, 0, 0, , NO, 0, 0, NO,
118, BEAM , UNILOAD, GZ, NO , NO, aDir[1], , , , 0,
-45.283, 1, -45.283, 0, 0, 0, 0, , NO, 0, 0, NO,
119, BEAM , UNIMOMENT, GX, NO , NO, aDir[1], , , , 0,
0.939, 1, 0.939, 0, 0, 0, 0, , NO, 0, 0, NO,
119, BEAM , UNILOAD, GZ, NO , NO, aDir[1], , , , 0,
-45.283, 1, -45.283, 0, 0, 0, 0, , NO, 0, 0, NO,
120, BEAM , UNIMOMENT, GX, NO , NO, aDir[1], , , , 0,
0.939, 1, 0.939, 0, 0, 0, 0, , NO, 0, 0, NO,
120, BEAM , UNILOAD, GZ, NO , NO, aDir[1], , , , 0,

```



```

: CODE=CODE
CODE=KOREA
*LINELANE : Traffic Line Lanes
: NAME=NAME, LDIST, GROUP, SKEWS, SKEWE, MOVING, LW,
WS, bLANEOPT, ALLOWWIDTH : line 1
: iELEM1, ECC1, FACT1, bSPAN1, ECCVL...
: from line 2
NAME=L1, LANE, , 0, 0, BOTH, 3, 1.8, NO, 0
101, -1.095, 0.175, YES, 0, 102, -1.095, 0.175, NO,
0
103, -1.095, 0.175, NO, 0, 104, -1.095, 0.175, NO, 0
105, -1.095, 0.175, NO, 0, 106, -1.095, 0.175, NO, 0
107, -1.095, 0.175, NO, 0, 108, -1.095, 0.175, NO, 0
109, -1.095, 0.175, NO, 0, 110, -1.095, 0.175, NO, 0
111, -1.095, 0.175, NO, 0, 112, -1.095, 0.175, NO, 0
113, -1.095, 0.175, NO, 0, 114, -1.095, 0.175, NO, 0
115, -1.095, 0.167, YES, 0, 116, -1.095, 0.167, NO,
0
117, -1.095, 0.167, NO, 0, 118, -1.095, 0.167, NO, 0
119, -1.095, 0.167, NO, 0, 120, -1.095, 0.167, NO, 0
121, -1.095, 0.167, NO, 0, 122, -1.095, 0.167, NO, 0
123, -1.095, 0.167, NO, 0, 124, -1.095, 0.167, NO, 0
125, -1.095, 0.167, NO, 0, 126, -1.095, 0.167, NO, 0
127, -1.095, 0.167, NO, 0, 128, -1.095, 0.167, NO, 0
129, -1.095, 0.167, NO, 0, 130, -1.095, 0.167, NO, 0
131, -1.095, 0.167, NO, 0, 132, -1.095, 0.167, YES,
0
133, -1.095, 0.167, NO, 0, 134, -1.095, 0.167, NO, 0
135, -1.095, 0.167, NO, 0, 136, -1.095, 0.167, NO, 0
137, -1.095, 0.167, NO, 0, 138, -1.095, 0.167, NO, 0
139, -1.095, 0.167, NO, 0, 140, -1.095, 0.167, NO, 0
141, -1.095, 0.167, NO, 0, 142, -1.095, 0.167, NO, 0
143, -1.095, 0.167, NO, 0, 144, -1.095, 0.167, NO, 0
145, -1.095, 0.167, NO, 0, 146, -1.095, 0.167, NO, 0
147, -1.095, 0.167, NO, 0, 148, -1.095, 0.167, NO, 0
149, -1.095, 0.182, YES, 0, 150, -1.095, 0.182, NO,
0
151, -1.095, 0.182, NO, 0, 152, -1.095, 0.182, NO, 0
153, -1.095, 0.182, NO, 0, 154, -1.095, 0.182, NO, 0
155, -1.095, 0.182, NO, 0, 156, -1.095, 0.182, NO, 0
157, -1.095, 0.182, NO, 0, 158, -1.095, 0.182, NO, 0
159, -1.095, 0.182, NO, 0, 160, -1.095, 0.182, NO, 0
161, -1.095, 0.182, NO, 0, 162, -1.095, 0.182, NO, 0
163, -1.095, 0.182, NO, 0
NAME=L2, CROSS, 가로보, 0, 0, BOTH, 3, 1.8, NO, 0
101, 1.905, 0.175, YES, 0, 102, 1.905, 0.175, NO, 0
103, 1.905, 0.175, NO, 0, 104, 1.905, 0.175, NO, 0
105, 1.905, 0.175, NO, 0, 106, 1.905, 0.175, NO, 0
107, 1.905, 0.175, NO, 0, 108, 1.905, 0.175, NO, 0
109, 1.905, 0.175, NO, 0, 110, 1.905, 0.175, NO, 0
111, 1.905, 0.175, NO, 0, 112, 1.905, 0.175, NO, 0
113, 1.905, 0.175, NO, 0, 114, 1.905, 0.175, NO, 0
115, 1.905, 0.167, YES, 0, 116, 1.905, 0.167, NO, 0
117, 1.905, 0.167, NO, 0, 118, 1.905, 0.167, NO, 0
119, 1.905, 0.167, NO, 0, 120, 1.905, 0.167, NO, 0
121, 1.905, 0.167, NO, 0, 122, 1.905, 0.167, NO, 0
123, 1.905, 0.167, NO, 0, 124, 1.905, 0.167, NO, 0
125, 1.905, 0.167, NO, 0, 126, 1.905, 0.167, NO, 0
127, 1.905, 0.167, NO, 0, 128, 1.905, 0.167, NO, 0
129, 1.905, 0.167, NO, 0, 130, 1.905, 0.167, NO, 0
131, 1.905, 0.167, NO, 0, 132, 1.905, 0.167, YES, 0
133, 1.905, 0.167, NO, 0, 134, 1.905, 0.167, NO, 0
135, 1.905, 0.167, NO, 0, 136, 1.905, 0.167, NO, 0
137, 1.905, 0.167, NO, 0, 138, 1.905, 0.167, NO, 0
139, 1.905, 0.167, NO, 0, 140, 1.905, 0.167, NO, 0
141, 1.905, 0.167, NO, 0, 142, 1.905, 0.167, NO, 0
143, 1.905, 0.167, NO, 0, 144, 1.905, 0.167, NO, 0
145, 1.905, 0.167, NO, 0, 146, 1.905, 0.167, NO, 0
147, 1.905, 0.167, NO, 0, 148, 1.905, 0.167, NO, 0
149, 1.905, 0.182, YES, 0, 150, 1.905, 0.182, NO,
0
151, 1.905, 0.182, NO, 0, 152, 1.905, 0.182, NO, 0
153, 1.905, 0.182, NO, 0, 154, 1.905, 0.182, NO, 0
155, 1.905, 0.182, NO, 0, 156, 1.905, 0.182, NO, 0
157, 1.905, 0.182, NO, 0, 158, 1.905, 0.182, NO, 0
159, 1.905, 0.182, NO, 0, 160, 1.905, 0.182, NO, 0
161, 1.905, 0.182, NO, 0, 162, 1.905, 0.182, NO, 0
163, 1.905, 0.182, NO, 0
NAME=L3, LANE, , 0, 0, BOTH, 3, 1.8, NO, 0
201, -1.345, 0.175, YES, 0, 202, -1.345, 0.175, NO,
0
203, -1.345, 0.175, NO, 0, 204, -1.345, 0.175, NO, 0
205, -1.345, 0.175, NO, 0, 206, -1.345, 0.175, NO, 0
207, -1.345, 0.175, NO, 0, 208, -1.345, 0.175, NO, 0
209, -1.345, 0.175, NO, 0, 210, -1.345, 0.175, NO, 0
211, -1.345, 0.175, NO, 0, 212, -1.345, 0.175, NO, 0
213, -1.345, 0.175, NO, 0, 214, -1.345, 0.175, NO, 0
222, -1.345, 0.167, YES, 0, 215, -1.345, 0.167, YES,
0
223, -1.345, 0.167, NO, 0, 216, -1.345, 0.167, NO, 0
217, -1.345, 0.167, NO, 0, 218, -1.345, 0.167, NO, 0
219, -1.345, 0.167, NO, 0, 220, -1.345, 0.167, NO, 0
221, -1.345, 0.167, NO, 0, 222, -1.345, 0.167, NO, 0
223, -1.345, 0.167, NO, 0, 224, -1.345, 0.167, NO, 0
225, -1.345, 0.167, NO, 0, 226, -1.345, 0.167, NO, 0
227, -1.345, 0.167, NO, 0, 228, -1.345, 0.167, NO, 0
229, -1.345, 0.167, NO, 0, 230, -1.345, 0.167, NO, 0
231, -1.345, 0.167, NO, 0, 232, -1.345, 0.167, YES,
0
233, -1.345, 0.167, NO, 0, 234, -1.345, 0.167, NO, 0
235, -1.345, 0.167, NO, 0, 236, -1.345, 0.167, NO, 0
237, -1.345, 0.167, NO, 0, 238, -1.345, 0.167, NO, 0
239, -1.345, 0.167, NO, 0, 240, -1.345, 0.167, NO, 0
241, -1.345, 0.167, NO, 0, 242, -1.345, 0.167, NO, 0
243, -1.345, 0.167, NO, 0, 244, -1.345, 0.167, NO, 0
245, -1.345, 0.167, NO, 0, 246, -1.345, 0.167, NO, 0
247, -1.345, 0.167, NO, 0, 248, -1.345, 0.167, NO, 0
249, -1.345, 0.182, YES, 0, 250, -1.345, 0.182, NO,
0
251, -1.345, 0.182, NO, 0, 252, -1.345, 0.182, NO, 0
253, -1.345, 0.182, NO, 0, 254, -1.345, 0.182, NO, 0
255, -1.345, 0.182, NO, 0, 256, -1.345, 0.182, NO, 0
257, -1.345, 0.182, NO, 0, 258, -1.345, 0.182, NO, 0
259, -1.345, 0.182, NO, 0, 260, -1.345, 0.182, NO, 0
261, -1.345, 0.182, NO, 0, 262, -1.345, 0.182, NO, 0
263, -1.345, 0.182, NO, 0
NAME=R1, LANE, , 0, 0, BOTH, 3, 1.8, NO, 0
201, 1.3, 0.175, YES, 0, 202, 1.3, 0.175, NO, 0
203, 1.3, 0.175, NO, 0, 204, 1.3, 0.175, NO, 0
205, 1.3, 0.175, NO, 0, 206, 1.3, 0.175, NO, 0
207, 1.3, 0.175, NO, 0, 208, 1.3, 0.175, NO, 0
209, 1.3, 0.175, NO, 0, 210, 1.3, 0.175, NO, 0
211, 1.3, 0.175, NO, 0, 212, 1.3, 0.175, NO, 0

```

213, 1.3, 0.175, NO, 0, 214, 1.3, 0.175, NO, 0
 322, 1.3, 0.175, NO, 0, 215, 1.3, 0.167, YES, 0
 323, 1.3, 0.167, NO, 0, 216, 1.3, 0.167, NO, 0
 217, 1.3, 0.167, NO, 0, 218, 1.3, 0.167, NO, 0
 219, 1.3, 0.167, NO, 0, 220, 1.3, 0.167, NO, 0
 221, 1.3, 0.167, NO, 0, 222, 1.3, 0.167, NO, 0
 223, 1.3, 0.167, NO, 0, 224, 1.3, 0.167, NO, 0
 225, 1.3, 0.167, NO, 0, 226, 1.3, 0.167, NO, 0
 227, 1.3, 0.167, NO, 0, 228, 1.3, 0.167, NO, 0
 229, 1.3, 0.167, NO, 0, 230, 1.3, 0.167, NO, 0
 231, 1.3, 0.167, NO, 0, 232, 1.3, 0.167, YES, 0
 233, 1.3, 0.167, NO, 0, 234, 1.3, 0.167, NO, 0
 235, 1.3, 0.167, NO, 0, 236, 1.3, 0.167, NO, 0
 237, 1.3, 0.167, NO, 0, 238, 1.3, 0.167, NO, 0
 239, 1.3, 0.167, NO, 0, 240, 1.3, 0.167, NO, 0
 241, 1.3, 0.167, NO, 0, 242, 1.3, 0.167, NO, 0
 243, 1.3, 0.167, NO, 0, 244, 1.3, 0.167, NO, 0
 245, 1.3, 0.167, NO, 0, 246, 1.3, 0.167, NO, 0
 247, 1.3, 0.167, NO, 0, 248, 1.3, 0.167, NO, 0
 249, 1.3, 0.182, YES, 0, 250, 1.3, 0.182, NO, 0
 251, 1.3, 0.182, NO, 0, 252, 1.3, 0.182, NO, 0
 253, 1.3, 0.182, NO, 0, 254, 1.3, 0.182, NO, 0
 255, 1.3, 0.182, NO, 0, 256, 1.3, 0.182, NO, 0
 257, 1.3, 0.182, NO, 0, 258, 1.3, 0.182, NO, 0
 259, 1.3, 0.182, NO, 0, 260, 1.3, 0.182, NO, 0
 261, 1.3, 0.182, NO, 0, 262, 1.3, 0.182, NO, 0
 263, 1.3, 0.182, NO, 0
 NAME=R2, CROSS, 가로보, 0, 0, BOTH, 3, 1.8, NO, 0
 201, -1.7, 0.175, YES, 0, 202, -1.7, 0.175, NO, 0
 203, -1.7, 0.175, NO, 0, 204, -1.7, 0.175, NO, 0
 205, -1.7, 0.175, NO, 0, 206, -1.7, 0.175, NO, 0
 207, -1.7, 0.175, NO, 0, 208, -1.7, 0.175, NO, 0
 209, -1.7, 0.175, NO, 0, 210, -1.7, 0.175, NO, 0
 211, -1.7, 0.175, NO, 0, 212, -1.7, 0.175, NO, 0
 213, -1.7, 0.175, NO, 0, 214, -1.7, 0.175, NO, 0
 322, -1.7, 0.175, NO, 0, 215, -1.7, 0.167, YES, 0
 323, -1.7, 0.167, NO, 0, 216, -1.7, 0.167, NO, 0
 217, -1.7, 0.167, NO, 0, 218, -1.7, 0.167, NO, 0
 219, -1.7, 0.167, NO, 0, 220, -1.7, 0.167, NO, 0
 221, -1.7, 0.167, NO, 0, 222, -1.7, 0.167, NO, 0
 223, -1.7, 0.167, NO, 0, 224, -1.7, 0.167, NO, 0
 225, -1.7, 0.167, NO, 0, 226, -1.7, 0.167, NO, 0
 227, -1.7, 0.167, NO, 0, 228, -1.7, 0.167, NO, 0
 229, -1.7, 0.167, NO, 0, 230, -1.7, 0.167, NO, 0
 231, -1.7, 0.167, NO, 0, 232, -1.7, 0.167, YES, 0
 233, -1.7, 0.167, NO, 0, 234, -1.7, 0.167, NO, 0
 235, -1.7, 0.167, NO, 0, 236, -1.7, 0.167, NO, 0
 237, -1.7, 0.167, NO, 0, 238, -1.7, 0.167, NO, 0
 239, -1.7, 0.167, NO, 0, 240, -1.7, 0.167, NO, 0
 241, -1.7, 0.167, NO, 0, 242, -1.7, 0.167, NO, 0
 243, -1.7, 0.167, NO, 0, 244, -1.7, 0.167, NO, 0
 245, -1.7, 0.167, NO, 0, 246, -1.7, 0.167, NO, 0
 247, -1.7, 0.167, NO, 0, 248, -1.7, 0.167, NO, 0
 249, -1.7, 0.182, YES, 0, 250, -1.7, 0.182, NO, 0
 251, -1.7, 0.182, NO, 0, 252, -1.7, 0.182, NO, 0
 253, -1.7, 0.182, NO, 0, 254, -1.7, 0.182, NO, 0
 255, -1.7, 0.182, NO, 0, 256, -1.7, 0.182, NO, 0
 257, -1.7, 0.182, NO, 0, 258, -1.7, 0.182, NO, 0
 259, -1.7, 0.182, NO, 0, 260, -1.7, 0.182, NO, 0
 261, -1.7, 0.182, NO, 0, 262, -1.7, 0.182, NO, 0
 263, -1.7, 0.182, NO, 0

NAME=R3, CROSS, 가로보, 0, 0, BOTH, 3, 1.8, NO, 0
 101, 1.55, 0.175, YES, 0, 102, 1.55, 0.175, NO, 0
 103, 1.55, 0.175, NO, 0, 104, 1.55, 0.175, NO, 0
 105, 1.55, 0.175, NO, 0, 106, 1.55, 0.175, NO, 0
 107, 1.55, 0.175, NO, 0, 108, 1.55, 0.175, NO, 0
 109, 1.55, 0.175, NO, 0, 110, 1.55, 0.175, NO, 0
 111, 1.55, 0.175, NO, 0, 112, 1.55, 0.175, NO, 0
 113, 1.55, 0.175, NO, 0, 114, 1.55, 0.175, NO, 0
 115, 1.55, 0.167, YES, 0, 116, 1.55, 0.167, NO, 0
 117, 1.55, 0.167, NO, 0, 118, 1.55, 0.167, NO, 0
 119, 1.55, 0.167, NO, 0, 120, 1.55, 0.167, NO, 0
 121, 1.55, 0.167, NO, 0, 122, 1.55, 0.167, NO, 0
 123, 1.55, 0.167, NO, 0, 124, 1.55, 0.167, NO, 0
 125, 1.55, 0.167, NO, 0, 126, 1.55, 0.167, NO, 0
 127, 1.55, 0.167, NO, 0, 128, 1.55, 0.167, NO, 0
 129, 1.55, 0.167, NO, 0, 130, 1.55, 0.167, NO, 0
 131, 1.55, 0.167, NO, 0, 132, 1.55, 0.167, YES, 0
 133, 1.55, 0.167, NO, 0, 134, 1.55, 0.167, NO, 0
 135, 1.55, 0.167, NO, 0, 136, 1.55, 0.167, NO, 0
 137, 1.55, 0.167, NO, 0, 138, 1.55, 0.167, NO, 0
 139, 1.55, 0.167, NO, 0, 140, 1.55, 0.167, NO, 0
 141, 1.55, 0.167, NO, 0, 142, 1.55, 0.167, NO, 0
 143, 1.55, 0.167, NO, 0, 144, 1.55, 0.167, NO, 0
 145, 1.55, 0.167, NO, 0, 146, 1.55, 0.167, NO, 0
 147, 1.55, 0.167, NO, 0, 148, 1.55, 0.167, NO, 0
 149, 1.55, 0.182, YES, 0, 150, 1.55, 0.182, NO, 0
 151, 1.55, 0.182, NO, 0, 152, 1.55, 0.182, NO, 0
 153, 1.55, 0.182, NO, 0, 154, 1.55, 0.182, NO, 0
 155, 1.55, 0.182, NO, 0, 156, 1.55, 0.182, NO, 0
 157, 1.55, 0.182, NO, 0, 158, 1.55, 0.182, NO, 0
 159, 1.55, 0.182, NO, 0, 160, 1.55, 0.182, NO, 0
 161, 1.55, 0.182, NO, 0, 162, 1.55, 0.182, NO, 0
 163, 1.55, 0.182, NO, 0
 *LSUPPORT : Lane Supports - Negative Moments at Interior
 Piers
 : iTYPE, ELEM_LIST, POSITION : (When iTYPE=0)
 : iTYPE, GRUP-NAME : (When iTYPE=1)
 0, 115 132 149 215 232 249, END-I
 0, 114 131 148 214 231 248, END-J
 *VEHICLE : Vehicles
 : if Moving Load Code is China
 : NAME=NAME, 1, TYPE-NAME, CODE
 : standard
 : NAME=NAME, 2, LTYPE, [TRUCK/LANE] or [TRAIN/SUBWAY]
 or [CROWD] : user: line 1
 : LOAD1, DIST1, LOAD2, DIST2, ...
 : user: from line 2
 : [TRUCK/LANE] : 1, P, Qm, Qq
 : truck(JTG)
 : [TRUCK/LANE] : 2, P, Qm, Qq
 : lane load1
 : [TRUCK/LANE] : 3, Qk, Pk1, L1, Pk2, L2
 : lane load2
 : [TRUCK/LANE] : 4, dW, dD
 : crawler type
 : [TRUCK/LANE] : 5
 : GC type load
 : [TRAIN/SUBWAY] : iTYPE, W1, D1, W2, D2
 : train-type1,3
 : [TRAIN/SUBWAY] : iTYPE, DD, FD, BD, MAINCOUNT
 : train-type2

```

: [TRAIN/SUBWAY] : 4, P1, D1, P2, D2, P3, D3, P4, dD, Po, n,
IFR : subway
: [CROWD] : 1, dW1
: crowd-type1
: [CROWD] : 2, dW1, dL1, dW2, dL2, WIDTH
: crowd-type2
: if Moving Load Type is India
: NAME=NAME, 1, TYPE-NAME, CODE
: standard
: NAME=NAME, 2, bWTB, P, D, Pb, Db, dD1, dD2, NDIST
: user: line 1
: NAME=NAME, 2, bWTB, dD1, dD2, NDIST
: user: line 1
: LOAD1, DIST1, LOAD2, DIST2, ...
: user: from line 2
: if Moving Load Code is CANADA
: NAME=NAME, 1, TYPE-NAME, DLA, CODE, [DYNA]
: standard
: NAME=NAME, 2, bTRAIN, W(W1), PL(D1), PLM(W2), PLV(D2),
NDIST, [DYNA]
: user: line 1
: LOAD1, DIST1, LOAD2, DIST2, ...
: user: from line 2
: [DYNA] : nDYNA, FACT1AXLE, FACT2AXLE, FACT3AXLE
: Dynamic Load Allowance
: if Moving Load Code is BS
: NAME=NAME, 1, TYPE-NAME, CODE, UNITNUM
: standard
: NAME=nLane, FACTOR1, FACTOR2, FACTOR3, FACTOR4,
ADDDATA, AL, CA, LL
: HA, HA & HB, HA &
HB(Auto)
: NAME=NAME, 2, iSTYPE, W1, W2, W3, L, Pa, Pb, D1, D2, d,
UNITNUM
: user(BS 5400)
: NAME=NAME, 2, iSTYPE, [BD37/01-HA], [BS-DATA-LF]
: user(HA)
: NAME=NAME, 2, iSTYPE, [BS-DATA-HB]
: user(HB)
: NAME=NAME, 2, iSTYPE, [BD37/01-HA2], [BS-DATA-HB2],
[BS-DATA-LF]
: user(HA&HB)
: NAME=NAME, 2, iSTYPE, [BD37/01-HA], [BD37/01-HB],
[BS-DATA-LF]
: user(HA&HB(AUTO))
: NAME=NAME, 2, iSTYPE, W, L
: user(Pedestrian)
: NAME=NAME, 2, iSTYPE, V, AN, MINS, MAXS, P1, D1, P2, D2,
...
: user(Special Vehicle)
: [BS-DATA-HA] : W1, W2, W3, EXP, EXP2, L1, L2, Pa
: [BS-DATA-HA2] : W1, W2, W3, EXP, EXP2, L1, L2
: [BS-DATA-HB] : Pb, D1, D2, d, UNITNUM
: [BS-DATA-HB2] : Pb, D1, D2, d, dd, UNITNUM
: [BS-DATA-LF] : nLT, LF1, LF2, LF3, LF4
: if Moving Load Code is EUROCODE
: NAME=NAME, 1, iTYPE, TYPE-NAME, PSY1, PSY2, PHI, [AF7]
: standard (LM1, FLM1)
: NAME=NAME, 1, iTYPE, TYPE-NAME, bDF, bU, PHI, PSY, ADJ,
IN
: standard (others)
: NAME=NAME, 2, 1, [AF7]
: user(Type 1)
: [LOAD7], D, PHI, TPSY, UPSY
: user(Type 1): line 2
: NAME=NAME, 2, 2, ALP, TPSY, W, BET, LPSY, P1, D1, P2,
D2, ...
: user(Type 2)
: NAME=NAME, 2, 3
: user(Type 3)
: [LOADCASE1]
: user(Type 3): line 2
: [LOADCASE2]
: user(Type 3): line 3
: [LOADCASE3]
: user(Type 3): line 4
: NAME=NAME, 2, 4, WS, V, AN, MINS, MAXS, DYF, UI, F, P1,
D1, P2, D2, ...
: user(Type 4)
: NAME=NAME, 2, 5, INT, bPHI1, PHI1, bPHI2, PHI2
: user(Type 5)
: [VEHICLE1]
: user(Type 5): line 2
: [VEHICLE2]
: user(Type 5): line 3
: [VEHICLE3]
: user(Type 5): line 4
: [AF7] : TF1, TF2, TF3, UF1, UF2, UF3, UF4
: adjustment factor
: [LOAD7] : TL1, TL2, TL3, UL1, UL2, UL3, UL4
: tandem/udl loads
: [LOADCASE] : bUSE, N, bDF, bUI, PHI, P1, L1, P2, L2, ...
: load case
: [VEHICLE] : bUSE, N, P1, L1, P2, L2, ...
: vehicle
: if Moving Load Code is RUSSIA
: NAME=NAME, 1, iTYPE, K, nDYNAFAC, dDYNAFAC, bFATI,
nLOADFAC, dLOADFAC
: standard (SK)
: NAME=NAME, 1, iTYPE, K, nDYNAFAC, dDYNAFAC, bFATI,
nLOADFAC, dLOADFAC
: standard (SK FATIGUE)
: NAME=NAME, 1, iTYPE, K, nDYNAFAC, dDYNAFAC,
dDYNAFAC_UDL
: bFATI, nLOADFAC, dLOADFAC,
dLOADFAC_UDL, s1[3], s1_UDL[3]
: standard (AK)
: NAME=NAME, 1, iTYPE, K, nDYNAFAC, dDYNAFAC,
nLOADFAC, dLOADFAC,
bTWOVEHI, TWOVEHI_FACT, b2NDREDUC,
2NDREDUC_FACT
: standard (N14)
: NAME=NAME, 1, iTYPE, K, nDYNAFAC, dDYNAFAC,
nLOADFAC, dLOADFAC,
bTWOVEHI, TWOVEHI_FACT, b2NDREDUC,
2NDREDUC_FACT
: standard (N11)
: NAME=NAME, 1, iTYPE, nDYNAFAC, dDYNAFAC, dEMPTYCAR
: bFATI, nLOADFAC, dLOADFAC,
: standard (SUBWAY TRAINS)
: NAME=NAME, 1, iTYPE, VARIABLE, nDYNAFAC, dDYNAFAC,
dEMPTYCAR
: bFATI, nLOADFAC, dLOADFAC,
: standard (TRAMCARS)
: NAME=NAME, 1, iTYPE, nDYNAFAC, dDYNAFAC, bFATI,
nLOADFAC, dLOADFAC
: standard (NK-80)
: NAME=NAME, 1, iTYPE, W, D, nDYNAFAC, dDYNAFAC, bFATI,
nLOADFAC, dLOADFAC
: standard (NG-60)
: NAME=NAME, 1, iTYPE, BRIDGETYPE, W, bFATI, nLOADFAC,
dLOADFAC
: standard (UNIFORM LOAD)
: NAME=NAME, 1, iTYPE, BRIDGETYPE, W, bFATI, nLOADFAC,
dLOADFAC
: standard (UNIFORM
LOAD(W/O OTHER LOADS))
: NAME=NAME, 1, iTYPE, BRIDGETYPE, P
: standard (CONCENTRATED LOAD

```

```

(W/O OTHER LOADS))
; NAME=NAME, 2, iTYPE, W, nDYNAFAC, dDYNAFAC,
dDYNAFAC_UDL
;
; bFATI, nLOADFAC, dLOADFAC,
dLOADFAC_UDL, s1[3], s1_UDL[3] ; user (Type 1)
; NAME=NAME, 2, iTYPE, nDYNAFAC, dDYNAFAC, dEMPTYCAR

;
; bFATI, nLOADFAC, dLOADFAC,
; user (Type 2)
; NAME=NAME, 2, iTYPE, Variable, nDYNAFAC, dDYNAFAC,
dEMPTYCAR
;
; bFATI, nLOADFAC, dLOADFAC,
; user (Type 3)
; NAME=NAME, 2, iTYPE, nDYNAFAC, dDYNAFAC, nLOADFAC,
dLOADFAC

;
; bTWOVEHI, TWOVEHI_FACT,
b2NDREDUC, 2NDREDUC_FACT ; user (Type 4)
; NAME=NAME, 2, iTYPE, nDYNAFAC, dDYNAFAC, nLOADFAC,
dLOADFAC

;
; bTWOVEHI, TWOVEHI_FACT,
b2NDREDUC, 2NDREDUC_FACT ; user (Type 5)
; NAME=NAME, 2, iTYPE, W, D, nDYNAFAC, dDYNAFAC, bFATI,
nLOADFAC, dLOADFAC ; user (Type 6)
; NAME=NAME, 2, iTYPE, P, W, bFATI, nLOADFAC, dLOADFAC
; user (Type 7)
; if Moving Load Code is KSCE-LS15
; NAME=NAME, 1, TYPE-NAME, nLANETYPE, dDYNAFAC,
CODE, nLANELOAD, L, CONVERTDIST ; standard
; NAME=NAME, 2, 8, L1, W1, W2, EXP, dDYNAFAC,
nLANELOAD, L, CONVERTDIST ; user: line 1
(Type 1)
; NAME=NAME, 2, 1, W1, W2, D1, D2, 0, 0, 0, NO
; user: line 1 (Type 2)
; NAME=NAME, 2, 6, LOADNUM, DIST, W, L, 0, 0, 0, NO
; user: line 1 (Type 3)
; LOAD1, DIST1, (DIST2_1), LOAD2, DIST2, (DIST2_2), ...
; user: from line 2
; if Moving Load Code is South Africa
; NAME=NAME, 1, TYPE-NAME, CODE, bINCREL, dINCREL
; standard NA
; NAME=NAME, 1, TYPE-NAME, CODE, UNITNUM
; standard NB
; NAME=NAME, 1, TYPE-NAME, CODE, OPPOSITE
; standard NC
; NAME=NAME, 2, TYPE, W1, L, W2, W3, PA, bINCREL,
dINCREL ; user NA
; NAME=NAME, 2, TYPE, PB, UNITNUM, DELTA, D1, D2
; user NB
; NAME=NAME, 2, TYPE, P, OPPOSITE, NUM1, NUM2, NUM3
[DIST1], [DIST2], [DIST3] ; user NC
; if Load Type is Permit Truck
; NAME=NAME, 3, AXLE-TYPE-NUM, IMP-FACTOR
; user(Permit Truck)
; AXLE-TYPE-NAME1, bEDWL1, bSV1, P1, D1, P2, D2, ...,
Pn, Dn ; user(from line 2)
;
;
; AXLE-TYPE-NAMEn, bEDWLn, bSVn, P1, D1, P2, D2, ...,
Pn, Dn

```

```

; AXLE-TYPE1, SPACING1, bVS1, AXLE-TYPE2, SPACING2,
bVS2 ... ; line 2+AXLE-TYPE-NUM
; if Moving Load Code is not one of those specified above.
; NAME=NAME, 1, TYPE-NAME, DLA, CODE
; standard
; NAME=NAME, 2, bTRAIN, W(W1), PL(D1), PLM(W2), PLV(D2),
NDIST ; user: line 1
; LOAD1, DIST1, LOAD2, DIST2, ...
; user: from line 2
NAME=DB-24, 1, DB-24, 0, KS-RB
NAME=DL-24, 1, DL-24, 0, KS-RB
*MVLDLDCASE ; Moving Load Cases
; NAME=NAME, nLCTYPE, SCALE1, SCALE2, SCALE3, SCALE4,
SCALE5, SCALE6, COMB, DESC, LCOM, SERIAL ; 1st line
; nLTYPE, 2LFACTOR1, 2LFACTOR2, 3LFACTOR1,
3LFACTOR2, 3LFACTOR3, 3LFACTOR4 ; 2st
line
; TYPE1, VCLASS1, SCALE1, iMIN1, iMAX1, LANE11,
LANE12, ... ; 3nd line
;
;
; ...
; TYPEEn, VCLASSn, SCALEn, iMINn, iMAXn, LANEn1,
LANEn2, ... ; n+1th line
; NAME=NAME, nLCTYPE, VEHICLE, REFLANE, ECCEN, SCALE,
DESC ; Permit
; NAME=NAME, nLCTYPE, DESC, bOPTIM, SUBLANEW,
MINSPPACING, MARGIN, LANE, MINNUM, MAXNUM, SERIAL ;
Traffic Lane Optimization
; TYPE1, VCLASS1, SCALE1...
; Traffic Lane Optimization
1st line
;
;
; Traffic Lane Optimization ...
; TYPEEn, VCLASSn, SCALEn...
; Traffic Lane Optimization
n+1th line
NAME=DB-L, 0, 1, 1, 0.9, 0.75, 0.75, 0.75, INDEPENDENT, ,
0, 1
1, 1, 1, 1, 1, 0.5, 0.25
VL, DB-24, 1, 1, 3, L1, L2, L3
NAME=DB-R, 0, 1, 1, 0.9, 0.75, 0.75, 0.75, INDEPENDENT, ,
0, 2
1, 1, 1, 1, 1, 0.5, 0.25
VL, DB-24, 1, 1, 3, R1, R2, R3
NAME=DL-L, 0, 1, 1, 0.9, 0.75, 0.75, 0.75, INDEPENDENT, ,
0, 3
1, 1, 1, 1, 1, 0.5, 0.25
VL, DL-24, 1, 1, 3, L1, L2, L3
NAME=DL-R, 0, 1, 1, 0.9, 0.75, 0.75, 0.75, INDEPENDENT, ,
0, 4
1, 1, 1, 1, 1, 0.5, 0.25
VL, DL-24, 1, 1, 3, R1, R2, R3
*SM-GROUP ; Settlement Group
; GRNAME, DISPLACEMENT, NODE_LIST
A1, 0.01, 1001 1002 2001 2002
P1, 0.01, 1003 1004 2003 2004
P3, 0.01, 1005 1006 2005 2006
P4, 0.01, 1007 1008 2007 2008
A2, 0.01, 1009 1010 2009 2010
*SMLDCASE ; Settlement Load Cases
; NAME=NAME, iSMIN, iSMAX, SCALE, DESC ; line 1

```

```

: GRNAME1, GRNAME2, ... ; from line 2
NAME=SE, 1, 5, 1,
A1, P1, P3, P4, A2
*COMBOXLC ; Pre-Combined Load Cases for Composite
Section
: LCNAME1, LCNAME2, ..., LCNAMEn
1차고정하중, 자중
*LOADCOMB ; Combinations
: NAME=NAME, KIND, ACTIVE, bES, iTYPE, DESC, iSERV-TYPE,
nLCOMTYPE ; line 1
: ANAL1, LCNAME1, FACT1, ...
; from line 2
NAME=고정하중, GEN, ACTIVE, 0, 0, , 0, 0
ST, 자중, 1, ST, 1차고정하중, 1, ST, 2차고정하중, 1
NAME=1차고정하중, GEN, ACTIVE, 0, 0, , 0, 0
ST, 자중, 1, ST, 1차고정하중, 1
NAME=ENV, GEN, ACTIVE, 0, 0, , 0, 0
CB, 고정하중, 1, SM, SE, 1, ST, 풍하중, 1
NAME=DB-DL(ENVELOP), GEN, ACTIVE, 0, 1, , 0, 0
MV, DB-L, 1, MV, DB-R, 1, MV, DL-L, 1, MV, DL-R, 1
NAME=활하중+지점침하, GEN, ACTIVE, 0, 0, , 0, 0
CB, DB-DL(ENVELOP), 1, SM, SE, 1
*LC-COLOR ; Diagram Color for Load Case
: ANAL, LCNAME, iR1(ALL), iG1(ALL), iB1(ALL), iR2(MIN),
iG2(MIN), iB2(MIN), iR3(MAX), iG2(MAX), iB2(MAX)
ST, 자중, 255, 192, 87, 93, 255, 87, 163, 255, 160
ST, 1차고정하중, 160, 192, 255, 192, 128, 0, 255, 192, 160
ST, 2차고정하중, 160, 192, 255, 192, 0, 192, 163, 160, 255
ST, 풍하중, 0, 157, 192, 146, 0, 255, 160, 255, 255
ST, K값단위하중, 0, 128, 128, 192, 72, 0, 85, 0, 192
SM, SE, 160, 255, 255, 192, 0, 192, 255, 0, 192
CB, 고정하중, 192, 128, 0, 148, 87, 255, 255, 128, 0
CB, 1차고정하중, 255, 87, 87, 0, 192, 128, 192, 128, 0
CB, ENV, 148, 87, 255, 160, 192, 255, 128, 192, 0
MV, DB-L, 160, 192, 255, 255, 160, 255, 192, 128, 0
MV, DB-R, 255, 0, 128, 255, 0, 128, 192, 192, 0
MV, DL-L, 0, 157, 192, 0, 192, 192, 255, 128, 0
MV, DL-R, 192, 192, 0, 0, 192, 192, 255, 0, 192
CB, DB-DL(ENVELOP), 255, 255, 87, 0, 128, 128, 0, 157, 192
CB, 활하중+지점침하, 0, 128, 128, 255, 160, 255, 210, 210, 210
*EIGEN-CTRL ; Eigenvalue Analysis Control
: TYPE, iFREQ, iITER, iDIM, TOL, bMINMAX, FRMIN, FRMAX,
bSTRUM ; TYPE=EIGEN
: TYPE, bINCNL, iGNUM
; TYPE=RITZ(line 1)
: KIND1, CASE1/GROUND1, iNOG1, ...
; TYPE=RITZ(from line2)
LANCZOS, 20, 20, 1, 1e-010, NO, 0, 0, NO
*LINK-KEY ; Link Key
: iKEY, TYPE, LINK KEY
1, ELNK, 1
2, ELNK, 2
3, ELNK, 3
4, ELNK, 4
5, ELNK, 5
6, ELNK, 6
7, ELNK, 7
8, ELNK, 8
9, ELNK, 9
10, ELNK, 10
11, ELNK, 11

```

```

12, ELNK, 12
13, ELNK, 13
14, ELNK, 14
15, ELNK, 15
16, ELNK, 16
17, ELNK, 17
18, ELNK, 18
19, ELNK, 19
20, ELNK, 20
*ENDDATA

```