

RC-RADAR		도곡2교 철근탐사 자료						
PROJECT TITLE		2024년 국도45호선 철곡교(내진포함) 등 3개소 정밀안전점검 및 2중 성능평가용역						
Company		(주)명성엔지니어링			Client		수원국토관리사무소	
시험 결과								
No	위치	철근방향	실측 배근간격 (mm)	설계 배근간격 (mm)	실측 피복두께 (mm)	설계 피복두께 (mm)	비고	
1	S1 바닥판하면	주철근	120	100	41	60	양호	
		배력철근	172	150	41	60	양호	
2	염화물 S2 바닥판하면	주철근	120	100	41	60	양호	
		배력철근	171	150	44	60	양호	
3	S3 바닥판하면	주철근	116	100	41	60	양호	
		배력철근	170	150	41	60	양호	
4	S4 바닥판하면	주철근	111	100	44	60	양호	
		배력철근	171	150	50	60	양호	
5	A1 교대 홍벽	수직철근	123	125	73	50	양호	
		수평철근	188	200	82	50	양호	
6	A2 교대 홍벽	수직철근	133	125	72	50	양호	
		수평철근	211	200	80	50	양호	
7	염화물 P1 교각 코핑부	수직철근	200	200	112	100	양호	
		수평철근	153	150	158	100	양호	
8	P2 교각 코핑부	수직철근	202	200	105	100	양호	
		수평철근	140	150	156	100	양호	
9	P3 교각 코핑부	수직철근	181	200	112	100	양호	
		수평철근	170	150	160	100	양호	





