

PROJECT TITLE :			
	Company		Client
	Author		File Name
원남교(하행)-월분배			

; MIDAS/Civil Text(MCT) File.
; Date : 2015/11/14

*VERSION
8.4.5

*UNIT : Unit System
; FORCE, LENGTH, HEAT, TEMPER
KN , M, KCAL, C

*STRUCTYPE : Structure Type
; ISTYP, IMASS, ISMAS, bMASSOFFSET, bSELFWEIGHT, GRAV, bALIGNBEAM, bALIGNSLAB, bROTIGRID
1, 1, 1, NO, NO, 9.806, 0, NO, NO, NO

*REBAR-MATL-CODE : Rebar Material Code
; CONC_CODE, CONC_MDB, SRC_CODE, SRC_MDB
KS01-Civil(RC), SD300, KS01-Civil(RC), SD300

*NODE : Nodes
; INO, X, Y, Z
1, 0, 0, 0
2, 0.5, 0, 0
3, 1.075, 0, 0
4, 1.245, 0, 0
5, 3.645, 0, 0
6, 3.815, 0, 0
7, 4.137, 0, 0
8, 4.877, 0, 0
9, 5.095, 0, 0
10, 5.245, 0, 0
11, 5.395, 0, 0
12, 5.621, 0, 0
13, 6.542, 0, 0
14, 6.675, 0, 0
15, 6.845, 0, 0
16, 9.245, 0, 0
17, 9.415, 0, 0
18, 10.49, 0, 0
19, 10, 0, 0
21, 21.18, 0, 0
22, 20.68, 0, 0
23, 20.105, 0, 0
24, 19.935, 0, 0
25, 17.535, 0, 0
26, 17.365, 0, 0

MIDAS/Civil

TEXT FILE OUTPUT

PROJECT TITLE :			
	Company		Client
	Author		File Name
원남교(하행)-월분배			

27, 17.043, 0, 0
28, 16.303, 0, 0
29, 16.085, 0, 0
30, 15.935, 0, 0
31, 15.785, 0, 0
32, 15.559, 0, 0
33, 14.638, 0, 0
34, 14.505, 0, 0
35, 14.335, 0, 0
36, 11.935, 0, 0
37, 11.765, 0, 0
38, 11.18, 0, 0
39, 10.69, 0, 0

*ELEMENT : Elements
; iEL, TYPE, iMAT, iPRO, iN1, iN2, ANGLE, iSUB, EXVAL, iOPT(EXVAL2) ; Frame Element
; iEL, TYPE, iMAT, iPRO, iN1, iN2, ANGLE, iSUB, EXVAL, EXVAL2, bLMT ; Comp/Tens Truss
; iEL, TYPE, iMAT, iPRO, iN1, iN2, iN3, iN4, iSUB, iWID , LCAXIS ; Planar Element
; iEL, TYPE, iMAT, iPRO, iN1, iN2, iN3, iN4, iN5, iN6, iN7, iN8 ; Solid Element
; iEL, TYPE, iMAT, iPRO, iN1, iN2, REF, RPX, RPY, RPZ, iSUB, EXVAL ; Frame(Ref. Point)
1, BEAM , 1, 1, 1, 2, 0, 0
2, BEAM , 1, 2, 3, 4, 0, 0
3, BEAM , 1, 2, 4, 5, 0, 0
4, BEAM , 1, 2, 5, 6, 0, 0
5, BEAM , 1, 3, 6, 7, 0, 0
6, BEAM , 1, 9, 7, 8, 0, 0
7, BEAM , 1, 4, 8, 9, 0, 0
8, BEAM , 1, 5, 9, 10, 0, 0
9, BEAM , 1, 5, 10, 11, 0, 0
10, BEAM , 1, 6, 11, 12, 0, 0
11, BEAM , 1, 9, 12, 13, 0, 0
12, BEAM , 1, 8, 13, 14, 0, 0
13, BEAM , 1, 2, 14, 15, 0, 0
15, BEAM , 1, 2, 16, 17, 0, 0
16, BEAM , 1, 7, 17, 19, 0, 0
20, BEAM , 1, 2, 15, 16, 0, 0
42, BEAM , 1, 1, 2, 3, 0, 0
43, BEAM , 1, 7, 19, 18, 0, 0
44, BEAM , 1, 1, 21, 22, 0, 0
45, BEAM , 1, 2, 23, 24, 0, 0
46, BEAM , 1, 2, 24, 25, 0, 0
47, BEAM , 1, 2, 25, 26, 0, 0
48, BEAM , 1, 3, 26, 27, 0, 0
49, BEAM , 1, 9, 27, 28, 0, 0
50, BEAM , 1, 4, 28, 29, 0, 0
51, BEAM , 1, 5, 29, 30, 0, 0
52, BEAM , 1, 5, 30, 31, 0, 0

PROJECT TITLE :			
	Company		Client
	Author		File Name
원남교(하행)-월분배			

53, BEAM , 1, 6, 31, 32, 0, 0
54, BEAM , 1, 9, 32, 33, 0, 0
55, BEAM , 1, 8, 33, 34, 0, 0
56, BEAM , 1, 2, 34, 35, 0, 0
57, BEAM , 1, 2, 36, 37, 0, 0
58, BEAM , 1, 7, 37, 38, 0, 0
59, BEAM , 1, 2, 35, 36, 0, 0
60, BEAM , 1, 1, 22, 23, 0, 0
61, BEAM , 1, 7, 38, 39, 0, 0

*MATERIAL : Material
; iMAT, TYPE, MNAME, SPHEAT, HEATCO, PLAST, TUNIT, bMASS, DAMPRATIO, [DATA1] ; STEEL, CONC, USE
R
; iMAT, TYPE, MNAME, SPHEAT, HEATCO, PLAST, TUNIT, bMASS, DAMPRATIO, [DATA2], [DATA2] ; SRC
; [DATA1] : 1, DB, NAME, CODE
; [DATA1] : 2, ELAST, POISN, THERMAL, DEN, MASS
; [DATA1] : 3, Ex, Ey, Ez, Tx, Ty, Tz, Sxy, Sxz, Syz, Pxy, Pxz, Pyz, DEN, MASS ; Orthotropic
; [DATA2] : 1, DB, NAME, CODE or 2, ELAST, POISN, THERMAL, DEN, MASS
1, CONC , C27 , 0, 0, , C, NO, 0.05, 1, KS01-Civil(RC), KCI-2012 , C27

*MATL-COLOR
; iMAT, W_R, W_G, W_B, HF_R, HF_G, HF_B, HE_R, HE_G, HE_B, bBLEND, FACT
1, 128, 128, 128, 192, 192, 192, 128, 128, 128, YES, 0.09

*SECTION : Section
; iSEC, TYPE, SNAME, [OFFSET], bSD, SHAPE, [DATA1], [DATA2] ; 1st line - DB/USER
; iSEC, TYPE, SNAME, [OFFSET], bSD, SHAPE, BLT, D1, ..., D8, iCEL ; 1st line - VALUE
; AREA, ASy, ASz, Ixx, Iyy, Izz ; 2nd line
; CyP, CyM, CzP, CzM, QyB, QzB, PERI_OUT, PERI_IN, Cy, Cz ; 3rd line
; Y1, Y2, Y3, Y4, Z1, Z2, Z3, Z4, Zyy, Zzz ; 4th line
; iSEC, TYPE, SNAME, [OFFSET], bSD, SHAPE, ELAST, DEN, POIS, POIC, SF, THERMAL ; 1st line - SRC
; D1, D2, [SRC] ; 2nd line
; iSEC, TYPE, SNAME, [OFFSET], bSD, SHAPE, 1, DB, NAME1, NAME2, D1, D2 ; 1st line - COMBINED
; iSEC, TYPE, SNAME, [OFFSET], bSD, SHAPE, 2, D11, D12, D13, D14, D15, D21, D22, D23, D24
; iSEC, TYPE, SNAME, [OFFSET2], bSD, SHAPE, iyVAR, izVAR, STYPE ; 1st line - TAPERED
; DB, NAME1, NAME2 ; 2nd line(STYPE=DB)
; [DIM1], [DIM2] ; 2nd line(STYPE=USER)
; D11, D12, D13, D14, D15, D16, D17, D18 ; 2nd line(STYPE=VALUE)
; AREA1, ASy1, ASz1, Ixx1, Iyy1, Izz1 ; 3rd line(STYPE=VALUE)
; CyP1, CyM1, CzP1, CzM1, QyB1, QzB1, PERI_OUT1, PERI_IN1, Cy1, Cz1 ; 4th line(STYPE=VALUE)
; Y11, Y12, Y13, Y14, Z11, Z12, Z13, Z14, Zyy1, Zyy2 ; 5th line(STYPE=VALUE)
; D21, D22, D23, D24, D25, D26, D27, D28 ; 6th line(STYPE=VALUE)
; AREA2, ASy2, ASz2, Ixx2, Iyy2, Izz2 ; 7th line(STYPE=VALUE)
; CyP2, CyM2, CzP2, CzM2, QyB2, QzB2, PERI_OUT2, PERI_IN2, Cy2, Cz2 ; 8th line(STYPE=VALUE)
; Y21, Y22, Y23, Y24, Z21, Z22, Z23, Z24, Zyy2, Zzz2 ; 9th line(STYPE=VALUE)
; OPT1, OPT2, [JOINT] ; 2nd line(STYPE=PSC)

MIDAS/Civil

TEXT FILE OUTPUT

PROJECT TITLE :			
	Company		Client
	Author		File Name
원남교(하행)-월분배			

; ELAST, DEN, POIS, POIC, THERMAL ; 2nd line(STYPE=PSC-CMPW)
; bSHEARCHK, [SCHK-I], [SCHK-J], [WT-I], [WT-J], Wl, Wj, bSYM, bSIDEHOLE ; 3rd line(STYPE=PSC)
; bSHEARCHK, bSYM, bHUNCH, [CMPWEB-I], [CMPWEB-J] ; 3rd line(STYPE=PSC-CMPW)
; bUSERDEFMESH SIZE, MESH SIZE, bUSERINPSTIFF, [STIFF-I], [STIFF-J] ; 4th line(STYPE=PSC)
; [SIZE-A]-i ; 5th line(STYPE=PSC)
; [SIZE-B]-i ; 6th line(STYPE=PSC)
; [SIZE-C]-i ; 7th line(STYPE=PSC)
; [SIZE-D]-i ; 8th line(STYPE=PSC)
; [SIZE-A]-j ; 9th line(STYPE=PSC)
; [SIZE-B]-j ; 10th line(STYPE=PSC)
; [SIZE-C]-j ; 11th line(STYPE=PSC)
; [SIZE-D]-j ; 12th line(STYPE=PSC)
; GN, CTC, Bc, Tc, Hh, EsEc, DsDc, Ps, Pc, bMULTI, EsEc-L, EsEc-S ; 2nd line(STYPE=CMP-B/I)
; SW_i, Hw_i, tw_i, B_i, Bf1_i, tf1_i, B2_i, Bf2_i, tf2_i ; 3rd line(STYPE=CMP-B/I)
; SW_j, Hw_j, tw_j, B_j, Bf1_j, tf1_j, B2_j, Bf2_j, tf2_j ; 4th line(STYPE=CMP-B/I)
; N1, N2, Hr, Hr2, tr1, tr2 ; 5th line(STYPE=CMP-B)
; GN, CTC, Bc, Tc, Hh, EgdEsb, DgdDsb, Pgd, Psb, bSYM, SW_i, SW_j ; 2nd line(STYPE=CMP-CI/CT)
; OPT1, OPT2, [JOINT] ; 3rd line(STYPE=CMP-CI/CT)
; [SIZE-A]-i ; 4th line(STYPE=CMP-CI/CT)
; [SIZE-B]-i ; 5th line(STYPE=CMP-CI/CT)
; [SIZE-C]-i ; 6th line(STYPE=CMP-CI/CT)
; [SIZE-D]-i ; 7th line(STYPE=CMP-CI/CT)
; [SIZE-A]-j ; 8th line(STYPE=CMP-CI/CT)
; [SIZE-B]-j ; 9th line(STYPE=CMP-CI/CT)
; [SIZE-C]-j ; 10th line(STYPE=CMP-CI/CT)
; [SIZE-D]-j ; 11th line(STYPE=CMP-CI/CT)
; iSEC, TYPE, SNAME, [OFFSET], bSD, STYPE1, STYPE2 ; 1st line - CONSTRUCT
; SHAPE, ...(same with other type data from shape) ; Before (STYPE1)
; SHAPE, ...(same with other type data from shape) ; After (STYPE2)
; iSEC, TYPE, SNAME, [OFFSET], bSD, SHAPE ; 1st line - COMPOSITE-SB
; Hw, tw, B, Bf1, tf1, B2, Bf2, tf2 ; 2nd line
; N1, N2, Hr, Hr2, tr1, tr2 ; 3rd line
; SW, GN, CTC, Bc, Tc, Hh, EsEc, DsDc, Ps, Pc, bMulti, Elong, Esh ; 4th line
; iSEC, TYPE, SNAME, [OFFSET], bSD, SHAPE ; 1st line - COMPOSITE-SI
; Hw, tw, B, tf1, B2, tf2 ; 2nd line
; SW, GN, CTC, Bc, Tc, Hh, EsEc, DsDc, Ps, Pc, bMulti, Elong, Esh ; 3rd line
; iSEC, TYPE, SNAME, [OFFSET], bSD, SHAPE ; 1st line - COMPOSITE-CI/CT
; OPT1, OPT2, [JOINT] ; 2nd line
; [SIZE-A] ; 3rd line
; [SIZE-B] ; 4th line
; [SIZE-C] ; 5th line
; [SIZE-D] ; 6th line
; SW, GN, CTC, Bc, Tc, Hh, EgdEsb, DgdDsb, Pgd, Psb ; 7th line
; iSEC, TYPE, SNAME, [OFFSET], bSD, SHAPE ; 1st line - PSC
; OPT1, OPT2, [JOINT] ; 2nd line
; bSHEARCHK, [SCHK], [WT], WIDTH, bSYM, bSIDEHOLE ; 3rd line
; bUSERDEFMESH SIZE, MESH SIZE, bUSERINPSTIFF, [STIFF] ; 4th line

MIDAS/Civil

PROJECT TITLE :

	Company		Client	
	Author		File Name	원남교(하행)-횡분배

[SIZE-A]

[SIZE-B]

[SIZE-C]

[SIZE-D]

5th line
6th line
7th line
8th line

[DATA1] : 1, DB, NAME or 2, D1, D2, D3, D4, D5, D6, D7, D8, D9, D10
[DATA2] : CCSHAPE or iCEL or iN1, iN2
[SRC] : 1, DB, NAME1, NAME2 or 2, D1, D2, D3, D4, D5, D6, D7, D8, D9, D10, iN1, iN2
[DIM1], [DIM2] : D1, D2, D3, D4, D5, D6, D7, D8
[OFFSET] : OFFSET, iCENT, iREF, iHORZ, HUSER, iVERT, VUSER
[OFFSET2] : OFFSET, iCENT, iREF, iHORZ, HUSER, HUSER, iVERT, VUSER, VUSER
[JOINT] : 8(1CELL, 2CELL), 13(3CELL), 9(PSCM), 8(PSCH), 9(PSCT), 2(PSCB), 0(nCELL), 2(nCEL2)
[SIZE-A] : 6(1CELL, 2CELL), 10(3CELL), 10(PSCM), 6(PSCH), 8(PSCT), 10(PSCB), 5(nCELL), 11(nCEL2)
[SIZE-B] : 6(1CELL, 2CELL), 12(3CELL), 6(PSCM), 6(PSCH), 8(PSCT), 6(PSCB), 8(nCELL), 18(nCEL2)
[SIZE-C] : 10(1CELL, 2CELL), 13(3CELL), 9(PSCM), 10(PSCH), 7(PSCT), 8(PSCB), 0(nCELL), 11(nCEL2)
[SIZE-D] : 8(1CELL, 2CELL), 13(3CELL), 6(PSCM), 7(PSCH), 8(PSCT), 5(PSCB), 0(nCELL), 18(nCEL2)
[STIFF] : AREA, ASy, ASz, Ixx, Iyy, Izz
[SCHK] : bAUTO_Z1, Z1, bAUTO_Z3, Z3
[WT] : bAUTO_TOR, TOR, bAUTO_SHR1, SHR1, bAUTO_SHR2, SHR2, bAUTO_SHR3, SHR3
[CMPWEB] : EFD, LRF, A, B, H, T
1, TAPERED , 200to297 , CT, 0, 0, 0, 0, 0, 0, 0, 0, YES, SB , 1, 1, USER
0.2, 1, 0, 0, 0, 0, 0, 0, 0.297, 1, 0, 0, 0, 0, 0, 0
2, TAPERED , 297to351 , CT, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, YES, SB , 1, 1, USER
0.297, 1, 0, 0, 0, 0, 0, 0, 0.351, 1, 0, 0, 0, 0, 0, 0
3, TAPERED , 351to250 , CT, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, YES, SB , 1, 1, USER
0.351, 1, 0, 0, 0, 0, 0, 0, 0.25, 1, 0, 0, 0, 0, 0, 0
4, TAPERED , 250to321 , CT, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, YES, SB , 1, 1, USER
0.25, 1, 0, 0, 0, 0, 0, 0, 0.321, 1, 0, 0, 0, 0, 0, 0
5, TAPERED , 321to327 , CT, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, YES, SB , 1, 1, USER
0.321, 1, 0, 0, 0, 0, 0, 0, 0.327, 1, 0, 0, 0, 0, 0, 0
6, TAPERED , 327to250 , CT, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, YES, SB , 1, 1, USER
0.327, 1, 0, 0, 0, 0, 0, 0, 0.25, 1, 0, 0, 0, 0, 0, 0
7, TAPERED , 351to200 , CT, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, YES, SB , 1, 1, USER
0.351, 1, 0, 0, 0, 0, 0, 0, 0.2, 1, 0, 0, 0, 0, 0, 0
8, TAPERED , 250to297 , CT, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, YES, SB , 1, 1, USER
0.25, 1, 0, 0, 0, 0, 0, 0, 0.297, 1, 0, 0, 0, 0, 0, 0
9, DBUSER , 250 , CT, 0, 0, 0, 0, 0, 0, 0, 0, YES, SB , 2, 0.25, 1, 0, 0, 0, 0, 0, 0, 0, 0

*SECT-COLOR
; iSEC, W_R, W_G, W_B, HF_R, HF_G, HF_B, HE_R, HE_G, HE_B, bBLEND, FACT
1, 255, 0, 0, 0, 255, 0, 0, 0, 255, NO, 0.5
2, 255, 0, 0, 0, 255, 0, 0, 0, 255, NO, 0.5
3, 255, 0, 0, 0, 255, 0, 0, 0, 255, NO, 0.5
4, 255, 0, 0, 0, 255, 0, 0, 0, 255, NO, 0.5
5, 255, 0, 0, 0, 255, 0, 0, 0, 255, NO, 0.5
6, 255, 0, 0, 0, 255, 0, 0, 0, 255, NO, 0.5
7, 255, 0, 0, 0, 255, 0, 0, 0, 255, NO, 0.5
8, 255, 0, 0, 0, 255, 0, 0, 0, 255, NO, 0.5

Modeling, Integrated Design & Analysis Software
http://www.MidasUser.com
MIDAS/Civil V 8.4.5
- 5 / 11 -

MIDAS/Civil

TEXT FILE OUTPUT

PROJECT TITLE :

	Company		Client	
	Author		File Name	원남교(하행)-횡분배

9, 255, 0, 0, 0, 255, 0, 0, 0, 255, NO, 0.5

*COMP-GEN-SECT-PSC-DESIGN ; Composite Section for PSC Design
; ELEM, (Z1, Z2, Z3, t1, t2, t3, TotT)-I, (Z1, Z2, Z3, t1, t2, t3, TotT)-J
1, NO, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0
2, NO, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0
3, NO, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0
4, NO, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0
5, NO, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0
6, NO, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0
7, NO, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0
8, NO, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0

*DGN-SECT
; iSEC, TYPE, SNAME, [OFFSET], bSD, SHAPE, [DATA1], [DATA2] ; 1st line - DB/USER
; iSEC, TYPE, SNAME, [OFFSET], bSD, SHAPE, BLT, D1, ..., D8, iCEL ; 1st line - VALUE
; AREA, ASy, ASz, Ixx, Iyy, Izz ; 2nd line
; CyP, CyM, CzP, CzM, QyB, QzB, PERI_OUT, PERI_IN, Cy, Cz ; 3rd line
; Y1, Y2, Y3, Y4, Z1, Z2, Z3, Z4, Zyy, Zzz ; 4th line
; iSEC, TYPE, SNAME, [OFFSET], bSD, SHAPE, ELAST, DEN, POIS, POIC, SF, THERMAL ; 1st line - SRC
; D1, D2, [SRC] ; 2nd line
; iSEC, TYPE, SNAME, [OFFSET], bSD, SHAPE, 1, DB, NAME1, NAME2, D1, D2 ; 1st line - COMBINED
; iSEC, TYPE, SNAME, [OFFSET], bSD, SHAPE, 2, D11, D12, D13, D14, D15, D21, D22, D23, D24
; iSEC, TYPE, SNAME, [OFFSET2], bSD, SHAPE, iyVAR, izVAR, STYPE ; 1st line - TAPERED
; DB, NAME1, NAME2 ; 2nd line(STYPE=DB)
; [DIM1], [DIM2] ; 2nd line(STYPE=USER)
; D11, D12, D13, D14, D15, D16, D17, D18 ; 2nd line(STYPE=VALUE)
; AREA1, ASy1, ASz1, Ixx1, Iyy1, Izz1 ; 3rd line(STYPE=VALUE)
; CyP1, CyM1, CzP1, CzM1, QyB1, QzB1, PERI_OUT1, PERI_IN1, Cy1, Cz1 ; 4th line(STYPE=VALUE)
; Y11, Y12, Y13, Y14, Z11, Z12, Z13, Z14, Zyy1, Zyy2 ; 5th line(STYPE=VALUE)
; D21, D22, D23, D24, D25, D26, D27, D28 ; 6th line(STYPE=VALUE)
; AREA2, ASy2, ASz2, Ixx2, Iyy2, Izz2 ; 7th line(STYPE=VALUE)
; CyP2, CyM2, CzP2, CzM2, QyB2, QzB2, PERI_OUT2, PERI_IN2, Cy2, Cz2 ; 8th line(STYPE=VALUE)
; Y21, Y22, Y23, Y24, Z21, Z22, Z23, Z24, Zyy2, Zzz2 ; 9th line(STYPE=VALUE)
; OPT1, OPT2, [JOINT] ; 2nd line(STYPE=PSC)
; ELAST, DEN, POIS, POIC, THERMAL ; 2nd line(STYPE=PSC-CMPW)
; bSHEARCHK, [SCHK-I], [SCHK-J], [WT-J], Wl, Wj, bSYM, bSIDEHOLE ; 3rd line(STYPE=PSC)
; bSHEARCHK, bSYM, bHUNCH, [CMPWEB-I], [CMPWEB-J] ; 3rd line(STYPE=PSC-CMPW)
; bUSERDEFMESHSIZE, MESHSIZE, bUSERINPSTIFF, [STIFF-I], [STIFF-J] ; 4th line(STYPE=PSC)
; [SIZE-A]-i ; 5th line(STYPE=PSC)
; [SIZE-B]-i ; 6th line(STYPE=PSC)
; [SIZE-C]-i ; 7th line(STYPE=PSC)
; [SIZE-D]-i ; 8th line(STYPE=PSC)
; [SIZE-A]-j ; 9th line(STYPE=PSC)
; [SIZE-B]-j ; 10th line(STYPE=PSC)
; [SIZE-C]-j ; 11th line(STYPE=PSC)
; [SIZE-D]-j ; 12th line(STYPE=PSC)

Modeling, Integrated Design & Analysis Software
http://www.MidasUser.com
MIDAS/Civil V 8.4.5
- 6 / 11 -

MIDAS/Civil

TEXT FILE OUTPUT

PROJECT TITLE :

	Company		Client	
	Author		File Name	원남교(하행)-횡분배

GN, CTC, Bc, Tc, Hh, EsEc, DsDc, Ps, Pc, bMULTI, EsEc-L, EsEc-S ; 2nd line(STYPE=CMP-B/I)
SW_i, Hw_i, tw_i, B_i, Bf1_i, tf1_i, B2_i, Bf2_i, tf2_i ; 3rd line(STYPE=CMP-B/I)
SW_j, Hw_j, tw_j, B_j, Bf1_j, tf1_j, B2_j, Bf2_j, tf2_j ; 4th line(STYPE=CMP-B/I)
N1, N2, Hr, Hr2, tr1, tr2 ; 5th line(STYPE=CMP-B)
GN, CTC, Bc, Tc, Hh, EgdEsb, DgdDsb, Pgd, Psb, bSYM, SW_i, SW_j ; 2nd line(STYPE=CMP-CI/CT)
OPT1, OPT2, [JOINT] ; 3rd line(STYPE=CMP-CI/CT)
[SIZE-A]-i ; 4th line(STYPE=CMP-CI/CT)
[SIZE-B]-i ; 5th line(STYPE=CMP-CI/CT)
[SIZE-C]-i ; 6th line(STYPE=CMP-CI/CT)
[SIZE-D]-i ; 7th line(STYPE=CMP-CI/CT)
[SIZE-A]-j ; 8th line(STYPE=CMP-CI/CT)
[SIZE-B]-j ; 9th line(STYPE=CMP-CI/CT)
[SIZE-C]-j ; 10th line(STYPE=CMP-CI/CT)
[SIZE-D]-j ; 11th line(STYPE=CMP-CI/CT)
iSEC, TYPE, SNAME, [OFFSET], bSD, STYPE1, STYPE2 ; 1st line - CONSTRUCT
SHAPE, ...(same with other type data from shape) ; Before (STYPE1)
SHAPE, ...(same with other type data from shape) ; After (STYPE2)
iSEC, TYPE, SNAME, [OFFSET], bSD, SHAPE ; 1st line - COMPOSITE-SB
Hw, tw, B, Bf1, tf1, B2, Bf2, tf2 ; 2nd line
N1, N2, Hr, Hr2, tr1, tr2 ; 3rd line
SW, GN, CTC, Bc, Tc, Hh, EsEc, DsDc, Ps, Pc, bMulti, Elong, Esh ; 4th line
iSEC, TYPE, SNAME, [OFFSET], bSD, SHAPE ; 1st line - COMPOSITE-SI
Hw, tw, B, Bf1, B2, tf2 ; 2nd line
SW, GN, CTC, Bc, Tc, Hh, EsEc, DsDc, Ps, Pc, bMulti, Elong, Esh ; 3rd line
iSEC, TYPE, SNAME, [OFFSET], bSD, SHAPE ; 1st line - COMPOSITE-CI/CT
OPT1, OPT2, [JOINT] ; 2nd line
[SIZE-A] ; 3rd line
[SIZE-B] ; 4th line
[SIZE-C] ; 5th line
[SIZE-D] ; 6th line
SW, GN, CTC, Bc, Tc, Hh, EgdEsb, DgdDsb, Pgd, Psb ; 7th line
iSEC, TYPE, SNAME, [OFFSET], bSD, SHAPE ; 1st line - PSC
OPT1, OPT2, [JOINT] ; 2nd line
bSHEARCHK, [SCHK], [WT], WIDTH, bSYM, bSIDEHOLE ; 3rd line
bUSERDEFMESHSIZE, MESHSIZE, bUSERINPSTIFF, [STIFF] ; 4th line
[SIZE-A] ; 5th line
[SIZE-B] ; 6th line
[SIZE-C] ; 7th line
[SIZE-D] ; 8th line

[DATA1] : 1, DB, NAME or 2, D1, D2, D3, D4, D5, D6, D7, D8, D9, D10
[DATA2] : CCSHAPE or iCEL or iN1, iN2
[SRC] : 1, DB, NAME1, NAME2 or 2, D1, D2, D3, D4, D5, D6, D7, D8, D9, D10, iN1, iN2
[DIM1], [DIM2] : D1, D2, D3, D4, D5, D6, D7, D8
[OFFSET] : OFFSET, iCENT, iREF, iHORZ, HUSER, iVERT, VUSER
[OFFSET2] : OFFSET, iCENT, iREF, iHORZ, HUSER, HUSER, iVERT, VUSER, VUSER
[JOINT] : 8(1CELL, 2CELL), 13(3CELL), 9(PSCM), 8(PSCH), 9(PSCT), 2(PSCB), 0(nCELL), 2(nCEL2)
[SIZE-A] : 6(1CELL, 2CELL), 10(3CELL), 10(PSCM), 6(PSCH), 8(PSCT), 10(PSCB), 5(nCELL), 11(nCEL2)

Modeling, Integrated Design & Analysis Software
http://www.MidasUser.com
MIDAS/Civil V 8.4.5
- 7 / 11 -

MIDAS/Civil

TEXT FILE OUTPUT

PROJECT TITLE :

	Company		Client	
	Author		File Name	원남교(하행)-횡분배

[SIZE-B] : 6(1CELL, 2CELL), 12(3CELL), 6(PSCM), 6(PSCH), 8(PSCT), 6(PSCB), 8(nCELL), 18(nCEL2)
[SIZE-C] : 10(1CELL, 2CELL), 13(3CELL), 9(PSCM), 10(PSCH), 7(PSCT), 8(PSCB), 0(nCELL), 11(nCEL2)
[SIZE-D] : 8(1CELL, 2CELL), 13(3CELL), 6(PSCM), 7(PSCH), 8(PSCT), 5(PSCB), 0(nCELL), 18(nCEL2)
[STIFF] : AREA, ASy, ASz, Ixx, Iyy, Izz
[SCHK] : bAUTO_Z1, Z1, bAUTO_Z3, Z3
[WT] : bAUTO_TOR, TOR, bAUTO_SHR1, SHR1, bAUTO_SHR2, SHR2, bAUTO_SHR3, SHR3
[CMPWEB] : EFD, LRF, A, B, H, T
1, TAPERED , 200to297 , CT, 0, 0, 0, 0, 0, 0, 0, 0, YES, SB , 1, 1, USER
0.2, 1, 0, 0, 0, 0, 0, 0, 0.297, 1, 0, 0, 0, 0, 0, 0
2, TAPERED , 297to351 , CT, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, YES, SB , 1, 1, USER
0.297, 1, 0, 0, 0, 0, 0, 0, 0.351, 1, 0, 0, 0, 0, 0, 0
3, TAPERED , 351to250 , CT, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, YES, SB , 1, 1, USER
0.351, 1, 0, 0, 0, 0, 0, 0, 0.25, 1, 0, 0, 0, 0, 0, 0
4, TAPERED , 250to321 , CT, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, YES, SB , 1, 1, USER
0.25, 1, 0, 0, 0, 0, 0, 0, 0.321, 1, 0, 0, 0, 0, 0, 0
5, TAPERED , 321to327 , CT, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, YES, SB , 1, 1, USER
0.321, 1, 0, 0, 0, 0, 0, 0, 0.327, 1, 0, 0, 0, 0, 0, 0
6, TAPERED , 327to250 , CT, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, YES, SB , 1, 1, USER
0.327, 1, 0, 0, 0, 0, 0, 0, 0.25, 1, 0, 0, 0, 0, 0, 0
7, TAPERED , 351to200 , CT, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, YES, SB , 1, 1, USER
0.351, 1, 0, 0, 0, 0, 0, 0, 0.2, 1, 0, 0, 0, 0, 0, 0
8, TAPERED , 250to297 , CT, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, YES, SB , 1, 1, USER
0.25, 1, 0, 0, 0, 0, 0, 0, 0.297, 1, 0, 0, 0, 0, 0, 0
9, DBUSER , 250 , CT, 0, 0, 0, 0, 0, 0, 0, 0, YES, SB , 2, 0.25, 1, 0, 0, 0, 0, 0, 0, 0, 0

*TS-GROUP ; Tapered Section Group
; NAME, ELEM_LIST, ZVAR, ZEXP, ZFROM, ZDIST, YVAR, YEXP, YFROM, YDIST, iSCM
1, 1 42 44 60, LINEAR, ..., LINEAR, ..., 0
2, 2to4 13 15 20 45to47 56 57 59, LINEAR, ..., LINEAR, ..., 0
3, 8 9 51 52, LINEAR, ..., LINEAR, ..., 0
4, 16 43 58 61, LINEAR, ..., LINEAR, ..., 0

*STLDCASE ; Static Load Cases
; LCNAME, LCTYPE, DESC
Deck , D ,
2nd , D ,

*CONSTRAINT ; Supports
; NODE_LIST, CONST(Dx,Dy,Dz,Rx,Ry,Rz), GROUP
10 30, 101000,
4 5to35by10 16 24 36, 001000,

*USE-STLD, Deck
; *SELFWEIGHT, X, Y, Z, GROUP

Modeling, Integrated Design & Analysis Software
http://www.MidasUser.com
MIDAS/Civil V 8.4.5
- 8 / 11 -

MIDAS/CivilTEXT FILE OUTPUTPROJECT TITLE :MIDASCompanyClientFile Name원남교(하행)-횡분배

*SELFWEIGHT, 0, 0, -1,

; End of data for load case [Deck] -----

*USE-STLD, 2nd

*BEAMLOAD ; Element Beam Loads
; ELEM_LIST, CMD, TYPE, DIR, bPROJ, [ECCEN], [VALUE], GROUP
; ELEM_LIST, CMD, TYPE, TYPE, DIR, VX, VY, VZ, bPROJ, [ECCEN], [VALUE], GROUP
; [VALUE] : D1, P1, D2, P2, D3, P3, D4, P4
; [ECCEN] : bECCEN, ECCDIR, I-END, J-END, bJ-END
; [ADDITIONAL] : bADDITIONAL, ADDITIONAL_I-END, ADDITIONAL_J-END, bADDITIONAL_J-END
1, BEAM , UNILOAD, GZ, NO , NO, aDir[1], , , 0.06, -17.5, 0.58, -17.5, 0.74, -8.25, 0.98, -3.875, , NO, 0, 0, NO,

1, BEAM , CONLOAD, GZ, NO , NO, aDir[1], , , 0.36, -1, 0, 0, 0, 0, 0, , NO, 0, 0, NO,
2, BEAM , UNILOAD, GZ, NO , NO, aDir[1], , , 0, -1.84, 1, -1.84, 0, 0, 0, 0, , NO, 0, 0, NO,
3, BEAM , UNILOAD, GZ, NO , NO, aDir[1], , , 0, -1.84, 1, -1.84, 0, 0, 0, 0, , NO, 0, 0, NO,
4, BEAM , UNILOAD, GZ, NO , NO, aDir[1], , , 0, -1.84, 1, -1.84, 0, 0, 0, 0, , NO, 0, 0, NO,
5, BEAM , UNILOAD, GZ, NO , NO, aDir[1], , , 0, -1.84, 1, -1.84, 0, 0, 0, 0, , NO, 0, 0, NO,
6, BEAM , UNILOAD, GZ, NO , NO, aDir[1], , , 0, -1.84, 1, -1.84, 0, 0, 0, 0, , NO, 0, 0, NO,
7, BEAM , UNILOAD, GZ, NO , NO, aDir[1], , , 0, -1.84, 1, -1.84, 0, 0, 0, 0, , NO, 0, 0, NO,
8, BEAM , UNILOAD, GZ, NO , NO, aDir[1], , , 0, -1.84, 1, -1.84, 0, 0, 0, 0, , NO, 0, 0, NO,
9, BEAM , UNILOAD, GZ, NO , NO, aDir[1], , , 0, -1.84, 1, -1.84, 0, 0, 0, 0, , NO, 0, 0, NO,
10, BEAM , UNILOAD, GZ, NO , NO, aDir[1], , , 0, -1.84, 1, -1.84, 0, 0, 0, 0, , NO, 0, 0, NO,
11, BEAM , UNILOAD, GZ, NO , NO, aDir[1], , , 0, -1.84, 1, -1.84, 0, 0, 0, 0, , NO, 0, 0, NO,
12, BEAM , UNILOAD, GZ, NO , NO, aDir[1], , , 0, -1.84, 1, -1.84, 0, 0, 0, 0, , NO, 0, 0, NO,
13, BEAM , UNILOAD, GZ, NO , NO, aDir[1], , , 0, -1.84, 1, -1.84, 0, 0, 0, 0, , NO, 0, 0, NO,
15, BEAM , UNILOAD, GZ, NO , NO, aDir[1], , , 0, -1.84, 1, -1.84, 0, 0, 0, 0, , NO, 0, 0, NO,
16, BEAM , UNILOAD, GZ, NO , NO, aDir[1], , , 0, -1.84, 1, -1.84, 0, 0, 0, 0, , NO, 0, 0, NO,
20, BEAM , UNILOAD, GZ, NO , NO, aDir[1], , , 0, -1.84, 1, -1.84, 0, 0, 0, 0, , NO, 0, 0, NO,
42, BEAM , UNILOAD, GZ, NO , NO, aDir[1], , , 0, -1.84, 1, -1.84, 0, 0, 0, 0, , NO, 0, 0, NO,
43, BEAM , UNILOAD, GZ, NO , NO, aDir[1], , , 0, -7.5, 1, -7.5, 0, 0, 0, 0, , NO, 0, 0, NO,
43, BEAM , CONLOAD, GZ, NO , NO, aDir[1], , , 0.326531, -1, 0, 0, 0, 0, 0, , NO, 0, 0, NO,
44, BEAM , UNILOAD, GZ, NO , NO, aDir[1], , , 0.06, -17.5, 0.58, -17.5, 0.74, -8.25, 0.98, -3.875, , NO, 0, 0, NO,

44, BEAM , CONLOAD, GZ, NO , NO, aDir[1], , , 0.36, -1, 0, 0, 0, 0, 0, , NO, 0, 0, NO,
45, BEAM , UNILOAD, GZ, NO , NO, aDir[1], , , 0, -1.84, 1, -1.84, 0, 0, 0, 0, , NO, 0, 0, NO,
46, BEAM , UNILOAD, GZ, NO , NO, aDir[1], , , 0, -1.84, 1, -1.84, 0, 0, 0, 0, , NO, 0, 0, NO,
47, BEAM , UNILOAD, GZ, NO , NO, aDir[1], , , 0, -1.84, 1, -1.84, 0, 0, 0, 0, , NO, 0, 0, NO,
48, BEAM , UNILOAD, GZ, NO , NO, aDir[1], , , 0, -1.84, 1, -1.84, 0, 0, 0, 0, , NO, 0, 0, NO,
49, BEAM , UNILOAD, GZ, NO , NO, aDir[1], , , 0, -1.84, 1, -1.84, 0, 0, 0, 0, , NO, 0, 0, NO,
50, BEAM , UNILOAD, GZ, NO , NO, aDir[1], , , 0, -1.84, 1, -1.84, 0, 0, 0, 0, , NO, 0, 0, NO,
51, BEAM , UNILOAD, GZ, NO , NO, aDir[1], , , 0, -1.84, 1, -1.84, 0, 0, 0, 0, , NO, 0, 0, NO,
52, BEAM , UNILOAD, GZ, NO , NO, aDir[1], , , 0, -1.84, 1, -1.84, 0, 0, 0, 0, , NO, 0, 0, NO,
53, BEAM , UNILOAD, GZ, NO , NO, aDir[1], , , 0, -1.84, 1, -1.84, 0, 0, 0, 0, , NO, 0, 0, NO,
54, BEAM , UNILOAD, GZ, NO , NO, aDir[1], , , 0, -1.84, 1, -1.84, 0, 0, 0, 0, , NO, 0, 0, NO,
55, BEAM , UNILOAD, GZ, NO , NO, aDir[1], , , 0, -1.84, 1, -1.84, 0, 0, 0, 0, , NO, 0, 0, NO,

Modeling, Integrated Design & Analysis Software
http://www.MidasUser.com
MIDAS/Civil V 8.4.5
- 9 / 11 -

MIDAS/CivilTEXT FILE OUTPUTPROJECT TITLE :MIDASCompanyClientFile Name원남교(하행)-횡분배

0, 0, 0, 0
SECT=3, YES
0, 0, 0, 0
SECT=4, YES
0, 0, 0, 0
SECT=5, YES
0, 0, 0, 0
SECT=6, YES
0, 0, 0, 0
SECT=7, YES
0, 0, 0, 0
SECT=8, YES
0, 0, 0, 0

*SECTION MANAGER-STIFFENER ; Section Manager - Stiffener
; SECT = NO, bSAMEJ ; line 1
; STFNISIZE, STFNJSIZE ; line 2
; ;
; LOOP UTIL (STFNISIZE, STFNJSIZE) ;
; TYPE, Z, STANDREF, POSLINE, STANDREFL, NUM, CTC ; line n
; STIFFTYPE, dSIZE(0 ~ 20) ; line n
; LINESIZE, LINEINDEX[i]..... ; line n
; ;
SECT=1, YES
0, 0
SECT=2, YES
0, 0
SECT=3, YES
0, 0
SECT=4, YES
0, 0
SECT=5, YES
0, 0
SECT=6, YES
0, 0
SECT=7, YES
0, 0
SECT=8, YES
0, 0

*ENDDATA

Modeling, Integrated Design & Analysis Software
http://www.MidasUser.com
MIDAS/Civil V 8.4.5
- 11 / 11 -

MIDAS/CivilTEXT FILE OUTPUTPROJECT TITLE :MIDASCompanyClientFile Name원남교(하행)-횡분배

56, BEAM , UNILOAD, GZ, NO , NO, aDir[1], , , 0, -1.84, 1, -1.84, 0, 0, 0, 0, , NO, 0, 0, NO,
57, BEAM , UNILOAD, GZ, NO , NO, aDir[1], , , 0, -1.84, 1, -1.84, 0, 0, 0, 0, , NO, 0, 0, NO,
58, BEAM , UNILOAD, GZ, NO , NO, aDir[1], , , 0, -1.84, 1, -1.84, 0, 0, 0, 0, , NO, 0, 0, NO,
59, BEAM , UNILOAD, GZ, NO , NO, aDir[1], , , 0, -1.84, 1, -1.84, 0, 0, 0, 0, , NO, 0, 0, NO,
60, BEAM , UNILOAD, GZ, NO , NO, aDir[1], , , 0, -1.84, 1, -1.84, 0, 0, 0, 0, , NO, 0, 0, NO,
61, BEAM , CONLOAD, GZ, NO , NO, aDir[1], , , 0.326531, -1, 0, 0, 0, 0, 0, , NO, 0, 0, NO,
61, BEAM , UNILOAD, GZ, NO , NO, aDir[1], , , 0, -7.5, 1, -7.5, 0, 0, 0, 0, , NO, 0, 0, NO,

; End of data for load case [2nd] -----

*LC-COLOR ; Diagram Color for Load Case
; ANAL, LCNNAME, iR1(ALL), iG1(ALL), iB1(ALL), iR2(MIN), iG2(MIN), iB2(MIN), iR3(MAX), iG2(MAX), iB2(MAX)
ST, Deck, 163, 160, 255, 148, 87, 255, 163, 160, 255
ST, 2nd, 192, 192, 192, 255, 255, 87, 146, 0, 255

*DGN-MATL ; Modify Steel(Concrete) Material
; iMAT, TYPE, MNAME, [DATA1] ; STEEL
; iMAT, TYPE, MNAME, [DATA2], [R-DATA], FCI, bSERV, SHORT, LONG ; CONC
; iMAT, TYPE, MNAME, [DATA3], [DATA2], [R-DATA] ; SRC
; iMAT, TYPE, MNAME, [DATA5] ; STEEL(None) & KSCE-ASD05
; [DATA1] : 1, DB, CODE, NAME or 2, ELAST, POISN, FU, FY1, FY2, FY3, FY4
; FY5, FY6, AFT, AFT2, AFT3, FY, AFV, AFV2, AFV3
; [DATA2] : 1, DB, CODE, NAME or 2, FC, CHK, LAMBDA
; [DATA3] : 1, DB, CODE, NAME or 2, ELAST, FU, FY1, FY2, FY3, FY4
; FY5, FY6, AFT, AFT2, AFT3, FY, AFV, AFV2, AFV3
; [DATA4] : 1, DB, CODE, NAME or 2, FC
; [DATA5] : 3, ELAST, POISN, AL1, AL2, AL3, AL4, AL5, AL6, AL7, AL8, AL9, AL10
; MIN1, MIN2, MIN3
; [R-DATA]: RBCODE, RBMAIN, RBSUB, FY(R), FY5
1, CONC, C27 , 1, KS01-Civil(RC), , C27 , NO, 1, , , 0, 0, 18900, NO, 0, 0,
 , , NO, 1, , , 0, 0, 0

*SECTION MANAGER-GROUP & PART ; Section Manager - Group & Part
; SECT = NO, bSAMEJ ; line 1
; GRPDISIZE, GRPDJSIZE, PARTISIZE, PARTJSIZE ; line 2
; ;
; LOOP UTIL (GRPDISIZE, GRPDJSIZE) ;
; GROUPID, GROUPNAME, GROUPTYPE ; line n
; ;
; LOOP UTIL (PARTISIZE, PARTJSIZE) ;
; PARTTYPE, GROUPID, PARTNAME, PARTSHAPE, bSTIFFENER ; line n
; LINESIZE, LINEINDEX[i]..... ; line n
; ;
SECT=1, YES
0, 0, 0, 0
SECT=2, YES

Modeling, Integrated Design & Analysis Software
http://www.MidasUser.com
MIDAS/Civil V 8.4.5
- 10 / 11 -