






8. 부용2고가 토공노반(G50)

											
위치	STA. 102K835-845	선별	T1	위치	TCL	위치	STA. 102K835-845	선별	T2	위치	TCL
내용	실링재열화		L= 2.8			내용	실링재열화		L= 2.8		
											
위치	STA. 102K886-876	선별	T2	위치	HSB	위치	STA. 103K251-261	선별	T1	위치	HSB
내용	박락		A= 0.4x1.5			내용	파손		A= 0.1x0.1		
											
위치	STA. 103K323-333	선별	T2	위치	침목	위치	STA. 103K393-403	선별	T2	위치	TCL
내용	파손		A= 0.1x0.1			내용	균열		Cw= 0.5/0.4		

											
위치	STA. 103K403-413	선별	T2	위치	TCL	위치	STA. 103K403-413	선별	T2	위치	TCL
내용	충분리		A= 0.2x0.6			내용	충분리		A= 0.2x1.2		
											
위치	STA. 103K403-413	선별	T2	위치	TCL	위치	STA. 103K403-413	선별	T2	위치	TCL
내용	충분리		A= 0.2x0.5			내용	충분리		A= 0.2x0.4		
											
위치	STA. 103K503-513	선별		위치	채움						
내용	박리		A= 1.6x0.1								