

PROJECT TITLE : 노산천안 1동시설물 경일안전진단 용역															
MIDAS		Company		(주)동우기술단					Client						
		Author		부설연구소					File Name		김상천교-위행선.anl				
513	2	2	DL(AC)	I	-2.8	-1.1	24.3	-0.0	23.0	-1.2					
				J	-2.8	-1.1	24.3	-0.0	-45.2	1.7					
			Unit M-1	I	-0.0	0.0	-0.0	0.0	-0.0	0.0					
				J	-0.0	0.0	-0.0	0.0	0.0	-0.0					
			MV Max	I	12.3	0.3	62.9	0.0	154.4	0.4					
				J	12.3	0.3	243.7	0.0	176.6	0.8					
				I	-6.0	-0.6	-108.7	-0.0	-38.5	-0.7					
				J	-6.0	-0.6	-45.4	-0.0	-205.2	-0.4					
			DL(BC)	I	1.7	-0.5	11.8	0.0	88.7	-0.7					
				J	1.7	-0.5	26.9	0.0	34.3	0.7					
			DL(AC)	I	-1.7	-0.9	25.2	-0.0	24.6	-1.0					
				J	-1.7	-0.9	25.2	-0.0	-46.2	1.6					
514	2	2	Unit M-1	I	-0.0	0.0	-0.0	-0.0	-0.0	0.0					
				J	-0.0	0.0	-0.0	-0.0	0.0	-0.0					
			MV Max	I	13.1	0.3	66.3	0.0	152.3	0.4					
				J	13.1	0.3	244.7	0.0	184.2	0.5					
				I	-5.7	-0.4	-112.5	-0.0	-39.6	-0.4					
				J	-5.7	-0.4	-49.0	-0.0	-209.1	-0.4					
			DL(BC)	I	3.6	-0.0	10.4	0.0	90.1	-0.0					
				J	3.6	-0.0	25.5	0.0	39.8	0.0					
			DL(AC)	I	-0.9	-0.8	24.0	0.0	24.9	-0.7					
				J	-0.9	-0.8	24.0	0.0	-42.4	1.5					
			Unit M-1	I	0.0	0.0	-0.0	-0.0	-0.0	0.0					
				J	0.0	0.0	-0.0	-0.0	0.0	-0.0					
515	2	2	MV Max	I	13.1	0.4	65.5	0.0	147.6	0.5					
				J	13.1	0.4	241.3	0.0	177.7	0.3					
			Min	I	-6.2	-0.2	-111.8	-0.0	-38.2	-0.3					
				J	-6.2	-0.2	-48.4	-0.0	-203.6	-0.5					
			DL(BC)	I	4.2	0.5	11.0	-0.0	87.8	0.7					
				J	4.2	0.5	26.1	-0.0	35.6	-0.6					
			DL(AC)	I	-0.8	-0.7	20.6	0.0	23.9	-0.5					
				J	-0.8	-0.7	20.6	0.0	-34.1	1.4					
			Unit M-1	I	0.0	0.0	-0.0	-0.0	-0.0	0.0					
				J	0.0	0.0	-0.0	-0.0	0.0	-0.0					
			516	2	2	MV Max	I	11.3	0.5	60.8	0.0	137.2	0.7		
							J	11.3	0.5	235.0	0.0	174.2	0.3		
Min	I	-6.5				-0.2	-107.5	-0.0	-34.7	-0.2					
	J	-6.5				-0.2	-44.9	-0.0	-197.8	-0.6					
DL(BC)	I	3.4				0.8	14.2	-0.0	82.1	1.2					
	J	3.4				0.8	29.3	-0.0	20.9	-1.1					
DL(AC)	I	-1.2				-0.6	15.3	0.0	21.7	-0.3					
	J	-1.2				-0.6	15.3	0.0	-21.3	1.3					
Unit M-1	I	0.0				-0.0	-0.0	-0.0	-0.0	-0.0					
	J	0.0				-0.0	-0.0	-0.0	-0.0	-0.0					
Modeling, Integrated Design & Analysis Software											Print Date/Time : 06/18/2013 16:25				
http://www.MidasUser.com															
- 29 / 59 -															

PROJECT TITLE : 노산천안 1동시설물 경일안전진단 용역															
MIDAS		Company		(주)동우기술단					Client						
		Author		부설연구소					File Name		김상천교-위행선.anl				
517	2	2	MV Max	I	7.8	0.6	56.6	0.0	125.8	0.8					
				J	7.8	0.6	229.4	0.0	155.0	0.3					
				Min	I	-6.6	-0.2	-99.9	-0.0	-32.0			-0.3		
					J	-6.6	-0.2	-40.3	-0.0	-207.5			-0.8		
			DL(BC)	I	1.4	0.9	20.3	-0.0	75.1	1.3					
				J	1.4	0.9	35.4	-0.0	-3.2	-1.3					
			DL(AC)	I	-2.0	-0.6	8.7	0.0	18.9	-0.3					
				J	-2.0	-0.6	8.7	0.0	-5.5	1.3					
			Unit M-1	I	0.0	-0.0	0.0	-0.0	-0.0	-0.0					
				J	0.0	-0.0	0.0	-0.0	-0.0	-0.0					
			518	2	2	MV Max	I	5.9	0.7	52.7			0.0	115.1	0.8
							J	5.9	0.7	224.0			0.0	105.3	0.5
Min	I	-6.5					-0.4	-93.4	-0.0	-31.5			-0.5		
	J	-6.5					-0.4	-31.3	-0.0	-211.3			-0.9		
DL(BC)	I	0.8				0.6	25.9	-0.0	68.9	0.9					
	J	0.8				0.6	41.0	-0.0	-25.2	-0.9					
DL(AC)	I	-2.0				-0.6	1.4	0.0	16.3	-0.4					
	J	-2.0				-0.6	1.4	0.0	12.4	1.5					
Unit M-1	I	0.0				-0.0	0.0	-0.0	-0.0	-0.0					
	J	0.0				-0.0	0.0	-0.0	-0.0	-0.0					
519	2	2				MV Max	I	5.0	0.5	53.4			0.0	112.6	0.6
							J	5.0	0.5	227.5			0.0	97.6	0.8
			Min	I	-5.4		-0.6	-91.7	-0.0	-28.0			-0.8		
				J	-5.4		-0.6	-32.7	-0.0	-227.6			-0.7		
			DL(BC)	I	1.2	-0.3	26.4	0.0	70.5	-0.4					
				J	1.2	-0.3	41.5	0.0	-25.0	0.4					
			DL(AC)	I	-1.0	-0.9	-3.6	0.0	15.9	-0.7					
				J	-1.0	-0.9	-3.6	0.0	25.9	1.9					
			Unit M-1	I	-0.0	-0.0	0.0	-0.0	0.0	-0.0					
				J	-0.0	-0.0	0.0	-0.0	-0.0	-0.0					
			520	2	2	MV Max	I	6.4	0.3	52.7			0.0	119.0	0.3
							J	6.4	0.3	225.7			0.0	102.2	1.0
Min	I	-7.5					-0.8	-95.4	-0.0	-33.1			-0.9		
	J	-7.5					-0.8	-32.0	-0.0	-213.1			-0.4		
DL(BC)	I	0.8				-1.2	26.6	0.0	69.0	-1.8					
	J	0.8				-1.2	41.7	0.0	-27.0	1.7					
DL(AC)	I	-2.0				-1.2	1.3	-0.0	16.1	-1.0					
	J	-2.0				-1.2	1.3	-0.0	12.6	2.3					
Unit M-1	I	-0.0				-0.0	0.0	-0.0	0.0	-0.0					
	J	-0.0				-0.0	0.0	-0.0	-0.0	-0.0					
521	2	2				MV Max	I	7.5	0.2	58.9			0.0	130.2	0.2
							J	7.5	0.2	232.7			0.0	144.2	1.0
			Min	I	-6.3		-0.8	-102.9	-0.0	-32.9			-0.9		
				J	-6.3		-0.8	-41.5	-0.0	-214.2			-0.3		
			DL(BC)	I	1.6	-1.5	20.9	0.0	75.4	-2.2					
				J	1.6	-1.5	36.0	0.0	-4.6	2.1					
Modeling, Integrated Design & Analysis Software															
http://www.MidasUser.com															
Print Date/Time : 06/18/2013 16:25															
- 30 / 59 -															

PROJECT TITLE : 노산천안 1동시설물 경일안전진단 용역												
Company		(주)동우기술단					Client					

PROJECT TITLE : 논산천안 1동시설물 경일안전전단 용역				
	Company	(주)동우기술단	Client	
	Author	부설연구소	File Name	김상천교-위행선.anl

BEAM ELEMENT FORCES & MOMENTS MIN/MAX SUMMARY BY PROPERTY PRINTOUT Unit System : kN , m

 * LENGTH : the length of between two nodes

[SECTION NAME : Crossbeam , SECTION ID : 2 , SECTION SHAPE : H]
[SECTION SIZE] H:1.5 B1:0.3 tw:0.012 tf1:0.012 B2:0.3 tf2:0.012
** MAX

ELEM COM	LC	PT	AXIAL	SHEAR-y	SHEAR-z	TORSION	MOMENT-y	MOMENT-z	LENGTH
701 AXL	MV	1 J	16.7	0.1	291.9	0.0	249.9	0.6	2.81
621 SHY	DL(BC)	1 I	5.3	1.7	-48.5	-0.0	-32.3	2.6	2.81
708 SHZ	MV	1 J	5.6	0.8	325.7	0.0	141.5	0.7	2.81
709 TOR	MV	1 J	4.1	0.6	318.2	0.0	45.1	0.9	2.81
701 MTY	MV	1 J	16.7	0.1	291.9	0.0	248.9	0.6	2.81
621 MTZ	DL(BC)	1 I	5.3	1.7	-48.5	-0.0	-32.3	2.6	2.81

** MIN

ELEM COM	LC	PT	AXIAL	SHEAR-y	SHEAR-z	TORSION	MOMENT-y	MOMENT-z	LENGTH
708 AXL	MV	1 J	-17.5	-0.4	-60.1	-0.0	-234.8	-1.2	2.81
426 SHY	DL(AC)	1 I	-0.5	-2.2	-9.8	0.0	-5.8	-3.8	2.81
408 SHZ	MV	1 I	-10.0	-0.4	-325.4	-0.0	-188.2	-0.6	2.81
709 TOR	MV	1 I	-16.2	-0.6	-41.6	-0.0	-39.2	-0.5	2.81
601 MTY	MV	1 I	-9.6	-0.5	-253.3	-0.0	-297.0	-0.9	2.81
426 MTZ	DL(AC)	1 I	-0.5	-2.2	-9.8	0.0	-5.8	-3.8	2.81

[SECTION NAME : Stringer , SECTION ID : 3 , SECTION SHAPE : H]
[SECTION SIZE] H:0.8 B1:0.25 tw:0.01 tf1:0.012 B2:0.25 tf2:0.012
** MAX

ELEM COM	LC	PT	AXIAL	SHEAR-y	SHEAR-z	TORSION	MOMENT-y	MOMENT-z	LENGTH
818 AXL	DL(BC)	1 J	10.5	-0.0	28.5	0.0	-61.6	0.0	4.96
826 SHY	DL(AC)	1 I	-1.6	0.6	-11.8	-0.0	-5.8	1.5	4.93
817 SHZ	DL(BC)	1 J	9.2	-0.0	29.0	0.0	-44.5	0.0	4.96
901 TOR	MV	1 I	0.5	0.2	1.2	0.0	0.2	0.4	4.92
824 MTY	MV	1 I	2.2	0.1	4.9	0.0	26.4	0.1	4.93
826 MTZ	DL(AC)	1 I	-1.6	0.6	-11.8	-0.0	-5.8	1.5	4.93

** MIN

ELEM COM	LC	PT	AXIAL	SHEAR-y	SHEAR-z	TORSION	MOMENT-y	MOMENT-z	LENGTH
814 AXL	DL(AC)	1 J	-10.6	0.3	11.0	-0.0	-3.1	-0.8	4.96
901 SHY	MV	1 I	-1.2	-0.2	-3.7	-0.0	-0.4	-0.4	4.92
820 SHZ	DL(BC)	1 I	7.3	-0.0	-29.0	-0.0	-44.2	-0.0	4.93
908 TOR	MV	1 I	-0.4	-0.1	-4.1	-0.0	-13.8	-0.3	4.92
819 MTY	DL(BC)	1 I	9.8	-0.0	-28.6	-0.0	-61.8	0.0	4.93
826 MTZ	DL(AC)	1 J	-1.6	0.6	9.7	-0.0	-0.6	-1.6	4.93

[SECTION NAME : 11 , SECTION ID : 11]

** MAX

ELEM COM	LC	PT	AXIAL	SHEAR-y	SHEAR-z	TORSION	MOMENT-y	MOMENT-z	LENGTH
----------	----	----	-------	---------	---------	---------	----------	----------	--------

PROJECT TITLE : 논산천안 1동시설물 경일안전전단 용역				
	Company	(주)동우기술단	Client	
	Author	부설연구소	File Name	김상천교-위행선.anl

108 AXL	DL(AC)	1 J	605.0	-1.7	270.0	-1.0	-632.1	43.5	4.89
215 SHY	MV	1 I	5.0	31.5	311.3	311.8	3396.3	152.2	4.97
206 SHZ	DL(BC)	1 J	-73.0	-11.3	899.5	34.3	-781.9	222.2	4.91
211 TOR	MV	1 I	5.5	26.9	145.5	485.8	1841.6	289.3	4.97
224 MTY	DL(BC)	1 I	36.6	-8.4	-11.1	-13.2	6274.1	-91.3	4.93
306 MTZ	MV	1 J	1.5	22.2	455.2	225.5	834.0	472.6	4.93

** MIN

ELEM COM	LC	PT	AXIAL	SHEAR-y	SHEAR-z	TORSION	MOMENT-y	MOMENT-z	LENGTH
111 AXL	DL(AC)	1 I	-1607.1	0.3	-211.3	61.0	118.1	82.6	4.95
301 SHY	MV	1 I	-0.3	-30.3	-375.2	-203.9	-3.6	-0.3	4.93
221 SHZ	DL(BC)	1 I	65.2	-8.0	-901.9	1.3	-793.6	-222.7	4.93
126 TOR	MV	1 I	-5.8	-20.3	-125.8	-498.3	-1232.2	-220.9	4.97
211 MTY	MV	1 I	-1.7	-11.9	-395.2	-321.4	-1993.0	-239.0	4.92
221 MTZ	MV	1 I	-3.0	-24.6	-399.5	-387.8	-1804.6	-350.0	4.93

[SECTION NAME : 12 , SECTION ID : 12]

** MAX

ELEM COM	LC	PT	AXIAL	SHEAR-y	SHEAR-z	TORSION	MOMENT-y	MOMENT-z	LENGTH
107 AXL	DL(AC)	1 J	706.0	0.2	369.9	47.3	-2290.1	42.4	4.89
310 SHY	MV	1 I	5.6	39.2	174.6	665.6	1292.6	428.6	4.99
207 SHZ	DL(BC)	1 J	-87.6	-10.4	1223.5	77.8	-6175.1	272.7	4.91
310 TOR	MV	1 I	5.6	39.2	174.6	665.6	1292.6	428.6	4.99
220 MTY	MV	1 J	1.1	15.3	57.3	526.0	2317.0	225.5	4.93
307 MTZ	MV	1 J	1.8	25.1	561.0	349.3	512.3	619.4	4.93

** MIN

ELEM COM	LC	PT	AXIAL	SHEAR-y	SHEAR-z	TORSION	MOMENT-y	MOMENT-z	LENGTH
110 AXL	DL(AC)	1 I	-1709.6	-3.7	-289.1	79.6	-1028.5	64.7	4.95
307 SHY	MV	1 I	-2.8	-36.4	-121.0	-618.4	-737.6	-255.2	4.93
220 SHZ	DL(BC)	1 I	73.7	-4.4	-1235.8	-25.6	-6273.5	-243.8	4.93
307 TOR	MV	1 I	-2.8	-36.4	-121.0	-618.4	-737.6	-255.2	4.93
210 MTY	DL(BC)	1 I	189.1	9.3	-1202.2	-48.6	-6396.5	287.7	4.97
320 MTZ	MV	1 I	-3.7	-25.8	-467.5	-360.8	-2422.3	-390.8	4.93

[SECTION NAME : 13 , SECTION ID : 13]

** MAX

ELEM COM	LC	PT	AXIAL	SHEAR-y	SHEAR-z	TORSION	MOMENT-y	MOMENT-z	LENGTH
108 AXL	DL(AC)	1 J	807.3	3.2	477.5	118.2	-4488.7	26.4	4.89
309 SHY	MV	1 I	6.1	48.0	227.5	797.3	2282.6	637.2	4.99
218 SHZ	DL(BC)	1 J	82.0	3.8	1587.4	103.6	-13561.8	-239.3	4.97
309 TOR	MV	1 I	6.1	48.0	227.5	797.3	2282.6	637.2	4.99
309 MTY	MV	1 I	6.1	48.0	227.5	797.3	2282.6	637.2	4.99
308 MTZ	MV	1 J	2.2	27.7	718.3	461.2	1255.7	848.4	4.93

** MIN

ELEM COM	LC	PT	AXIAL	SHEAR-y	SHEAR-z	TORSION	MOMENT-y	MOMENT-z	LENGTH
109 AXL	DL(AC)	1 I	-1812.4	-8.1	-375.2	72.4	-2573.3	25.3	4.95
308 SHY	MV	1 I	-3.7	-47.7	-180.6	-754.7	-2780.1	-356.6	4.93

PROJECT TITLE : 논산천안 1동시설물 경일안전전단 용역				
	Company	(주)동우기술단	Client	
	Author	부설연구소	File Name	김상천교-위행선.anl

219 SHZ	DL(BC)	1 I	82.8	0.7	-1608.3	-92.7	-13561.0	-239.7	4.93
308 TOR	MV	1 I	-3.7	-47.7	-180.6	-754.7	-2780.1	-356.6	4.93
218 MTY	DL(BC)	1 J	82.0	3.8	1587.4	103.6	-13561.8	-239.3	4.97
318 MTZ	MV	1 J	-3.9	-13.5	-64.0	-485.2	-4563.0	-519.5	4.99