

교량명 : 용암교(PSCB)														
부재의 분류		상부구조		2차부재		기타부재			받침		하부구조		내구성요소	
번호	구조형식	바닥판	거더	격벽	포장	배수	난간/ 방호벽	신축이음	받침	하부	기초	탄산화(상)	탄산화(하)	
1	PSCB	0.1	0.2	0.0	0.0	0.1	0.1	0.4	0.1	0.2	0.0			
2	PSCB	0.1	0.2	0.0	0.0	0.1	0.1	0.4	0.1	0.1	0.0			
3	PSCB	0.1	0.2	0.0	0.0	0.4	0.1	0.1	0.2	0.2	0.0			
4	PSCB	0.1	0.2	0.0	0.0	0.1	0.1	0.1	0.1	0.1	0.0			
5	PSCB	0.1	0.2	0.0	0.0	0.4	0.1	0.1	0.2	0.2	0.0			
6	PSCB	0.1	0.2	0.0	0.0	0.4	0.2	0.1	0.2	0.1	0.0			
7	PSCB	0.1	0.2	0.0	0.0	0.4	0.1	0.2	0.1	0.2	0.0			
8	PSCB	0.1	0.2	0.0	0.0	0.1	0.4	0.2	0.2	0.1	0.0			
9	PSCB	0.1	0.2	0.0	0.0	0.1	0.2	0.1	0.2	0.1	0.0			
10	PSCB	0.1	0.4	0.0	0.0	0.1	0.2	0.2	0.2	0.1	0.0			
11	PSCB	0.1	0.2	0.0	0.0	0.4	0.2	0.2	0.2	0.1	0.0			
12	PSCB	0.1	0.2	0.0	0.0	0.2	0.1	0.1	0.1	0.1	0.0			
13	PSCB	0.1	0.4	0.0	0.0	0.1	0.1	0.2	0.2	0.1	0.0			
14	PSCB	0.2	0.2	0.0	0.0	0.1	0.2	0.1	0.1	0.1	0.0			
15	PSCB	0.2	0.2	0.0	0.0	0.1	0.2	0.2	0.1	0.1	0.0			
16	PSCB	0.2	0.2	0.0	0.0	0.1	0.1	0.1	0.2	0.1	0.0			
17	PSCB	0.2	0.1	0.0	0.0	0.1	0.1	0.2	0.1	0.1	0.0			
18	PSCB	0.1	0.2	0.0	0.0	0.4	0.2	0.1	0.2	0.1	0.0			
19	PSCB	0.2	0.2	0.0	0.0	0.1	0.2	0.1	0.2	0.1	0.0			
20	PSCB	0.1	0.2	0.0	0.0	0.1	0.2	0.1	0.1	0.1	0.0			
21	PSCB	0.1	0.2	0.0	0.0	0.1	0.1	0.1	0.2	0.1	0.0			
22	PSCB	0.1	0.2	0.0	0.0	0.1	0.2	0.1	0.2	0.1	0.0			
23	PSCB	0.1	0.2	0.0	0.0	0.1	0.2	0.1	0.2	0.1	0.0			
24	PSCB	0.1	0.2	0.0	0.0	0.1	0.1	0.1	0.2	0.1	0.0			
25	PSCB	0.2	0.2	0.0	0.0	0.1	0.1	0.1	0.2	0.1	0.0			
26	PSCB	0.1	0.2	0.0	0.0	0.1	0.1	0.1	0.1	0.1	0.0			
27	PSCB	0.2	0.1	0.0	0.0	0.1	0.2	0.1	0.1	0.1	0.0			
28	PSCB	0.1	0.2	0.0	0.0	0.1	0.1	0.1	0.1	0.2	0.0			
29	PSCB	0.1	0.1	0.0	0.0	0.1	0.1	0.2	0.2	0.1	0.0			
30	PSCB	0.1	0.2	0.0	0.0	0.1	0.1	0.2	0.1	0.2	0.0			
31	PSCB	0.1	0.2	0.0	0.0	0.1	0.2	0.1	0.2	0.2	0.0			
32	PSCB	0.1	0.2	0.0	0.0	0.1	0.2	0.1	0.1	0.1	0.0			
33	PSCB	0.1	0.2	0.0	0.0	0.1	0.1	0.4	0.2	0.1	0.0			
34	PSCB	0.1	0.2	0.0	0.0	0.1	0.2	0.1	0.2	0.2	0.0			
35	PSCB	0.1	0.2	0.0	0.0	0.1	0.1	0.4	0.2	0.2	0.0			
36	PSCB	0.1	0.2	0.0	0.0	0.1	0.1	0.2	0.1	0.1	0.0			
37	PSCB	0.1	0.2	0.0	0.0	0.1	0.1	0.2	0.2	0.1	0.0			
38	PSCB	0.1	0.2	0.0	0.0	0.1	0.1	0.1	0.1	0.1	0.0			
39	PSCB	0.1	0.2	0.0	0.0	0.1	0.1	0.2	0.2	0.2	0.0			
40	PSCB	0.1	0.2	0.0	0.0	0.1	0.1	0.2	0.2	0.2	0.0			
41	PSCB	0.1	0.2	0.0	0.0	0.1	0.1	0.2	0.1	0.2	0.0			
42	PSCB	0.1	0.4	0.0	0.0	0.1	0.1	0.2	0.2	0.1	0.0			
43	PSCB	0.1	0.4	0.0	0.0	0.1	0.1	0.2	0.2	0.2	0.0			
44	PSCB	0.1	0.4	0.0	0.0	0.1	0.1	0.2	0.1	0.2	0.0		0.1	
45	PSCB	0.1	0.1	0.0	0.0	0.4	0.1	0.2	0.1	0.1	0.0			
46	PSCB	0.2	0.2	0.0	0.0	0.1	0.1	0.1	0.2	0.2	0.0			

47	PSCB	0.1	0.4	0.0	0.0	0.1	0.1	0.2	0.1	0.2	0.0		
48	PSCB	0.1	0.2	0.0	0.0	0.1	0.1	0.1	0.1	0.1	0.0	0.1	
49	PSCB	0.1	0.1	0.0	0.0	0.1	0.1	0.1	0.1	0.2	0.0		
50	PSCB	0.1	0.2	0.0	0.0	0.1	0.1	0.2	0.1	0.1	0.0		
51	PSCB	0.1	0.2	0.0	0.0	0.1	0.1	0.1	0.2	0.1	0.0		
52	PSCB	0.1	0.2	0.0	0.0	0.1	0.1	0.1	0.1	0.1	0.0		
53	PSCB	0.1	0.2	0.0	0.0	0.1	0.1	0.2	0.2	0.1	0.0		
54	PSCB	0.1	0.4	0.0	0.0	0.1	0.1	0.1	0.1	0.2	0.0		
55	PSCB	0.2	0.2	0.0	0.0	0.1	0.1	0.1	0.1	0.2	0.0		
56	PSCB	0.1	0.2	0.0	0.0	0.1	0.1	0.2	0.1	0.2	0.0		
57	PSCB	0.1	0.2	0.0	0.0	0.1	0.1	0.1	0.1	0.2	0.0		
58	PSCB	0.2	0.2	0.0	0.0	0.1	0.2	0.1	0.1	0.2	0.0		
59	PSCB	0.2	0.2	0.0	0.0	0.1	0.2	0.2	0.2	0.2	0.0		
60	PSCB	0.1	0.2	0.0	0.0	0.2	0.1	0.1	0.2	0.1	0.0		
61	PSCB	0.1	0.4	0.0	0.0	0.1	0.1	0.2	0.1	0.2	0.0		
62	PSCB	0.1	0.2	0.0	0.0	0.1	0.2	0.1	0.1	0.2	0.0		
63	PSCB	0.2	0.2	0.0	0.0	0.1	0.1	0.2	0.1	0.2	0.0		
64	PSCB	0.1	0.2	0.0	0.0	0.2	0.2	0.1	0.2	0.1	0.0		
65	PSCB	0.2	0.2	0.0	0.0	0.1	0.2	0.1	0.1	0.2	0.0		
66	PSCB	0.1	0.1	0.0	0.0	0.1	0.1	0.1	0.2	0.1	0.0		
67	PSCB	0.2	0.1	0.0	0.0	0.1	0.2	0.1	0.2	0.2	0.0		
68	PSCB	0.1	0.1	0.0	0.0	0.1	0.2	0.1	0.2	0.1	0.0		
69	PSCB	0.2	0.1	0.0	0.0	0.1	0.2	0.1	0.1	0.1	0.0		
70	PSCB	0.2	0.1	0.0	0.0	0.1	0.2	0.1	0.2	0.1	0.0		
71	PSCB	0.2	0.1	0.0	0.0	0.2	0.1	0.1	0.2	0.2	0.0		
72	PSCB	0.2	0.4	0.0	0.0	0.1	0.2	0.1	0.1	0.1	0.0		
73	PSCB	0.2	0.4	0.0	0.0	0.1	0.2	0.1	0.1	0.2	0.0		
74	PSCB	0.2	0.1	0.0	0.0	0.1	0.1	0.1	0.1	0.2	0.0		
75	PSCB	0.1	0.2	0.0	0.0	0.1	0.1	0.1	0.1	0.2	0.0		
76	PSCB	0.2	0.1	0.0	0.0	0.4	0.1	0.1	0.1	0.2	0.0		
77	PSCB	0.2	0.1	0.0	0.0	0.1	0.2	0.1	0.1	0.2	0.0		
78	PSCB	0.2	0.2	0.0	0.0	0.1	0.1	0.1	0.1	0.1	0.0		
79	PSCB	0.2	0.4	0.0	0.0	0.1	0.1	0.1	0.1	0.2	0.0		
80	PSCB	0.2	0.1	0.0	0.0	0.1	0.2	0.2	0.1	0.2	0.0		
81	PSCB	0.1	0.2	0.0	0.0	0.1	0.1	0.1	0.1	0.1	0.0		
82	PSCB	0.1	0.1	0.0	0.0	0.1	0.2	0.1	0.2	0.1	0.0		
83	PSCB	0.1	0.1	0.0	0.0	0.1	0.2	0.1	0.2	0.2	0.0		
84	PSCB	0.2	0.4	0.0	0.0	0.1	0.2	0.2	0.1	0.1	0.0		
85	PSCB	0.2	0.4	0.0	0.0	0.1	0.2	0.1	0.1	0.1	0.0		
86	PSCB	0.2	0.4	0.0	0.0	0.1	0.1	0.1	0.1	0.1	0.0		
87	PSCB	0.2	0.4	0.0	0.0	0.1	0.2	0.1	0.2	0.2	0.0		
88	PSCB	0.2	0.4	0.0	0.0	0.1	0.1	0.1	0.1	0.1	0.0		
89	PSCB	0.2	0.2	0.0	0.0	0.1	0.1	0.1	0.1	0.2	0.0		
90	PSCB	0.2	0.2	0.0	0.0	0.1	0.2	0.1	0.2	0.1	0.0		
91	PSCB	0.2	0.2	0.0	0.0	0.1	0.1	0.1	0.2	0.2	0.0		
92	PSCB	0.2	0.4	0.0	0.0	0.1	0.1	0.1	0.1	0.1	0.0		
93	PSCB	0.2	0.2	0.0	0.0	0.1	0.1	0.1	0.1	0.1	0.0		
94	PSCB	0.2	0.1	0.0	0.0	0.1	0.1	0.1	0.1	0.2	0.0		
95	PSCB	0.2	0.1	0.0	0.0	0.1	0.1	0.1	0.1	0.2	0.0		

96	PSCB	0.1	0.1	0.0	0.0	0.1	0.1	0.2	0.1	0.2	0.0		
97	PSCB	0.2	0.1	0.0	0.0	0.1	0.2	0.1	0.1	0.1	0.0		
98	PSCB	0.2	0.1	0.0	0.0	0.1	0.1	0.1	0.1	0.2	0.0		
99	PSCB	0.2	0.1	0.0	0.0	0.2	0.1	0.1	0.1	0.2	0.0		
100	PSCB	0.1	0.1	0.0	0.0	0.1	0.2	0.1	0.1	0.1	0.0		
101	PSCB	0.1	0.1	0.0	0.0	0.1	0.1	0.1	0.1	0.1	0.0		
102	PSCB	0.2	0.2	0.0	0.0	0.1	0.2	0.1	0.1	0.2	0.0		
103	PSCB	0.1	0.1	0.0	0.0	0.1	0.1	0.1	0.2	0.2	0.0		
104	PSCB	0.2	0.1	0.0	0.0	0.1	0.1	0.1	0.1	0.2	0.0		
105	PSCB	0.1	0.1	0.0	0.0	0.1	0.2	0.1	0.1	0.1	0.0		
106	PSCB	0.1	0.4	0.0	0.0	0.4	0.1	0.1	0.2	0.2	0.0	0.1	
107	PSCB	0.2	0.4	0.0	0.0	0.1	0.2	0.1	0.2	0.2	0.0		
108	PSCB	0.1	0.4	0.0	0.0	0.1	0.1	0.1	0.1	0.1	0.0		
109	PSCB	0.2	0.2	0.0	0.0	0.1	0.1	0.1	0.1	0.1	0.0		
110	PSCB	0.2	0.1	0.0	0.0	0.1	0.2	0.1	0.1	0.2	0.0		
111	PSCB	0.1	0.1	0.0	0.0	0.1	0.2	0.1	0.1	0.1	0.0		
112	PSCB	0.2	0.2	0.0	0.0	0.1	0.2	0.1	0.1	0.2	0.0		
113	PSCB	0.2	0.2	0.0	0.0	0.1	0.2	0.1	0.2	0.1	0.0		
114	PSCB	0.1	0.4	0.0	0.0	0.1	0.2	0.1	0.1	0.1	0.0		
115	PSCB	0.2	0.4	0.0	0.0	0.1	0.1	0.1	0.1	0.1	0.0		
116	PSCB	0.2	0.4	0.0	0.0	0.1	0.2	0.1	0.2	0.1	0.0		
117	PSCB	0.2	0.1	0.0	0.0	0.1	0.1	0.1	0.1	0.2	0.0		
118	PSCB	0.2	0.1	0.0	0.0	0.1	0.1	0.1	0.1	0.2	0.0		
119	PSCB	0.2	0.2	0.0	0.0	0.1	0.2	0.1	0.2	0.2	0.0		
120	PSCB	0.1	0.1	0.0	0.0	0.2	0.2	0.1	0.1	0.1	0.0		
121	PSCB	0.1	0.4	0.0	0.0	0.1	0.2	0.1	0.2	0.1	0.0		
122	PSCB	0.2	0.4	0.0	0.0	0.1	0.2	0.1	0.2	0.1	0.0		
123	PSCB	0.2	0.2	0.0	0.0	0.1	0.2	0.1	0.2	0.1	0.0		
124	PSCB	0.1	0.1	0.0	0.0	0.1	0.2	0.1	0.2	0.1	0.0		
125	PSCB	0.2	0.4	0.0	0.0	0.1	0.2	0.1	0.2	0.2	0.0		
126	PSCB	0.1	0.1	0.0	0.0	0.2	0.1	0.1	0.1	0.1	0.0		
127	PSCB	0.2	0.2	0.0	0.0	0.1	0.1	0.2	0.2	0.2	0.0		
128	PSCB	0.2	0.1	0.0	0.0	0.1	0.1	0.1	0.1	0.1	0.0		
129	PSCB	0.1	0.1	0.0	0.0	0.4	0.2	0.1	0.2	0.1	0.0		
130	PSCB	0.2	0.2	0.0	0.0	0.2	0.2	0.1	0.2	0.1	0.0		
131	PSCB	0.2	0.2	0.0	0.0	0.4	0.1	0.1	0.1	0.1	0.0		
132	PSCB							0.1	0.2	0.2	0.0		0.1

교량명 : 용암교(PSCB)													
부재의 분류		상부구조		2차부재		기타부재				하부구조		내구성요소	
번호	구조형식	바닥판	거더	격벽	포장	배수	난간/ 반호벽	신축이음	받침장치	하부	기초	탄산화(상)	탄산화(하)
1	PSCB	a	b	-	-	a	a	c	a	b	q		
2	PSCB	a	b	-	-	a	a	c	a	a	q		
3	PSCB	a	b	-	-	c	a	a	b	b	q		
4	PSCB	a	b	-	-	a	a	a	a	a	q		
5	PSCB	a	b	-	-	c	a	a	b	b	q		
6	PSCB	a	b	-	-	c	b	a	b	a	q		
7	PSCB	a	b	-	-	c	a	b	a	b	q		
8	PSCB	a	b	-	-	a	c	b	b	a	q		
9	PSCB	a	b	-	-	a	b	a	b	a	q		
10	PSCB	a	c	-	-	a	b	b	b	a	q		
11	PSCB	a	b	-	-	c	b	b	b	a	q		
12	PSCB	a	b	-	-	b	a	a	a	a	q		
13	PSCB	a	c	-	-	a	a	b	b	a	q		
14	PSCB	b	b	-	-	a	b	a	a	a	q		
15	PSCB	b	b	-	-	a	b	b	a	a	q		
16	PSCB	b	b	-	-	a	a	a	b	a	q		
17	PSCB	b	a	-	-	a	a	b	a	a	q		
18	PSCB	a	b	-	-	c	b	a	b	a	q		
19	PSCB	b	b	-	-	a	b	a	b	a	q		
20	PSCB	a	b	-	-	a	b	a	a	a	q		
21	PSCB	a	b	-	-	a	a	a	b	a	q		
22	PSCB	a	b	-	-	a	b	a	b	a	q		
23	PSCB	a	b	-	-	a	b	a	b	a	q		
24	PSCB	a	b	-	-	a	a	a	b	a	q		
25	PSCB	b	b	-	-	a	a	a	b	a	q		
26	PSCB	a	b	-	-	a	a	a	a	a	q		
27	PSCB	b	a	-	-	a	b	a	a	a	q		
28	PSCB	a	b	-	-	a	a	a	a	b	q		
29	PSCB	a	a	-	-	a	a	b	b	a	q		
30	PSCB	a	b	-	-	a	a	b	a	b	q		
31	PSCB	a	b	-	-	a	b	a	b	b	q		
32	PSCB	a	b	-	-	a	b	a	a	a	q		
33	PSCB	a	b	-	-	a	a	c	b	a	q		
34	PSCB	a	b	-	-	a	b	a	b	b	q		
35	PSCB	a	b	-	-	a	a	c	b	b	q		
36	PSCB	a	b	-	-	a	a	b	a	a	q		
37	PSCB	a	b	-	-	a	a	b	b	a	q		
38	PSCB	a	b	-	-	a	a	a	a	a	q		
39	PSCB	a	b	-	-	a	a	b	b	b	q		
40	PSCB	a	b	-	-	a	a	b	b	b	q		
41	PSCB	a	b	-	-	a	a	b	a	b	q		
42	PSCB	a	c	-	-	a	a	b	b	a	q		
43	PSCB	a	c	-	-	a	a	b	b	b	q		
44	PSCB	a	c	-	-	a	a	b	a	b	q		
45	PSCB	a	a	-	-	c	a	b	a	a	q		
46	PSCB	b	b	-	-	a	a	a	b	b	q		

47	PSCB	a	c	-	-	a	a	b	a	b	q		
48	PSCB	a	b	-	-	a	a	a	a	a	q		
49	PSCB	a	a	-	-	a	a	a	a	b	q		
50	PSCB	a	b	-	-	a	a	b	a	a	q		
51	PSCB	a	b	-	-	a	a	a	b	a	q		
52	PSCB	a	b	-	-	a	a	a	a	a	q		
53	PSCB	a	b	-	-	a	a	b	b	a	q		
54	PSCB	a	c	-	-	a	a	a	a	b	q		
55	PSCB	b	b	-	-	a	a	a	a	b	q		
56	PSCB	a	b	-	-	a	a	b	a	b	q		
57	PSCB	a	b	-	-	a	a	a	a	b	q		
58	PSCB	b	b	-	-	a	b	a	a	b	q		
59	PSCB	b	b	-	-	a	b	b	b	b	q		
60	PSCB	a	b	-	-	b	a	a	b	a	q		
61	PSCB	a	c	-	-	a	a	b	a	b	q		
62	PSCB	a	b	-	-	a	b	a	a	b	q		
63	PSCB	b	b	-	-	a	a	b	a	b	q		
64	PSCB	a	b	-	-	b	b	a	b	a	q		
65	PSCB	b	b	-	-	a	b	a	a	b	q		
66	PSCB	a	a	-	-	a	a	a	b	a	q		
67	PSCB	b	a	-	-	a	b	a	b	b	q		
68	PSCB	a	a	-	-	a	b	a	b	a	q		
69	PSCB	b	a	-	-	a	b	a	a	a	q		
70	PSCB	b	a	-	-	a	b	a	b	a	q		
71	PSCB	b	a	-	-	b	a	a	b	b	q		
72	PSCB	b	c	-	-	a	b	a	a	a	q		
73	PSCB	b	c	-	-	a	b	a	a	b	q		
74	PSCB	b	a	-	-	a	a	a	a	b	q		
75	PSCB	a	b	-	-	a	a	a	a	b	q		
76	PSCB	b	a	-	-	c	a	a	a	b	q		
77	PSCB	b	a	-	-	a	b	a	a	b	q		
78	PSCB	b	b	-	-	a	a	a	a	a	q		
79	PSCB	b	c	-	-	a	a	a	a	b	q		
80	PSCB	b	a	-	-	a	b	b	a	b	q		
81	PSCB	a	b	-	-	a	a	a	a	a	q		
82	PSCB	a	a	-	-	a	b	a	b	a	q		
83	PSCB	a	a	-	-	a	b	a	b	b	q		
84	PSCB	b	c	-	-	a	b	b	a	a	q		
85	PSCB	b	c	-	-	a	b	a	a	a	q		
86	PSCB	b	c	-	-	a	a	a	a	a	q		
87	PSCB	b	c	-	-	a	b	a	b	b	q		
88	PSCB	b	c	-	-	a	a	a	a	a	q		
89	PSCB	b	b	-	-	a	a	a	a	b	q		
90	PSCB	b	b	-	-	a	b	a	b	a	q		
91	PSCB	b	b	-	-	a	a	a	b	b	q		
92	PSCB	b	c	-	-	a	a	a	a	a	q		
93	PSCB	b	b	-	-	a	a	a	a	a	q		
94	PSCB	b	a	-	-	a	a	a	a	b	q		
95	PSCB	b	a	-	-	a	a	a	a	b	q		

96	PSCB	a	a	-	-	a	a	b	a	b	q		
97	PSCB	b	a	-	-	a	b	a	a	a	q		
98	PSCB	b	a	-	-	a	a	a	a	b	q		
99	PSCB	b	a	-	-	b	a	a	a	b	q		
100	PSCB	a	a	-	-	a	b	a	a	a	q		
101	PSCB	a	a	-	-	a	a	a	a	a	q		
102	PSCB	b	b	-	-	a	b	a	a	b	q		
103	PSCB	a	a	-	-	a	a	a	b	b	q		
104	PSCB	b	a	-	-	a	a	a	a	b	q		
105	PSCB	a	a	-	-	a	b	a	a	a	q		
106	PSCB	a	c	-	-	c	a	a	b	b	q	a	
107	PSCB	b	c	-	-	a	b	a	b	b	q		
108	PSCB	a	c	-	-	a	a	a	a	a	q		
109	PSCB	b	b	-	-	a	a	a	a	a	q		
110	PSCB	b	a	-	-	a	b	a	a	b	q		
111	PSCB	a	a	-	-	a	b	a	a	a	q		
112	PSCB	b	b	-	-	a	b	a	a	b	q		
113	PSCB	b	b	-	-	a	b	a	b	a	q		
114	PSCB	a	c	-	-	a	b	a	a	a	q		
115	PSCB	b	c	-	-	a	a	a	a	a	q		
116	PSCB	b	c	-	-	a	b	a	b	a	q		
117	PSCB	b	a	-	-	a	a	a	a	b	q		
118	PSCB	b	a	-	-	a	a	a	a	b	q		
119	PSCB	b	b	-	-	a	b	a	b	b	q		
120	PSCB	a	a	-	-	b	b	a	a	a	q		
121	PSCB	a	c	-	-	a	b	a	b	a	q		
122	PSCB	b	c	-	-	a	b	a	b	a	q		
123	PSCB	b	b	-	-	a	b	a	b	a	q		
124	PSCB	a	a	-	-	a	b	a	b	a	q		
125	PSCB	b	c	-	-	a	b	a	b	b	q		
126	PSCB	a	a	-	-	b	a	a	a	a	q		
127	PSCB	b	b	-	-	a	a	b	b	b	q		
128	PSCB	b	a	-	-	a	a	a	a	a	q		
129	PSCB	a	a	-	-	c	b	a	b	a	q		
130	PSCB	b	b	-	-	b	b	a	b	a	q		
131	PSCB	b	b	-	-	c	a	a	a	a	q		
132	PSCB	-	-	-	-			a	b	b	q		a
평균 가중치 (평균*가중치)/가중치 합		0.145	0.211	0.000	0.000	0.131	0.144	0.131	0.143	0.144	0.000	0.100	0.100
		27.0	23.0	0.0	0.0	3.0	2.0	9.0	9.0	20.0	0.0	4.0	3.0
		0.039	0.049	0.000	0.000	0.004	0.003	0.012	0.013	0.029	0.000	0.004	0.003
1.환산결합도 점수 =													0.155
2.상태평가 결과 =													B

교량명 : 용암교(강1형교)													
부재의 분류		상부구조		2차부재		기타부재				하부구조		내구성요소	
번호	구조형식	바닥판	거더	격벽	포장	배수	난간/ 반충벽	신축이음	받침	하부	기초	탄산화(상)	탄산화(하)
1	강1형교	0.2	0.2	0.1	0.0	0.1	0.2	0.2	0.1	0.1	0.0	0.0	0.0
2	강1형교	0.1	0.1	0.1	0.0	0.1	0.2	0.1	0.1	0.2	0.0	0.0	0.0
3	강1형교	0.1	0.1	0.1	0.0	0.1	0.2	0.2	0.1	0.2	0.0	0.0	0.0
4	강1형교	0.2	0.1	0.1	0.0	0.1	0.2	0.1	0.2	0.1	0.0	0.0	0.0
5	강1형교	0.1	0.1	0.1	0.0	0.1	0.2	0.2	0.2	0.1	0.0	0.0	0.0
6	강1형교	0.2	0.1	0.1	0.0	0.1	0.2	0.1	0.1	0.2	0.0	0.0	0.0
7	강1형교	0.2	0.1	0.1	0.0	0.1	0.1	0.2	0.2	0.2	0.0	0.0	0.0
교량명 : 용암교(강1형교)													
부재의 분류		상부구조		2차부재		기타부재				하부구조		내구성요소	
번호	구조형식	바닥판	거더	격벽	포장	배수	난간/ 반충벽	신축이음	받침장치	하부	기초	탄산화(상)	탄산화(하)
1	강1형교	b	b	a	-	a	b	b	a	a	q	-	-
2	강1형교	a	a	a	-	a	b	a	a	b	q	-	-
3	강1형교	a	a	a	-	a	b	b	a	b	q	-	-
4	강1형교	b	a	a	-	a	b	a	b	a	q	-	-
5	강1형교	a	a	a	-	a	b	b	b	a	q	-	-
6	강1형교	b	a	a	-	a	b	a	a	b	q	-	-
7	강1형교	b	a	a	-	a	a	b	b	b	q	-	-
평균		0.157	0.114	0.100	0.000	0.100	0.186	0.157	0.143	0.157	0.000	0.000	0.000
가중치		27.0	22.0	5.0	0.0	3.0	2.0	9.0	9.0	23.0	0.0	0.0	0.0
(평균*가중치)/가중치 합		0.042	0.025	0.005	0.000	0.003	0.004	0.014	0.013	0.036	0.000	0.000	0.000
1.환산결함도 점수 =												0.142	
2.상태평가 결과 =												B	

용암교 결과표

개별교량명 :		용암교				
구분	구조형식	환산 결함도점수	상태평가 결과	연장(m)	연장비	환산결함도 점수 X 연장비
용암교	PSCB	0.155	B	4,450.0	0.927	0.144
용암교	강1형교	0.142	B	350.0	0.073	0.010
				4,800.0	1.000	0.154
<평가자 의견>						
1. 환산결함도 점수 =						0.154
2. 상태평가 결과 =						B