

교량명 : 두월고가(PSCB)														
부재의 분류		상부구조		2차부재		기타부재			받침		하부구조		내구성요소	
번호	구조형식	바닥판	거더	격벽	포장	배수	난간/ 방호벽	신축이음	받침	하부	기초	탄산화(상)	탄산화(하)	
1	PSCB	0.2	0.2	0.0	0.0	0.1	0.2	0.2	0.1	0.2	0.0			
2	PSCB	0.4	0.2	0.0	0.0	0.1	0.1	0.4	0.1	0.2	0.0			
3	PSCB	0.1	0.2	0.0	0.0	0.1	0.2	0.1	0.1	0.2	0.0			
4	PSCB	0.4	0.2	0.0	0.0	0.1	0.2	0.1	0.1	0.2	0.0			
5	PSCB	0.2	0.4	0.0	0.0	0.1	0.2	0.1	0.1	0.2	0.0			
6	PSCB	0.4	0.2	0.0	0.0	0.1	0.2	0.2	0.1	0.2	0.0			
7	PSCB	0.4	0.2	0.0	0.0	0.1	0.2	0.1	0.1	0.2	0.0			
8	PSCB	0.4	0.2	0.0	0.0	0.1	0.2	0.1	0.1	0.2	0.0			
9	PSCB	0.4	0.2	0.0	0.0	0.1	0.2	0.1	0.1	0.1	0.0			
10	PSCB	0.4	0.2	0.0	0.0	0.1	0.2	0.1	0.1	0.2	0.0			
11	PSCB	0.2	0.2	0.0	0.0	0.1	0.2	0.1	0.1	0.1	0.0			
12	PSCB	0.2	0.2	0.0	0.0	0.1	0.2	0.1	0.1	0.2	0.0	0.1		
13	PSCB	0.2	0.4	0.0	0.0	0.1	0.1	0.1	0.1	0.1	0.0			
14	PSCB	0.2	0.4	0.0	0.0	0.1	0.2	0.2	0.1	0.1	0.0		0.1	
15	PSCB	0.4	0.2	0.0	0.0	0.1	0.2	0.1	0.1	0.2	0.0			
16	PSCB	0.4	0.2	0.0	0.0	0.1	0.2	0.1	0.1	0.2	0.0			
17	PSCB	0.4	0.2	0.0	0.0	0.1	0.2	0.1	0.1	0.1	0.0			
18	PSCB	0.4	0.2	0.0	0.0	0.1	0.1	0.1	0.1	0.2	0.0			
19	PSCB	0.4	0.2	0.0	0.0	0.1	0.2	0.1	0.2	0.2	0.0			
20	PSCB	0.1	0.2	0.0	0.0	0.1	0.2	0.1	0.1	0.2	0.0			
21	PSCB	0.2	0.4	0.0	0.0	0.1	0.2	0.1	0.1	0.2	0.0			
22	PSCB	0.1	0.2	0.0	0.0	0.2	0.1	0.1	0.1	0.2	0.0			
23	PSCB	0.2	0.4	0.0	0.0	0.1	0.1	0.1	0.1	0.1	0.0			
24	PSCB	0.1	0.4	0.0	0.0	0.1	0.1	0.1	0.1	0.2	0.0			
25	PSCB	0.4	0.2	0.0	0.0	0.1	0.1	0.1	0.1	0.2	0.0			
26	PSCB	0.1	0.2	0.0	0.0	0.2	0.1	0.1	0.1	0.2	0.0			
27	PSCB	0.2	0.4	0.0	0.0	0.1	0.2	0.1	0.1	0.1	0.0			
28	PSCB	0.1	0.4	0.0	0.0	0.1	0.2	0.1	0.2	0.2	0.0			
29	PSCB	0.1	0.2	0.0	0.0	0.1	0.2	0.1	0.1	0.2	0.0			
30	PSCB	0.2	0.2	0.0	0.0	0.2	0.2	0.1	0.1	0.2	0.0			
31	PSCB	0.1	0.4	0.0	0.0	0.1	0.2	0.1	0.1	0.2	0.0			
32	PSCB	0.1	0.2	0.0	0.0	0.2	0.2	0.1	0.1	0.2	0.0			
33	PSCB	0.4	0.2	0.0	0.0	0.1	0.1	0.1	0.2	0.1	0.0	0.1		
34	PSCB	0.1	0.2	0.0	0.0	0.2	0.2	0.1	0.1	0.2	0.0			
35	PSCB	0.4	0.2	0.0	0.0	0.2	0.2	0.2	0.1	0.2	0.0			
36	PSCB	0.4	0.2	0.0	0.0	0.2	0.2	0.2	0.1	0.2	0.0			
37	PSCB	0.4	0.2	0.0	0.0	0.1	0.2	0.2	0.2	0.2	0.0			
38	PSCB	0.4	0.2	0.0	0.0	0.2	0.2	0.1	0.1	0.2	0.0		0.1	
39	PSCB	0.4	0.4	0.0	0.0	0.1	0.1	0.1	0.1	0.2	0.0			
40	PSCB	0.4	0.4	0.0	0.0	0.2	0.2	0.2	0.2	0.2	0.0			
41	PSCB	0.4	0.4	0.0	0.0	0.1	0.2	0.1	0.1	0.1	0.0			
42	PSCB	0.2	0.4	0.0	0.0	0.1	0.2	0.1	0.1	0.2	0.0			
43	PSCB	0.1	0.2	0.0	0.0	0.1	0.2	0.1	0.2	0.2	0.0			
44	PSCB	0.4	0.4	0.0	0.0	0.1	0.2	0.1	0.1	0.1	0.0			
45	PSCB	0.4	0.4	0.0	0.0	0.1	0.2	0.1	0.1	0.1	0.0			
46	PSCB	0.4	0.4	0.0	0.0	0.1	0.2	0.1	0.1	0.2	0.0			

47	PSCB	0.2	0.4	0.0	0.0	0.1	0.2	0.1	0.1	0.2	0.0		
48	PSCB	0.4	0.2	0.0	0.0	0.2	0.2	0.1	0.1	0.2	0.0		
49	PSCB	0.2	0.2	0.0	0.0	0.1	0.2	0.1	0.1	0.2	0.0		
50	PSCB	0.2	0.4	0.0	0.0	0.1	0.2	0.1	0.2	0.2	0.0		
51	PSCB	0.2	0.4	0.0	0.0	0.1	0.2	0.1	0.1	0.2	0.0		
52	PSCB	0.4	0.4	0.0	0.0	0.1	0.2	0.1	0.1	0.2	0.0		
53	PSCB	0.4	0.2	0.0	0.0	0.1	0.2	0.1	0.1	0.2	0.0		
54	PSCB	0.2	0.4	0.0	0.0	0.2	0.2	0.1	0.1	0.2	0.0		
55	PSCB	0.1	0.2	0.0	0.0	0.1	0.2	0.1	0.2	0.1	0.0		
56	PSCB	0.2	0.2	0.0	0.0	0.1	0.1	0.1	0.1	0.2	0.0		
57	PSCB	0.1	0.2	0.0	0.0	0.1	0.2	0.1	0.1	0.2	0.0		
58	PSCB	0.2	0.2	0.0	0.0	0.1	0.2	0.1	0.1	0.2	0.0		
59	PSCB	0.4	0.4	0.0	0.0	0.2	0.2	0.1	0.2	0.2	0.0		
60	PSCB	0.4	0.4	0.0	0.0	0.1	0.2	0.1	0.1	0.2	0.0		
61	PSCB	0.4	0.4	0.0	0.0	0.2	0.2	0.1	0.1	0.2	0.0		
62	PSCB	0.2	0.4	0.0	0.0	0.1	0.2	0.1	0.1	0.1	0.0		
63	PSCB	0.1	0.2	0.0	0.0	0.1	0.2	0.1	0.1	0.2	0.0		0.1
64	PSCB	0.2	0.4	0.0	0.0	0.2	0.2	0.1	0.1	0.2	0.0	0.1	
65	PSCB	0.4	0.2	0.0	0.0	0.1	0.2	0.2	0.1	0.2	0.0		
66	PSCB	0.2	0.2	0.0	0.0	0.1	0.2	0.2	0.2	0.2	0.0		
67	PSCB	0.4	0.2	0.0	0.0	0.2	0.2	0.1	0.1	0.2	0.0		
68	PSCB	0.4	0.4	0.0	0.0	0.2	0.2	0.1	0.1	0.2	0.0		
69	PSCB	0.2	0.2	0.0	0.0	0.1	0.2	0.2	0.2	0.2	0.0		
70	PSCB							0.1	0.1	0.4	0.0		

교량명 : 두월고가(PSCB)													
부재의 분류		상부구조		2차부재	기타부재					하부구조		내구성요소	
번호	구조형식	바닥판	거더	격벽	포장	배수	난간/ 보호벽	신축이음	받침장치	하부	기초	탄산화(상)	탄산화(하)
1	PSCB	b	b	-	-	a	b	b	a	b	q		
2	PSCB	c	b	-	-	a	a	c	a	b	q		
3	PSCB	a	b	-	-	a	b	a	a	b	q		
4	PSCB	c	b	-	-	a	b	a	a	b	q		
5	PSCB	b	c	-	-	a	b	a	a	b	q		
6	PSCB	c	b	-	-	a	b	b	a	b	q		
7	PSCB	c	b	-	-	a	b	a	a	b	q		
8	PSCB	c	b	-	-	a	b	a	a	b	q		
9	PSCB	c	b	-	-	a	b	a	a	a	q		
10	PSCB	c	b	-	-	a	b	a	a	b	q		
11	PSCB	b	b	-	-	a	b	a	a	a	q		
12	PSCB	b	b	-	-	a	b	a	a	b	q	a	
13	PSCB	b	c	-	-	a	a	a	a	a	q		
14	PSCB	b	c	-	-	a	b	b	a	a	q		a
15	PSCB	c	b	-	-	a	b	a	a	b	q		
16	PSCB	c	b	-	-	a	b	a	a	b	q		
17	PSCB	c	b	-	-	a	b	a	a	a	q		
18	PSCB	c	b	-	-	a	a	a	a	b	q		
19	PSCB	c	b	-	-	a	b	a	b	b	q		
20	PSCB	a	b	-	-	a	b	a	a	b	q		
21	PSCB	b	c	-	-	a	b	a	a	b	q		
22	PSCB	a	b	-	-	b	a	a	a	b	q		
23	PSCB	b	c	-	-	a	a	a	a	a	q		
24	PSCB	a	c	-	-	a	a	a	a	b	q		
25	PSCB	c	b	-	-	a	a	a	a	b	q		
26	PSCB	a	b	-	-	b	a	a	a	b	q		
27	PSCB	b	c	-	-	a	b	a	a	a	q		
28	PSCB	a	c	-	-	a	b	a	b	b	q		
29	PSCB	a	b	-	-	a	b	a	a	b	q		
30	PSCB	b	b	-	-	b	b	a	a	b	q		
31	PSCB	a	c	-	-	a	b	a	a	b	q		
32	PSCB	a	b	-	-	b	b	a	a	b	q		
33	PSCB	c	b	-	-	a	a	a	b	a	q	a	
34	PSCB	a	b	-	-	b	b	a	a	b	q		
35	PSCB	c	b	-	-	b	b	b	a	b	q		
36	PSCB	c	b	-	-	b	b	b	a	b	q		
37	PSCB	c	b	-	-	a	b	b	b	b	q		
38	PSCB	c	b	-	-	b	b	a	a	b	q		
39	PSCB	c	c	-	-	a	a	a	a	b	q		
40	PSCB	c	c	-	-	b	b	b	b	b	q		
41	PSCB	c	c	-	-	a	b	a	a	a	q		
42	PSCB	b	c	-	-	a	b	a	a	b	q		
43	PSCB	a	b	-	-	a	b	a	b	b	q		
44	PSCB	c	c	-	-	a	b	a	a	a	q		
45	PSCB	c	c	-	-	a	b	a	a	a	q		
46	PSCB	c	c	-	-	a	b	a	a	b	q		

47	PSCB	b	c	-	-	a	b	a	a	b	q		
48	PSCB	c	b	-	-	b	b	a	a	b	q		
49	PSCB	b	b	-	-	a	b	a	a	b	q		
50	PSCB	b	c	-	-	a	b	a	b	b	q		
51	PSCB	b	c	-	-	a	b	a	a	b	q		
52	PSCB	c	c	-	-	a	b	a	a	b	q		
53	PSCB	c	b	-	-	a	b	a	a	b	q		
54	PSCB	b	c	-	-	b	b	a	a	b	q		
55	PSCB	a	b	-	-	a	b	a	b	a	q		
56	PSCB	b	b	-	-	a	a	a	a	b	q		
57	PSCB	a	b	-	-	a	b	a	a	b	q		
58	PSCB	b	b	-	-	a	b	a	a	b	q		
59	PSCB	c	c	-	-	b	b	a	b	b	q		
60	PSCB	c	c	-	-	a	b	a	a	b	q		
61	PSCB	c	c	-	-	b	b	a	a	b	q		
62	PSCB	b	c	-	-	a	b	a	a	a	q		
63	PSCB	a	b	-	-	a	b	a	a	b	q		a
64	PSCB	b	c	-	-	b	b	a	a	b	q	a	
65	PSCB	c	b	-	-	a	b	b	a	b	q		
66	PSCB	b	b	-	-	a	b	b	b	b	q		
67	PSCB	c	b	-	-	b	b	a	a	b	q		
68	PSCB	c	c	-	-	b	b	a	a	b	q		
69	PSCB	b	b	-	-	a	b	b	b	b	q		
70	PSCB	-	-	-	-			a	a	c	q		
평균 가중치 (평균*가중치)/가중치 합		0.275	0.278	0.000	0.000	0.123	0.184	0.119	0.116	0.184	0.000	0.100	0.100
		27.0	23.0	0.0	0.0	3.0	2.0	9.0	9.0	20.0	0.0	4.0	3.0
		0.074	0.064	0.000	0.000	0.004	0.004	0.011	0.010	0.037	0.000	0.004	0.003
1.환산결함도 점수 =													0.211
2.상태평가 결과 =													B

두월고가 결과표

개별교량명 :		두월고가				
구분	구조형식	환산 결함도점수	상태평가 결과	연장(m)	연장비	환산결함도 점수 X 연장비
두월고가	PSCB	0.211	B	2,390.0	1.000	0.211
				2,390.0	1.000	0.211
<평가자 의견>						
1. 환산결함도 점수 =						0.211
2. 상태평가 결과 =						B